



PRODUCT CATALOGUE | 2023

PROFESSIONAL KITCHEN EQUIPMENT

COOKING TECHNOLOGY | REFRIGERATORS | WAREWASHERS | SMALL APPLIANCES



Dear customers,

For over 145 years, Bartscher has been supporting you with an extensive range of commercial kitchen technology products.

Our products are successfully used in snack bars, classic restaurant- and hotel kitchens, school catering, caterers, retirement homes, sports clubs, as well as by ambitious hobby chefs.

We are constantly expanding our range with new products, which enables us to provide the best possible support for the ever-changing daily kitchen routine.

This year, we have also added numerous innovations to our range: new in-store ovens for the bakery, new dishwashing technology, new induction stoves incl. induction warming solutions, new refrigerated cabinets as well as many small & large appliances.

With our catalogue 2023 you have a good overview of our product range. Please visit our homepage at www.bartscher.com/en for more information, detailed product descriptions, operating instructions, exploded views as well as additional picture material.

We continued to successfully expand our project business last year and realized numerous new kitchen projects. Our extensive stock continues to be a basis for short delivery times related to the entire range.

Do you have any questions about our products and services? Please do not hesitate to contact us, we will be happy to provide you with our expertise and assistance.

Andreas Heumüller
General Manager

Wolfgang Mayer
Export Manager

EXHIBITION AND TRAINING CENTRES



Visit our exhibitions and experience the Bartscher appliance first hand. We will be happy to make appointments by phone.



EXHIBITION CALENDAR 2023

Once again in 2023, Bartscher will clearly show its presence at national and international trade shows.

Visit us on our booth at one of these shows and benefit from the individual expert advice of our trained sales team.

What you may be particularly curious about: At all our trade shows, we will again be presenting many new products that make your day-to-day work in the professional kitchen much easier.

For your annual planning we have listed all relevant trade shows dates.

01	15. - 17.	HOGA, Nürnberg
	19. - 23.	SIRHA, Lyon
02	13. - 14.	NORD GASTRO & HOTEL, Husum
03	10. - 14.	INTERNORGA, Hamburg
	23. - 25.	SMAKKI GASTROTARGI, Warszawa
10	13. - 17.	HOST, Milan
11	05. - 07.	ISS Gut!, Leipzig
	11. - 15.	ALLES FÜR DEN GAST, Salzburg

BECAUSE QUALITY ALWAYS WINS

EXPERIENCE AND EXPERIENCE SINCE 1876

Since the company was founded in 1876 and as part of the expansion of the family business in recent decades, Bartscher GmbH has consistently expanded its path to become a market-leading kitchen supplier in Germany.

WHAT BARTSCHER COMMERCIAL KITCHEN TECHNOLOGY MEANS FOR YOU

- The back-up of a strong and well-known brand
- The good sense of solid quality and excellent service
- Huge choice from an extensive product range
- Excellent price-performance ratio





OUR PROJECT MANAGEMENT

PRECISE PLANNING | PROFESSIONAL SUPPORT

INDIVIDUAL, PRACTICAL CONCEPTS

Are you planning to refurbish a commercial kitchen or are you thinking of adjusting the cooking area to suit your needs?

In the realisation of your ideas, we are happy to accompany you - whether with regard to needs analysis and function determination, or concept creation and project planning, whether in the supply system or in the subsequent installation planning.

We are also happy to assist you with the preparation of specifications. You are welcome to rely on our project department and you will always have a team of experienced professionals at your disposal.

An e-mail is enough: projekt@bartscher.com

CLOSE TO THE CUSTOMER IN EVERY PHASE

As a full-range provider, we offer you everything that is useful and helpful for professional commercial kitchens from a single source. In addition, we support our retail partners as well as architects and planning professionals with help and advice.

On request, we accompany you in close coordination in all phases of project management, for example


- Needs analysis
- Function determination
- Concept preparation
- Project planning
- Quotations
- Installation planning
- Specifications

COORDINATED TO YOUR PROGRAMS

For convenient and easy planning, we provide dxf data for download from our catalog products, which is very easy to read into any standard CAD program (including AUTO-CAD). You will find the dxf database here www.bartscher.com/en/Projektmanagement

Our project department is also at your disposal with a competent team in the field service.

We offer assistance and support in every phase. Give us a challenge!





IMPORTANT INFORMATION, FORMAL ADVICE

Our general terms and conditions are valid for all deliveries only.
Statements of weight do not include packing and transport materials/equipment,
(Euro Pallets, One Way Pallets etc).

Technical specifications are subject to change without notice.
All prices are given in Euro, not including delivery charges or value added tax.
All prices are recommendations only.
The reseller is free to set his own sales prices

REPAIRS TO SMALL APPLIANCES:

small appliances must be returned to the factory or to your specialist dealer for repair.

Information about new products and special offers can be found at:
www.bartscher.com

OUR RANGE AT A GLANCE

THERMAL SERIES

- ▶ Series 600
- ▶ Series 650
- ▶ Series 700
- ▶ Series 900

COOKING TECHNOLOGY

- ▶ Boiling kettles
- ▶ In-store ovens
- ▶ Sous-Vide cookers
- ▶ Combi steamers
- ▶ Low-temperature cookers
- ▶ Stock-pot stoves
- ▶ Convection ovens
- ▶ Multi-roaster
- ▶ Stoves
- ▶ Cooking station
- ▶ Salamanders
- ▶ Tilting frying pans
- ▶ High-speed oven
- ▶ Snackpoint
- ▶ Wok cookers

PIZZA / PASTA

- ▶ Pasta cookers
- ▶ Pasta machines
- ▶ Pastry roll machines
- ▶ Pizza ovens

SNACK / TAKE-AWAY

- ▶ Chicken grills
- ▶ Deep fat fryers
- ▶ Induction cooker
- ▶ Multi-frying pans
- ▶ Sausage roller grills
- ▶ Waffle makers
- ▶ Chip cutters
- ▶ Gas cookers
- ▶ Induction woks
- ▶ Paella
- ▶ Sausage slicers
- ▶ Water grills
- ▶ Contact grills
- ▶ Griddle plates
- ▶ Lava rock grills
- ▶ Pastries deep fat fryers
- ▶ Sausage warmers
- ▶ Countertop electric hobs
- ▶ Grill plates
- ▶ Microwave ovens
- ▶ Pump sauce dispensers
- ▶ Table-top grills
- ▶ Crêpe makers
- ▶ Hot-dog machines
- ▶ Multi pans
- ▶ Rice cookers
- ▶ Toasters

WARMING TECHNOLOGY / BUFFET

- ▶ Bain Maries
- ▶ Chafing dishes
- ▶ Food warmers
- ▶ Soup kettles
- ▶ Buffet displays
- ▶ Chafing fuels
- ▶ Foodwarmers
- ▶ Warming trays
- ▶ Buffet system
- ▶ Chocolate fountain
- ▶ Hot displays
- ▶ Buffet trolleys, hot
- ▶ Cup warmers
- ▶ Hotpots
- ▶ Cereal dispensers
- ▶ Food service carts
- ▶ Plate warmers

REFRIGERATORS

- ▶ Blast chillers
- ▶ Combined fridge/freezers
- ▶ Ice cube makers
- ▶ Mini-refrigerated counters
- ▶ Refrigerated displays
- ▶ Buffet trolleys, cold
- ▶ Cooling tops
- ▶ Ice flake makers
- ▶ Multideck refrigerated displays
- ▶ Refrigerators
- ▶ Cake displays show-cases
- ▶ Deep freezers
- ▶ Ice-cream makers
- ▶ Pizza saladettes
- ▶ Saladettes
- ▶ Chest freezers
- ▶ Dry ageing cabinets
- ▶ Impulse coolers
- ▶ Refrigerated counters
- ▶ Wine coolers
- ▶ Cold rooms
- ▶ Ice Cream cabinets
- ▶ Mini coolers
- ▶ Refrigerated displays

WAREWASHERS

- ▶ Basket transport dishwashers
- ▶ Glass polishers
- ▶ Cover machines
- ▶ Glasswashers
- ▶ Cutlery polishers
- ▶ Pot washers
- ▶ Dishwasher baskets
- ▶ Universal dishwashers
- ▶ Fittings
- ▶ Water Conditioning Units

DRINKS / CAFÉ / BAR

- ▶ Citrus press
- ▶ Ice crushers
- ▶ Mulled wine dispensers
- ▶ Coffee grinders
- ▶ Juice extractors
- ▶ Mulled wine pots
- ▶ Coffee machines
- ▶ Kettles
- ▶ Samovar
- ▶ Drinks dispensers
- ▶ Milk frothers
- ▶ Tea caddy
- ▶ Hot water dispensers
- ▶ Mixers / Blender
- ▶ Water filter system

FURNITURE / FURNISHINGS / OUTDOOR

- ▶ Ashtrays
- ▶ Sinks / Sink centres
- ▶ Exhaust hoods
- ▶ Stainless steel units
- ▶ Menu board
- ▶ Tables / Benches
- ▶ Patio heaters
- ▶ Pavement signs

TRANSPORT / STORAGE

- ▶ Clearing trolleys
- ▶ Sealing machines
- ▶ Serving trolleys
- ▶ Shelves
- ▶ Transport containers

PREPARATION

- ▶ Cutter
- ▶ Meat tenderisers
- ▶ Vacuum packaging machines
- ▶ Kitchen machines / Dough mixers
- ▶ Potato peeling machines
- ▶ Vegetable cutters
- ▶ Salad spinners
- ▶ Kitchen scales
- ▶ Slicers
- ▶ Meat grinders
- ▶ Stick mixers

KITCHEN ACCESSORIES

- ▶ Blow torches
- ▶ Frying pans
- ▶ Cooking pots
- ▶ Gastronorm-containers
- ▶ Cutlery holders
- ▶ Knife steriliser
- ▶ Cutting boards
- ▶ Label holders
- ▶ Doner kebab knives
- ▶ Rubbish bins

HOTEL EQUIPMENT / HYGIENE & Co

- ▶ Barrier systems
- ▶ Hotel hairdryer
- ▶ Soap dispensers
- ▶ Cleaning agents
- ▶ Hygiene screen
- ▶ Disinfectant dispensers
- ▶ Hygiene stations
- ▶ Glove dispensers
- ▶ Insect killers
- ▶ Hand dryers
- ▶ Room air cleaners

9 - 43

45 - 87

89 - 95

97 - 140

142 - 169

171 - 213

215 - 238

240 - 267

269 - 289

291 - 299

301 - 326

328 - 340

342 - 352

THERMAL SERIES

Warmly recommended: Our thermal appliances. In this section you will find everything you need for the perfect preparation of your food.



Series 600



Series 600 - High performance cooking appliances achieved through practical space efficient modular construction.

Construction and configuration to meet your requirements.

Appliances made from high quality chrome nickel steel 18/10 for long service life with compact construction.



▶ Devices
height without chimney 290 mm
height with chimney 425 mm



▶ 3,5 kW burner
▶ 6,0 kW burner



▶ Device linking via wedge crosspiece



▶ Counter attachment hood for series 600 available on request

Gas range 600, W600, 4BR, eLO

1315563

RRP* 3,098.- €

GTIN 4015613547510



CNS
18/10

- Number of hobs 4
- Distribution of hobs 2 x 3,5 kW (front), 2 x 6 kW (rear)
- Pilot flame Yes
- Oven type Electro
- Oven functions Circulating air
Grill
Upper / lower heat
- Oven volume 58 litre(s)
- Temperature range 50 °C to 250 °C
- Connected load oven 2,2 kW | 230 V | Pluggable
- Including 1 grille
1 baking tray
- Gas type Liquid gas (50 mbar)
Natural gas nozzles H (20 mbar) and L (20 mbar) are enclosed
- Power 19 kW
- Size W 600 x D 600 x H 900 mm
- Weight 58.5 kg

Electric range 600, W600, 4PL, eLO

131764

RRP* 2,749.- €

GTIN 4015613547527



CNS
18/10

- Number of hobs 4
- Large hobs Ø 185 mm
- Distribution of hobs 4 x 2 kW
- Oven type Electro
- Oven functions Circulating air
Grill
Upper / lower heat
- Oven volume 58 litre(s)
- Temperature range 50 °C to 250 °C
- Oven connected load 2,2 kW
- Including 1 grille
1 baking tray
- Power load 10,2 kW | 400 V | 50 Hz
- Equipment connection 3 NAC
- Size W 600 x D 600 x H 900 mm
- Weight 58 kg



- Number of hobs
- Large hobs

4
2 x Ø 230 mm, 1 x Ø 180 mm, 1 x Ø 145 mm



- Distribution of hobs
- Oven type
- Oven functions

2 x 2,5 kW, 1 x 1,8 kW, 1 x 1,2 kW
Electro
Circulating air
Grill

- Oven volume
- Temperature range
- Oven connected load
- Including

Upper / lower heat
58 litre(s)
50 °C to 250 °C

- Power load
- Equipment connection
- Size
- Weight

2,2 kW
1 grille
1 baking tray
10,2 kW | 400 V | 50 Hz
3 NAC
W 600 x D 600 x H 900 mm
58 kg

Component parts

Baking tray MF6430

- Size: W 435 x D 352 x H 30 mm
- Weight: 1.02 kg
- GTIN: 4015613702148

206203

RRP* 47.- €

Oven grid 442x373x26

- Size: W 442 x D 373 x H 26 mm
- Weight: 0.89 kg
- GTIN: 4015613769073

132648

RRP* 52.- €



▶ Cleaning agents
page 342

Gas range 600, 2BR



- Pilot flame
- Gas type

Yes
Liquid gas (50 mbar)
Natural gas nozzles H (20 mbar) and L (20 mbar) are enclosed



	Number of hobs	Distribution of hobs	Power	Size	Weight	Code-No.	RRP*	GTIN
Gas range 600, 2BR	2	1 x 3,5 kW (front) 1 x 6 kW (rear)	9,5 kW	W 400 mm D 600 mm H 290 mm	19.5 kg	1317433	1,139.- €	4015613547541
Gas range 600, W600, 4BR, TU	4	2 x 3,5 kW (front) 2 x 6 kW (rear)	19 kW	W 600 mm D 600 mm H 290 mm	30.3 kg	1317463	1,779.- €	4015613547558

Electric range 600 2PLTG



- Large hobs
- Type of hobs

Ø 180 mm
Speed- hotplates



	Number of hobs	Distribution of hobs	Power load	Equipment connection	Size	Weight	Code-No.	RRP*	GTIN
Electric range 600 2PLTG	2	2 x 2 kW	4 kW 400 V 50 Hz	2 NAC	W 400 mm D 600 mm H 290 mm	15.2 kg	131723	839.- €	4015613690094
Electric range 600, W600, 4PL, TU	4	4 x 2 kW	8 kW 400 V 50 Hz	3 NAC	W 600 mm D 600 mm H 290 mm	29.6 kg	131734	1,369.- €	4015613310008

Cerane range 600, 2 plates, TU



- Type of hobs
- Equipment connection

Glass ceramic
3 NAC



	Number of hobs	Distribution of hobs	Power load	Size	Weight	Code-No.	RRP*	GTIN
Cerane range 600, 2 plates, TU	2	1 x 2,5 kW 1 x 1,8 kW	4,3 kW 400 V 50/60 Hz	W 400 mm D 600 mm H 290 mm	17 kg	131800	1,798.- €	4015613418193
Cerane range 600, 4 HTzones, TU	4	2 x 2,5 kW 1 x 1,8 kW 1 x 1,2 kW	8 kW 400 V 50/60 Hz	W 600 mm D 600 mm H 290 mm	25 kg	131850	2,879.- €	4015613418209

Bain Marie 600, W400, TU



- Depth GN container max.
- Temperature range
- Water drain tap
- Not included in delivery

150 mm
30 °C to 85 °C



Yes

GN containers

Intermediate bars



	Basin size, GN format	Power load	Size	Weight	Code-No.	RRP*	GTIN
Bain Marie 600, W400, TU	3 x 1/4 GN	1,4 kW 230 V 50 Hz	W 400 mm D 600 mm H 290 mm	17.6 kg	131760	1,298.- €	4015613310084
Electric Bain Marie	1 x 1/1 GN 2 x 1/4 GN	2,8 kW 230 V 50 Hz	W 600 mm D 600 mm H 290 mm	28 kg	131770	1,698.- €	4015613310091

Workelement 600, W400, Dr



- Number of drawers

1

	Size drawer	Size	Weight	Code-No.	RRP*	GTIN
Workelement 600, W400, Dr	W 320 x D 480 x H 180 mm	W 400 mm D 600 mm H 290 mm	28 kg	131905	769.- €	4015613548005
Workelement 600, W600, Dr	W 520 x D 480 x H 180 mm	W 600 mm D 600 mm H 290 mm	30 kg	131915	949.- €	4015613548012

Deep fat fryer 600, B400, 6L



• Grease release tap

Yes



	Number of tanks	Beaker capacity	Number of baskets	Heating element	Power load	Equipment connection	Size	Weight	Code-No.	RRP*	GTIN
Deep fat fryer 600, B400, 6L	1	6 litre(s)	1	Permanently installed	3,3 kW 230 V 50 Hz	Pluggable	W 400 mm D 600 mm H 290 mm	17.8 kg	131306	1,409.- €	4015613309699
Deep fat fryer 600, B600, 2x6L	2	6 litre(s)	2	Permanently installed	6,6 kW 400 V 50/60 Hz	3 NAC	W 600 mm D 600 mm H 290 mm	29 kg	131413	2,509.- €	4015613433264
Deep fat fryer 600, B400, 8L	1	8 litre(s)	1	Can be swivelled	6,3 kW 400 V 50 Hz	3 NAC	W 400 mm D 600 mm H 290 mm	21 kg	131415	1,919.- €	4015613433240
Deep fat fryer 600, B600, 2x8L	2	8 litre(s)	3 (1 x large, 2 x small)	Can be swivelled	12,6 kW 400 V 50 Hz	3 NAC	W 600 mm D 600 mm H 290 mm	34 kg	131425	3,198.- €	4015613433257

Component parts

Substit.basket d.fat fryer 600, 6L

- Size basket: W 190 x D 270 x H 120 mm
- Size: W 195 x D 490 x H 203 mm
- Weight: 0.75 kg
- GTIN: 4015613658681

131308

RRP* 92.- €

Substit.basket d.fat fryer 600,8L,S

- Size basket: W 110 x D 280 x H 100 mm
- Size: W 111 x D 505 x H 203 mm
- Weight: 0.62 kg
- GTIN: 4015613658704

131418

RRP* 89.- €

Substit.basket d.fat fryer 600,8L,L

- Size basket: W 225 x D 275 x H 100 mm
- Size: W 226 x D 495 x H 205 mm
- Weight: 0.8 kg
- GTIN: 4015613658711

131419

RRP* 98.- €

Deep fat fryer gas 600, W400, 1x8L



- Beaker capacity
- Grease release tap
- Gas type

8 litre(s)

Yes

Liquid gas

Natural gas nozzles are enclosed



	Number of tanks	Number of baskets	Power	Size	Weight	Code-No.	RRP*	GTIN
Deep fat fryer gas 600, W400, 1x8L	1	1	6,7 kW	W 400 mm D 600 mm H 290 mm	25 kg	1315113	2,449.- €	4015613433028
Deep fat fryer gas 600, B600, 2x8L	2	3 (1 x large, 2 x small)	13,4 kW	W 600 mm D 600 mm H 290 mm	42 kg	1315213	4,198.- €	4015613433271

Component parts

Substit.basket d.fat fryer 600,8L,S

- Size basket: W 115 x D 290 x H 120 mm
- Size: W 140 x D 520 x H 241 mm
- Weight: 0.69 kg
- GTIN: 4015613658728

131514

RRP* 72.- €

Substit.basket d.fat fryer 600,8L,L

- Size basket: W 227 x D 290 x H 120 mm
- Size: W 228 x D 545 x H 232 mm
- Weight: 0.99 kg
- GTIN: 4015613658735

131515

RRP* 98.- €



▶ Fatsafe
Frying fat filter
page 102

Griddle plate 600, B400, smooth



- Material roasting surface
- Temperature range



Special steel, hard chrome-plated
50 °C to 320 °C



	Roasting surface design	Size heating surface	Number of heating zones	Power load	Equipment connection	Size	Weight	Code-No.	RRP*	GTIN
Griddle plate 600, B400, smooth	Smooth	W 390 mm D 440 mm	1	3,6 kW 230 V 50 Hz	Pluggable	W 400 mm D 600 mm H 290 mm	29.2 kg	132115	2,259.- €	4015613547572
Griddle plate 600, B600, smooth,HCP	Smooth	W 590 mm D 440 mm	2	7,2 kW 400 V 50 Hz	3 NAC	W 600 mm D 600 mm H 290 mm	47 kg	132125	2,779.- €	4015613547589
Griddle plate 600, B600, 1/2-1/2	1/2 smooth 1/2 ribbed	W 590 mm D 440 mm	2	7,2 kW 400 V 50 Hz	3 NAC	W 600 mm D 600 mm H 290 mm	45 kg	132255	2,398.- €	4015613547596

Griddle plate gas 600, B400 smooth



- Material roasting surface
- Roasting surface design
- Ignition type
- Gas type



Special steel, hard chrome-plated
Smooth
Piezo ignition
Liquid gas
Natural gas nozzles are enclosed



	Size heating surface	Number of heating zones	Power	Size	Weight	Code-No.	RRP*	GTIN
Griddle plate gas 600, B400 smooth	W 390 mm D 440 mm	1	4,6 kW	W 400 mm D 600 mm H 290 mm	33.2 kg	1311413	2,498.- €	4015613547602
Griddle plate gas 600, B600, smooth	W 590 mm D 440 mm	2	7,6 kW	W 600 mm D 600 mm H 290 mm	49 kg	1311813	2,959.- €	4015613547619

Component parts

Sealing plug

- Material: Plastic
- Diameter: 40 mm
- Size: W 40 x D 40 x H 50 mm
- Weight: 0.07 kg
- GTIN: 4015613632384



132257

RRP* 85.- €

Combi-Scraper

- Designed for: Steel plates, Grilles
- Properties: Replaceable blade
- Size: W 110 x D 210 x H 30 mm
- Weight: 0.2 kg
- GTIN: 4015613605500



529712

RRP* 16.- €

Substitute blade Combi-Scraper

- Size: W 10 x D 99 x H 1 mm
- Weight: 0,004 kg
- GTIN: 4015613658377



529723

RRP* 3.50 €

Lava rock grill, gas, 600, W600

1317003

RRP* 2,698.- €

GTIN 4015613309972



- Type of grid
- Height-adjustable grid
- Including
- Gas type

- Power
- Size
- Weight

V-grille (for meat)
Yes
Lava stones for first filling
Liquid gas
Natural gas nozzles are enclosed
7,3 kW
W 600 x D 600 x H 290 mm
49 kg

Lava rock 7kg

- Size: W 310 x D 310 x H 95 mm
- Weight: 7 kg
- GTIN: 4015613182049



100611

RRP* 57.- €

Base unit 600, W400, 2dr

131954

RRP* 1,098.- €

GTIN 4015613310190



- Sub-counter unit type
- Number of drawers
- Size drawer
- Height-adjustable feet
- Size
- Weight

Drawers
2
W 309 x D 500 x H 150 mm
Yes
W 400 x D 550 x H 580 mm
21 kg

Open base unit, 600, W400, IS, SS



- Height-adjustable feet

Yes

	Sub-counter unit type	Size	Weight	Code-No.	RRP*	GTIN
Open base unit, 600, W400, IS, SS	Open	W 400 x D 550 x H 580 mm	13.5 kg	131924	489.- €	4015613310138
Open base unit, 600, W600, IS, SS	Open	W 600 x D 550 x H 580 mm	16 kg	131926	539.- €	4015613310145
Open base unit, 600, W800, IS, SS	Open	W 800 x D 550 x H 580 mm	19 kg	131925	679.- €	4015613548067
Base unit 600, W400, 1D, IS	Leaf door	W 400 x D 550 x H 580 mm	16 kg	131944	698.- €	4015613310169
Base unit 600, W600, 1D, IS	Leaf door	W 600 x D 550 x H 580 mm	20 kg	131946	798.- €	4015613310176
Base unit 600, W1000, 1D, IS	Leaf door	W 1,000 x D 550 x H 580 mm	29 kg	131940	1,098.- €	4015613310183

Component parts

Device linking strip

- Material: CNS 18/10
- Size: W 5 x D 530 x H 15 mm
- Weight: 0.12 kg
- GTIN: 4015613323787

132060

RRP* 39.- €

Series 650



Series 650 - A cooking range for the professional kitchen.

Distinguished through optimal energy efficiency, high performance appliances and design allowing ideal cleaning efficiency. The modular design makes it easy to combine and arrange in a variable manner. Appliances made entirely from chrome nickel steel 18/10.



▶ Devices
height without chimney 295 mm
height with chimney 485 mm



▶ Electric deep fat fryer with
swivelling heating element



▶ Device linking via wedge crosspiece



▶ Counter attachment hood for
series 650 available on request

Gas range 650, W700, 4BR, e10

1151143

RRP* 3,749.- €

GTIN 4015613548760



- Number of hobs 4
- Distribution of hobs 2 x 3.5 kW, 2 x 5.5 kW
- Pilot flame Yes
- Oven type Electro
- Oven functions Circulating air
- Gastronorm 1/1 GN
- Temperature range 110 °C to 280 °C
- Connected load oven 4.2 kW | 400 V | 3 NAC
- Including 1 grille
1 baking tray
- Gas type Liquid gas (50 mbar)
Natural gas nozzles H (20 mbar) and L (20 mbar) are enclosed
- Power 18 kW
- Size W 700 x D 650 x H 870 mm
- Weight 71.8 kg

Gas range 650, W1100, 6BR, gs0

1151163

RRP* 4,998.- €

GTIN 4015613548869



- Number of hobs 6
- Distribution of hobs 3 x 3.5 kW, 3 x 5.5 kW
- Pilot flame Yes
- Oven type Gas
- Temperature range 140 °C to 280 °C
- Oven connected load 5 kW
- Including 1 grille
1 baking tray
- Gas type Liquid gas (50 mbar)
Natural gas nozzles H (20 mbar) and L (20 mbar) are enclosed
- Power 32 kW
- Size W 1,100 x D 650 x H 870 mm
- Weight 100 kg

Electric range 650, W700, 4PL, eLO

115058

RRP* 3,849.- €

GTIN 4015613548791



- Number of hobs 4
- Large hobs 2 x Ø 220 mm, 2 x Ø 180 mm
- Distribution of hobs 2 x 2.6 kW, x 1.5 kW
- Oven type Electro
- Oven functions Circulating air
- Gastronorm 1/1 GN
- Temperature range 110 °C to 280 °C
- Oven connected load 4.3 kW
- Including 1 grille
1 baking tray
- Power load 12,4 kW | 400 V | 50/60 Hz
- Equipment connection 3 NAC
- Size W 700 x D 650 x H 870 mm
- Weight 70 kg

Electric range 650, B700 4 hobs, EBO

115059

RRP* 4,998.- €

GTIN 4015613548814



- Number of hobs 4
- Large hobs 2 x Ø 220 mm, 1 Ø 180 mm, 1 x Ø 145 mm
- Distribution of hobs 2 x 2.5 kW, 1 x 1.8 kW, 1 x 1.2 kW
- Oven type Electro
- Oven functions Circulating air
- Gastronorm 1/1 GN
- Temperature range 110 °C to 280 °C
- Oven connected load 4.2 kW
- Including 1 grille
1 baking tray
- Power load 12,2 kW | 400 V | 50/60 Hz
- Equipment connection 3 NAC
- Size W 700 x D 650 x H 870 mm
- Weight 64 kg

Component parts

Baking tray series 650

- Size: W 530 x D 490 x H 35 mm
- Weight: 2.24 kg
- GTIN: 4015613559339

115805

RRP* 198.- €

Oven grid 650

- Size: W 530 x D 490 x H 47 mm
- Weight: 1.71 kg
- GTIN: 4015613559322

105804

RRP* 119.- €



► Cleaning agents
page 342

Gas range 650, 2BR, TU



- Pilot flame Yes
- Gas type Liquid gas (50 mbar)
Natural gas nozzles H (20 mbar) and L (20 mbar) are enclosed

	Number of hobs	Distribution of hobs	Power	Size	Weight	Code-No.	RRP*	GTIN
Gas range 650, 2BR, TU	2	1 x 3.5 kW 1 x 5.5 kW	9 kW	W 400 mm D 650 mm H 295 mm	17 kg	1151023	1,198.- €	4015613548906
Gas range 650, 4BR, TU	4	2 x 3.5 kW 2 x 5.5 kW	18 kW	W 700 mm D 650 mm H 295 mm	32.2 kg	1151033	1,798.- €	4015613548920

*RRP= Recommended Retail Price - all prices are recommendations only. The reseller is free to set his own sales prices | Subject to technical amendments.

Electric range 650, W400, 2PL, TU



• Equipment connection

3 NAC



	Number of hobs	Large hobs	Distribution of hobs	Power load	Size	Weight	Code-No.	RRP*	GTIN
Electric range 650, W400, 2PL, TU	2	1 x Ø 220 mm 1 x Ø 180 mm	1 x 2.6 kW 1 x 1.5 kW	4,1 kW 400 V 50/60 Hz	W 400 mm D 650 mm H 295 mm	17.4 kg	115005	1,149.- €	4015613548937
Electric range 650, W700, 4PL, TU	4	2 x Ø 220 mm 2 x Ø 180 mm	2 x 2.6 kW 2 x 1.5 kW	8,2 kW 400 V 50/60 Hz	W 700 mm D 650 mm H 295 mm	30.6 kg	115007	1,749.- €	4015613548944

Induction range 1 FL, 650, B400



• Material hob

Glass



• Large hobs

Ø 220 mm

• Equipment connection

3 NAC

	Number of hobs	Distribution of hobs	Power load	Size	Weight	Code-No.	RRP*	GTIN
Induction range 1 FL, 650, B400	1	1 x 5 kW	5 kW 400 V 50 Hz	W 400 mm D 650 mm H 295 mm	24 kg	115090	5,998.- €	4015613548951
Induction range 2 FL, 650, B700	2	2 x 5 kW	10 kW 400 V 50 Hz	W 700 mm D 650 mm H 295 mm	42.6 kg	115095	10,698.- €	4015613548968

Induction wok 650, B400, 5kW

115099

RRP* 6,698.- €

GTIN 4015613548975



• Material hob

Glass ceramic



• Diameter hob

300 mm

• Output hob(s) max.

5 kW

• Power load

5 kW | 400 V | 50 Hz

• Equipment connection

3 NAC

• Size

W 400 x D 650 x H 295 mm

• Weight

24.2 kg

Electric frying pan 650, 12,5L,W400

115245

RRP* 2,449.- €

GTIN 4015613549033



• Material pan

Stainless steel



• Content

12,5 litre(s)

• Power load

3,9 kW | 400 V | 50/60 Hz

• Equipment connection

3 NAC

• Size

W 400 x D 650 x H 295 mm

• Weight

22.7 kg

Roast fryer 650, W400, TU



- Grease collection tank
- Equipment connection

Yes
3 NAC

	Size heating surface	Number of heating zones	Power load	Size	Weight	Code-No.	RRP*	GTIN
Roast fryer 650, W400, TU	W 250 mm D 420 mm	1	4,08 kW 400 V 50/60 Hz	W 400 mm D 650 mm H 295 mm	21.8 kg	115137	2,998.- €	4015613549002
Electric roast fryer 650, B800, TG	W 540 mm D 420 mm	2	8,16 kW 400 V 50/60 Hz	W 800 mm D 650 mm H 295 mm	35 kg	115141	4,449.- €	4015613632438

Multi-fryer 650, W400, TU, OBU



- Material crucible
- Number of heating zones
- Grease release tap
- Sub-counter unit type
- Including
- Equipment connection

CNS 18/10
1
Yes
Open
1 collection tray 1/1 GN, 150 mm deep
3 NAC

	Content	Power load	Size	Weight	Code-No.	RRP*	GTIN
Multi-fryer 650, W400, TU, OBU	13 litre(s)	4 kW 400 V 50/60 Hz	W 400 mm D 650 mm H 870 mm	41 kg	115155	3,998.- €	4015613549187
Multi-fryer 650, W600, TU	21 litre(s)	8,1 kW 400 V 50/60 Hz	W 600 mm D 650 mm H 870 mm	45 kg	115157	4,898.- €	4015613549194

Lava rock grill, gas 650, B400



- Number of grills areas
- Height-adjustable grid
- Ignition type
- Including
- Gas type

1
No
Piezo ignition
Lava stones for first filling
Liquid gas
Natural gas nozzles are enclosed

	Size grill plates	Number of heating zones	Power	Size	Weight	Code-No.	RRP*	GTIN
Lava rock grill, gas 650, B400	W 330 mm D 580 mm	1	7 kW	W 400 mm D 650 mm H 295 mm	36 kg	1151583	2,498.- €	4015613549040
Lava rock grill 650, B800	W 660 mm D 580 mm	2	14 kW	W 800 mm D 650 mm H 295 mm	69.2 kg	1151593	3,449.- €	4015613549057

Component parts

V-grid LVG650Snack

- Material: Stainless steel
- Type of grid: V-grille (for meat)
- Size grill plates: W 325 x D 500 mm
- Size: W 330 x D 580 x H 60 mm
- Weight: 3.6 kg
- GTIN: 4015613669946



1151580

RRP* 498.- €

Lava rock 7kg

- Size: W 310 x D 310 x H 95 mm
- Weight: 7 kg
- GTIN: 4015613182049



100611

RRP* 57.- €

Griddle plate 650, W400, smooth



- Material roasting surface
- Temperature range
- Properties
- Equipment connection

Steel
50 °C to 300 °C
Grease collection tank
Splash protection
3 NAC



	Roasting surface design	Size heating surface	Number of heating zones	Power load	Size	Weight	Code-No.	RRP*	GTIN
Griddle plate 650, W400, smooth	Smooth	W 396 mm D 555 mm	1	3,9 kW 400 V 50/60 Hz	W 400 mm D 650 mm H 295 mm	36 kg	115108	2,098.- €	4015613549125
Griddle plate 650, W600, smooth	Smooth	W 596 mm D 555 mm	2	7,8 kW 400 V 50/60 Hz	W 600 mm D 650 mm H 295 mm	51 kg	115109	2,798.- €	4015613549132
Griddle plate 650, W600, 1/2-1/2	1/2 smooth, 1/2 ribbed	W 596 mm D 555 mm	2	7,8 kW 400 V 50/60 Hz	W 600 mm D 650 mm H 295 mm	51 kg	115120	2,949.- €	4015613549149

Griddle plate 650 400G-G



- Material roasting surface
- Ignition type
- Temperature range
- Properties
- Gas type

Steel
Piezo ignition
80 °C to 280 °C
Grease collection tank
Splash protection
Liquid gas
Natural gas nozzles are enclosed



	Roasting surface design	Size heating surface	Number of heating zones	Power	Size	Weight	Code-No.	RRP*	GTIN
Griddle plate 650 400G-G	Smooth	W 395 mm D 515 mm	1	6,5 kW	W 400 mm D 650 mm H 295 mm	35 kg	1152263	2,098.- €	4015613760667
Griddle plate 650 600G-G	Smooth	W 595 mm D 515 mm	2	13 kW	W 600 mm D 650 mm H 295 mm	49.8 kg	1152273	2,998.- €	4015613760650
Griddle plate 650 600G-GR	1/2 smooth, 1/2 ribbed	W 595 mm D 515 mm	2	13 kW	W 600 mm D 650 mm H 295 mm	49.4 kg	1152293	3,149.- €	4015613764221

Component parts

Sealing plug f. fat drain oval

- Material: Plastic, Heat resistant
- Size: W 70 x D 118 x H 90 mm
- Weight: 0.14 kg
- GTIN: 4015613588346



115107

RRP* 159.- €

Combi-Scraper

- Designed for: Steel plates, Grilles
- Size: W 110 x D 210 x H 30 mm
- Weight: 0.2 kg
- GTIN: 4015613605500



529712

RRP* 16.- €

Substitute blade Combi-Scraper

- Size: W 10 x D 99 x H 1 mm
- Weight: 0,004 kg
- GTIN: 4015613658377



529723

RRP* 3.50 €

Deep fat fryer 650, W400, 10L



- Beaker capacity
- Grease release tap
- Heating element
- Equipment connection

10 litre(s)
Yes
Can be swivelled
3 NAC



	Number of tanks	Number of baskets	Power load	Size	Weight	Code-No.	RRP*	GTIN
Deep fat fryer 650, W400, 10L	1	1	9 kW 400 V 50/60 Hz	W 400 mm D 650 mm H 295 mm	20.1 kg	115204	1,998.- €	4015613549071
Deep fat fryer 650, W600, 2x10L	2	2	18 kW 400 V 50/60 Hz	W 600 mm D 650 mm H 295 mm	32 kg	115205	3,298.- €	4015613549088

Gas deep fat fryer 650, 8L, TG



- Beaker capacity
- Temperature range
- Grease release tap
- Ignition type
- Gas type

8 litre(s)
120 °C to 180 °C
Yes
Piezo ignition
Liquid gas
Natural gas nozzles are enclosed

	Number of tanks	Number of baskets	Power	Size	Weight	Code-No.	RRP*	GTIN
Gas deep fat fryer 650, 8L, TG	1	1	7 kW	W 400 mm D 650 mm H 295 mm	24.6 kg	1152103	2,698.- €	4015613702940
Gas deep fat fryer 650, 2x8L, TG	2	2	14 kW	W 600 mm D 650 mm H 295 mm	42.4 kg	1152113	4,598.- €	4015613702957

Component parts

Substit.basket d.fat fryer 650, 8L

- Size basket: W 190 x D 338 x H 110 mm
- Size: W 200 x D 588 x H 225 mm
- Weight: 0.97 kg
- GTIN: 4015613665313

158616

RRP* 98.- €

Substit.basket d.fat fryer 650, 10L

- Size basket: W 163 x D 295 x H 110 mm
- Size: W 176 x D 550 x H 233 mm
- Weight: 0.9 kg
- GTIN: 4015613658759

158610

RRP* 149.- €



► Fatsafe
Frying fat filter
page 102

Warmer 650, W400, 1/1GN, TU

115115

RRP* 1,598.- €

GTIN 4015613549095



- Basin size, GN format
- Power load
- Size
- Weight

1/1 GN
2 kW | 230 V | 50/60 Hz
W 400 x D 650 x H 295 mm
19.2 kg

Bain Marie 650, W400, 1/1GN



- Number of tanks
- Depth GN container max.
- Temperature range
- Water drain tap



1
150 mm
30 °C to 90 °C
Yes



	Basin size, GN format	Power load	Size	Weight	Code-No.	RRP*	GTIN
Bain Marie 650, W400, 1/1GN	1 x 1/1 GN	1 kW 230 V 50/60 Hz	W 400 mm D 650 mm H 295 mm	15 kg	115111	1,649.- €	4015613548982
Bain Marie 650, W600, 1/1GN+ 2x1/4	1 x 1/1 GN 2 x 1/4 GN	1,8 kW 230 V 50/60 Hz	W 600 mm D 650 mm H 295 mm	18.6 kg	115112	2,098.- €	4015613548999

Pasta cooker 650, B600, 28L, 3K

115138

RRP* 3,498.- €

GTIN 4015613549064



- Number of tanks
- Beaker capacity
- Number of baskets
- Properties
- Power load
- Equipment connection
- Size
- Weight



1
28 litre(s)
3
With water supply and drain cock
9 kW | 400 V | 50/60 Hz
3 NAC
W 600 x D 650 x H 295 mm
29 kg

Substit.basket pasta cooker 650

- Size basket: W 145 x D 310 x H 125 mm
- Size: W 145 x D 512 x H 232 mm
- Weight: 1.2 kg
- GTIN: 4015613658773

158612

RRP* 119.- €

Workelement 650, W400



	Size	Weight	Code-No.	RRP*	GTIN
Workelement 650, W400	W 400 x D 650 x H 295 mm	12.8 kg	115116	598.- €	4015613549224
Work element 650, W600	W 600 x D 650 x H 295 mm	21 kg	115113	698.- €	4015613549217

Sink 650, W600, TU

115114

RRP* 1,449.- €

GTIN 4015613549200



- Size basin
- Sink tap
- Water outlet
- Properties
- Size
- Weight

W 500 x D 400 x H 150 mm
Single hole sink mixer 1/2" 1 1/2"
With basin panelling
W 600 x D 650 x H 295 mm
15.6 kg

Open base unit, 650, W400, SS



- Sub-counter unit type
- Height-adjustable feet
- Height adjustable

Open
Yes
560 mm to 660 mm

	Size	Weight	Code-No.	RRP*	GTIN
Open base unit, 650, W400, SS	W 400 x D 535 x H 560 mm	10 kg	112020	549.- €	4015613432847
Open base unit, 650, W600, SS	W 600 x D 535 x H 560 mm	11.6 kg	112021	598.- €	4015613432854
Open base unit, 650, W700, SS	W 700 x D 535 x H 560 mm	12.4 kg	112121	659.- €	4015613550237
Open base unit, 650, W800, SS	W 800 x D 535 x H 560 mm	17.8 kg	112022	729.- €	4015613432861
Open base unit, 650, W1000, SS	W 1,000 x D 535 x H 560 mm	17.2 kg	112023	798.- €	4015613432878

Component parts

Device linking strip 650

- Size: W 20 x D 575 x H 8 mm
- Weight: 0.17 kg
- GTIN: 4015613215785

110036

RRP* 49.- €

Drawer 650, W400, set of 2

- Number of drawers: 2
- With plastic inserts: Yes
- Norm-format drawers: 1/1 GN
- Size: W 396 x D 570 x H 392 mm
- Weight: 9.12 kg
- GTIN: 4015613688466



112035

RRP* 929.- €

Door 650, W400, universal

- Size: W 395 x D 395 x H 45 mm
- Weight: 2.5 kg
- GTIN: 4015613559995



112025

RRP* 298.- €

Door 650, W600, universal

- Size: W 595 x D 395 x H 45 mm
- Weight: 3.5 kg
- GTIN: 4015613560007



112026

RRP* 329.- €

Shelf 650, W400

- Size: W 360 x D 525 x H 30 mm
- Weight: 1.55 kg
- GTIN: 4015613432939



112030

RRP* 149.- €

Shelf 650, W600

- Size: W 525 x D 660 x H 30 mm
- Weight: 2.3 kg
- GTIN: 4015613432946



112031

RRP* 169.- €

COMPONENT PARTS - ONLY REQUIRED WHEN USING GAS AND ELECTRIC APPLIANCES AT THE SAME TIME

Flue 650-40

- Material: Stainless steel
- Size: W 400 x D 50 x H 380 mm
- Weight: 1.97 kg
- GTIN: 4015613822310

158617

RRP* 185.- €

Flue 650-60

- Material: Stainless steel
- Size: W 600 x D 50 x H 380 mm
- Weight: 2.76 kg
- GTIN: 4015613822327

158618

RRP* 195.- €

Flue 650-80

- Material: Stainless steel
- Size: W 800 x D 50 x H 380 mm
- Weight: 3.5 kg
- GTIN: 4015613822761

158619

RRP* 225.- €

Flue 650-70

- Material: Stainless steel
- Size: W 700 x D 50 x H 580 mm
- Weight: 3.22 kg
- GTIN: 4015613822860

158620

RRP* 209.- €

Series 700



Simply indestructible and thought through down to the last detail – Series 700.

The professional series made of sturdy stainless steel 18/10 forms the basis for every large kitchen. Reliable, user-friendly and high-performance - thanks to the modular design, the devices can be tuned to individual needs.



▶ Optimum performance by dual circuit burner



▶ Front panel with large operating knobs



▶ Easy cleaning: burner recess with detachable drip collecting tray



▶ Hygienic device connection

Gas range 70020



- Large hobs
- Pilot flame
- Ignition type
- Height adjustable
- Gas type

330 x 270 mm
 Yes
 Manual ignition
 850 mm to 900 mm
 Natural gas H (20 mbar)
 Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed

	Number of hobs	Distribution of hobs	Power	Size	Weight	Code-No.	RRP*	GTIN
Gas range 70020	2	1 x 6,2 kW 1 x 8,5 kW	14,7 kW	W 400 mm D 700 mm H 850 mm	36.4 kg	2851121	1,919.- €	4015613771427
Gas range 70040	4	2 x 6,2 kW 2 x 8,5 kW	29,4 kW	W 800 mm D 700 mm H 850 mm	58 kg	2851051	3,019.- €	4015613767482
Gas range 70060	6	3 x 6,2 kW 3 x 8,5 kW	44,1 kW	W 1,200 mm D 700 mm H 850 mm	77.8 kg	2851161	4,049.- €	4015613771434

Gas range 70040 EB11



- Number of hobs: 4
- Large hobs: 330 x 270 mm
- Distribution of hobs: 2 x 6,2 kW, 2 x 8,5 kW
- Pilot flame: Yes
- Ignition type: Manual ignition
- Height adjustable: 850 mm to 900 mm
- Gas type: Natural gas H (20 mbar)
Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed
- Size: W 800 x D 700 x H 850 mm

	Oven type	Oven functions	Gastronorm	Connected load oven	Power	Weight	Code-No.	RRP*	GTIN
Gas range 70040 EB11	Electro	Circulating air	1/1 GN	3,65 kW 400 V 3 NAC	29,4 kW	103.4 kg	2851241	4,749.- €	4015613771441
Gas range 70040 EB21	Electro	Upper / lower heat	2/1 GN	5,4 kW 400 V 3 NAC	29,4 kW	111 kg	2851271	5,098.- €	4015613771465
Gas range 70040 GB21	Gas	Lower heat	2/1 GN	7,5 kW	36,9 kW	115.4 kg	2851251	4,449.- €	4015613771458

Gas range 70060 EB11



- Number of hobs: 6
- Large hobs: 330 x 270 mm
- Distribution of hobs: 3 x 6,2 kW, 3 x 8,5 kW
- Pilot flame: Yes
- Ignition type: Manual ignition
- Sub-counter unit type: Leaf door
- Size base unit: W 350 x D 600 x H 400 mm
- Height adjustable: 850 mm to 900 mm
- Gas type: Natural gas H (20 mbar)
Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed
- Size: W 1,200 x D 700 x H 850 mm

	Oven type	Oven functions	Gastronorm	Connected load oven	Power	Weight	Code-No.	RRP*	GTIN
Gas range 70060 EB11	Electro	Circulating air	1/1 GN	3,65 kW 400 V 3 NAC	44,1 kW	133.8 kg	2851361	5,949.- €	4015613771489
Gas range 70060 GB21	Gas	Lower heat	2/1 GN	7,5 kW	51,6 kW	149 kg	2851261	5,898.- €	4015613771472

Gas range 70060 GB1050

2851371

RRP* 6,598.- €

GTIN 4015613771496



- Number of hobs: 6
- Large hobs: 330 x 270 mm
- Distribution of hobs: 3 x 6,2 kW, 3 x 8,5 kW
- Pilot flame: Yes
- Ignition type: Manual ignition
- Oven type: Gas
- Oven functions: Lower heat
- Size oven: W 1050 x D 530 x H 300 mm
- Oven connected load: 13,5 kW
- Height adjustable: 850 mm to 900 mm
- Gas type: Natural gas H (20 mbar)
Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed
- Power: 57,6 kW
- Size: W 1,200 x D 700 x H 850 mm
- Weight: 176 kg

Cerane range 700, 2 HTzon., OBU



- Material hob
- Sub-counter unit type
- Height adjustable
- Equipment connection

SCHOTT CERAN®
Open
850 mm to 900 mm
3 NAC

	Number of hobs	Large hobs	Distribution of hobs	Power load	Size	Weight	Code-No.	RRP*	GTIN
Cerane range 700, 2 HTzon., OBU	2	2 x Ø 210 mm	2 x 2,3 kW	4,6 kW 400 V 50 Hz	W 400 mm D 700 mm H 850 mm	32.6 kg	287410	2,398.- €	4015613484358
Cerane range 700, 4 HTzon., OBU	4	4 x Ø 210 mm	4 x 2,3 kW	9,2 kW 400 V 50 Hz	W 800 mm D 700 mm H 850 mm	50 kg	287420	3,698.- €	4015613484365

Electric range 700, 4 HTzon., EBO

287431

RRP* 5,598.- €

GTIN 4015613697475



- Number of hobs
- Large hobs
- Distribution of hobs
- Material hob
- Oven type
- Oven functions
- Material cooking chamber
- Gastronorm
- Oven connected load
- Height adjustable
- Power load
- Equipment connection
- Size
- Weight

4
4 x Ø 210 mm
4 x 2.3 kW
SCHOTT CERAN®
Electro
Circulating air
Stainless steel
1/1 GN
3.6 kW
850 mm to 900 mm
12,85 kW | 400 V | 50 Hz
3 NAC
W 800 x D 700 x H 850 mm
83.2 kg

Electric range 700, W400, 2PL,OBU



- Large hobs
- Height adjustable
- Available on request
- Equipment connection

Ø 220 mm
850 mm to 900 mm
With square hobs
3 NAC

	Number of hobs	Distribution of hobs	Power load	Size	Weight	Code-No.	RRP*	GTIN
Electric range 700, W400, 2PL,OBU	2	2 x 2,6 kW	5,2 kW 400 V 50 Hz	W 400 mm D 700 mm H 850 mm	36 kg	286102	1,498.- €	4015613484303
Electric range 700, W800, 4PL,OBU	4	4 x 2,6 kW	10,4 kW 400 V 50 Hz	W 800 mm D 700 mm H 850 mm	50 kg	286104	2,198.- €	4015613484310
Electric range 700, W1200, 6PL,OBU	6	6 x 2,6 kW	15,6 kW 400 V 50 Hz	W 1,200 mm D 700 mm H 850 mm	75 kg	286106	2,849.- €	4015613484327

Electric range 700, B800, 4PL, EBO



- Number of hobs
- Oven type
- Material cooking chamber
- Height adjustable
- Equipment connection
- Size

4
Electro
Stainless steel
850 mm to 900 mm
3 NAC
W 800 x D 700 x H 850 mm



▶ Code-No.286234W - available on request with square hobs

	Large hobs	Oven functions	Gastronorm	Oven connected load	Power load	Weight	Code-No.	RRP*	GTIN
Electric range 700, B800, 4PL, EBO	4 x Ø 220 mm	Circulating air	1/1 GN	3.65 kW	14,05 kW 400 V 50 Hz	89.4 kg	286225	4,298.- €	4015613697482
Electric range 700,W800, 4b,E0	4 x 220 x 220 mm	Circulating air	1/1 GN	3.65 kW	14,05 kW 400 V 50 Hz	100.6 kg	286326	5,249.- €	4015613697505
Electric range 700, W800, 4PL, eIO	4 x Ø 220 mm	Upper / lower heat	2/1 GN	5,4 kW	15,8 kW 400 V 50/60 Hz	106 kg	286234W	4,198.- €	4015613580715

Electric range 700, B1200, 6Pl, EBO



- Number of hobs
- Distribution of hobs
- Oven type
- Oven functions
- Material cooking chamber
- Gastronorm
- Size base unit
- Height adjustable
- Power load
- Equipment connection
- Size

6
6 x 2.6 kW
Electro
Circulating air
Stainless steel
1/1 GN
W 350 x D 600 x H 400 mm
850 mm to 900 mm
19,25 kW | 400 V | 50/60 Hz
3 NAC
W 1,200 x D 700 x H 850 mm

	Large hobs	Weight	Code-No.	RRP*	GTIN
Electric range 700, B1200, 6Pl, EBO	6 x Ø 220 mm	112.8 kg	286247	4,898.- €	4015613697499
Electric range 700, B1200, 6PL, EBO	6 x 220 x 220 mm	128.8 kg	286347	6,449.- €	4015613697512

Induction range 700 2FLOU-1



- Large hobs
- Material hob
- Number of output levels
- Sub-counter unit type
- Height adjustable
- Equipment connection

Ø 220 mm
SCHOTT CERAN®
9
Open
850 mm to 900 mm
3 NAC

	Number of hobs	Distribution of hobs	Power load	Size	Weight	Code-No.	RRP*	GTIN
Induction range 700 2FLOU-1	2	2 x 5 kW	10 kW 400 V 50/60 Hz	W 400 mm D 700 mm H 850 mm	35.6 kg	286411	7,949.- €	4015613690032
Induction range 700 4FLOU-1	4	4 x 5 kW	20 kW 400 V 50/60 Hz	W 800 mm D 700 mm H 850 mm	52.4 kg	286421	14,998.- €	4015613696096

Workelement 700, W400, OBU



- Sub-counter unit type
- Height adjustable

Open
850 mm to 900 mm



Number of
drawers

Size drawer

Size

Weight

Code-No.

RRP*

GTIN

	Number of drawers	Size drawer	Size	Weight	Code-No.	RRP*	GTIN
Workelement 700, W400, OBU	1	W 338 mm D 520 mm H 100 mm	W 400 mm D 700 mm H 850 mm	32.6 kg	284804	1,298.- €	4015613484716
Workelement 700, W800, OBU	–	–	W 800 mm D 700 mm H 850 mm	37 kg	284007	1,498.- €	4015613484709

Bain Marie 700, W400, OBU, wWI



- Number of tanks
- Depth GN container max.
- Temperature range
- Water drain tap
- Water supply tap
- Sub-counter unit type
- Height adjustable
- Not included in delivery

1
150 mm
30 °C to 90 °C
Yes
Yes
Open
850 mm to 900 mm
GN containers



Basin size,
GN format

Power load

Size

Weight

Code-No.

RRP*

GTIN

	Basin size, GN format	Power load	Size	Weight	Code-No.	RRP*	GTIN
Bain Marie 700, W400, OBU, wWI	1 x 1/1 GN	1 kW 230 V 50 Hz	W 400 mm D 700 mm H 850 mm	33 kg	286301	1,949.- €	4015613484679
Bain Marie 700, W800, OBU, wWI	1 x 2/1 GN	2 kW 230 V 50 Hz	W 800 mm D 700 mm H 850 mm	39 kg	286302	2,598.- €	4015613484686

Component parts

Intermediate bar, 325 mm

- Size: W 330 x D 20 x H 35 mm
- Weight: 0.1 kg
- GTIN: 4016098101181

A120601

RRP* 8.50 €

Intermediate bar, 530 mm

- Size: W 530 x D 20 x H 35 mm
- Weight: 0.15 kg
- GTIN: 4016098101198

A120602

RRP* 10.- €

Multi-fryer 700, W400, TU, OBU

286710

RRP* 4,449.- €

GTIN 4015613488233



- Material crucible
- Content
- Number of heating zones
- Sub-counter unit type
- Height adjustable
- Including

CNS 18/10
12 litre(s)
1
Open
850 mm to 900 mm
1 plug
1 collection tray 1/1 GN, 100 mm deep
5 kW | 400 V | 50 Hz
3 NAC
W 400 x D 700 x H 850 mm
52 kg



- Power load
- Equipment connection
- Size
- Weight

Griddle plate 700, W400 smooth



- Material roasting surface
- Sub-counter unit type
- Height adjustable
- Equipment connection

Steel
Open
850 mm to 900 mm
3 NAC



	Roasting surface design	Size heating surface	Number of heating zones	Power load	Size	Weight	Code-No.	RRP*	GTIN
Griddle plate 700, W400 smooth	Smooth	W 320 mm D 445 mm	1	5 kW 400 V 50/60 Hz	W 400 mm D 700 mm H 850 mm	44.2 kg	286506	2,798.- €	4015613610962
Griddle plate 700, W400, grooved	Ribbed	W 320 mm D 445 mm	1	5 kW 400 V 50/60 Hz	W 400 mm D 700 mm H 850 mm	46 kg	286507	2,898.- €	4015613610979
Griddle plate 700, W800, smooth	Smooth	W 720 mm D 445 mm	2	10 kW 400 V 50 Hz	W 800 mm D 700 mm H 850 mm	70.8 kg	286508	4,098.- €	4015613610993
Griddle plate 700, W800 1/2-1/2, OBU	1/2 smooth, 1/2 ribbed	W 720 mm D 445 mm	2	10 kW 400 V 50 Hz	W 800 mm D 700 mm H 850 mm	72 kg	286509	4,249.- €	4015613611013

Griddle plate gas 700, W400, smooth



- Material roasting surface
- Ignition type
- Sub-counter unit type
- Height adjustable
- Gas type

Steel
Piezo ignition
Open
850 mm to 900 mm
Natural gas H
Liquid gas and natural gas L-nozzles are enclosed



	Roasting surface design	Size heating surface	Number of heating zones	Power	Size	Weight	Code-No.	RRP*	GTIN
Griddle plate gas 700, W400, smooth	Smooth	W 320 mm D 445 mm	1	7 kW	W 400 mm D 700 mm H 850 mm	46.6 kg	2855061	2,749.- €	4015613610948
Griddle plate gas 700, W400, grooved	Ribbed	W 320 mm D 445 mm	1	7 kW	W 400 mm D 700 mm H 850 mm	44.6 kg	2855071	2,849.- €	4015613610955
Griddle plate gas 700, W800, smooth	Smooth	W 720 mm D 445 mm	2	14 kW	W 800 mm D 700 mm H 850 mm	77.2 kg	2855081	3,998.- €	4015613610986
Griddle plate gas 700, W800, 1/2-1/2	1/2 smooth, 1/2 ribbed	W 720 mm D 445 mm	2	14 kW	W 800 mm D 700 mm H 850 mm	76.9 kg	2855051	4,149.- €	4015613611006

Component parts

Sealing plug

- Material: Plastic
- Diameter: 60 mm
- Size: W 60 x D 60 x H 60 mm
- Weight: 0.3 kg
- GTIN: 4015613626802



286099

RRP* 93.- €

Splash guard ser. 700, 400 mm

- Material: Stainless steel
- Size: W 354 x D 470 x H 120 mm
- Weight: 2.9 kg
- GTIN: 4015613638263



285071

RRP* 89.- €

Splash guard Series 700, 800mm

- Material: Stainless steel
- Size: W 777 x D 555 x H 125 mm
- Weight: 3.2 kg
- GTIN: 4015613638270



285076

RRP* 98.- €

Combi-Scraper

- Designed for: Steel plates, Grilles
- Size: W 110 x D 210 x H 30 mm
- Weight: 0.2 kg
- GTIN: 4015613605500



529712

RRP* 16.- €

Substitute blade Combi-Scraper

- Size: W 10 x D 99 x H 1 mm
- Weight: 0,004 kg
- GTIN: 4015613658377



529723

RRP* 3.50 €

Lava stone grill 700VR G90



- Type of grid
- Number of grills areas
- Height-adjustable grid
- Number of heating zones
- Ignition type
- Sub-counter unit type
- Height adjustable
- Gas type

V-grille (for meat)

1

Yes

1

Piezo ignition

Open

850 mm to 900 mm

Natural gas H

Liquid gas and natural gas L-nozzles are enclosed



	Size grill plates	Including	Power	Size	Weight	Code-No.	RRP*	GTIN
Lava stone grill 700VR G90	W 350 mm D 530 mm	Lava stones for first filling (5 kg)	9 kW	W 400 mm D 700 mm H 850 mm	54 kg	2856211	3,259.- €	4015613702964
Lava stone grill 700VR G180	W 750 mm D 530 mm	Lava stones for first filling (10 kg)	18 kW	W 800 mm D 700 mm H 850 mm	65 kg	2856311	4,198.- €	4015613714134

Component parts

Lava rock 7kg

- Size: W 310 x D 310 x H 95 mm
- Weight: 7 kg
- GTIN: 4015613182049



100611

RRP* 57.- €

Deep fat fryer 700, W400, 15L



- Temperature range
- Grease release tap
- Height adjustable
- Cold zone
- Equipment connection

100 °C to 190 °C
 Yes
 850 mm to 900 mm
 Yes
 3 NAC



- ▶ Indicator lamp for reached oil temperature
- ▶ Heating element: Can be swivelled

	Number of tanks	Beaker capacity	Number of baskets	Sub-counter unit type	Power load	Size	Weight	Code-No.	RRP*	GTIN
Deep fat fryer 700, W400, 15L	1	15 litre(s)	2	Leaf door	15 kW 400 V 50 Hz	W 400 mm D 700 mm H 850 mm	39.6 kg	286917	2,898.- €	4015613486208
Deep fat fryer 700, W400, 2x9L	2	9 litre(s)	2	Leaf door	15 kW 400 V 50 Hz	W 400 mm D 700 mm H 850 mm	41.8 kg	286925	4,098.- €	4015613486222
Deep-fat fryer 700-E2110	2	11 litre(s)	2	Open	17,4 kW 400 V 50 Hz	W 600 mm D 700 mm H 850 mm	47.8 kg	286921	4,249.- €	4015613767475
Deep fat fryer 700, W800, 2x15L	2	15 litre(s)	3 (1 x large, 2 x small)	Leaf door	30 kW 400 V 50 Hz	W 800 mm D 700 mm H 850 mm	74.5 kg	286922	4,998.- €	4015613486215

Component parts

Deep frying basket 700 9L

- Size basket: W 110 x D 278 x H 104 mm
- Size: W 546 x D 110 x H 271 mm
- Weight: 0.8 kg
- GTIN: 4015613749150

286994

RRP* 85.- €

Deep frying basket 700 15L-SE

- Size basket: W 130 x D 280 x H 135 mm
- Size: W 550 x D 130 x H 270 mm
- Weight: 0.8 kg
- GTIN: 4015613658803

295928

RRP* 89.- €

Deep frying basket 700 15L-LE

- Size basket: W 270 x D 280 x H 135 mm
- Size: W 550 x D 270 x H 270 mm
- Weight: 1.08 kg
- GTIN: 4015613658810

295953

RRP* 119.- €

Deep frying basket 700-E2110

- Size basket: W 195 x D 285 x H 100 mm
- Size: W 198 x D 530 x H 250 mm
- Weight: 0.83 kg
- GTIN: 4015613816197

286924

RRP* 135.- €

Door 700-E2110

- Door hinge side: Left / right
- Size: W 595 x D 80 x H 460 mm
- Weight: 5.4 kg
- GTIN: 4015613800288

285052

RRP* 298.- €



▶ Fatsafe
 Frying fat filter
 page 102

Deep fat fryer gas, 700, W400, 15L



- Ignition type
- Temperature range
- Grease release tap
- Sub-counter unit type
- Height adjustable
- Properties
- Gas type

Piezo ignition
 100 °C to 190 °C
 Yes
 Leaf door
 850 mm to 900 mm
 Basin with large cold zone
 Natural gas H
 Liquid gas and natural gas L-nozzles are enclosed



	Number of tanks	Beaker capacity	Number of baskets	Power	Size	Weight	Code-No.	RRP*	GTIN
Deep fat fryer gas, 700, W400, 15L	1	15 litre(s)	2	15 kW	W 400 mm D 700 mm H 850 mm	52.2 kg	2859171	3,198.- €	4015613484556
Deep fat fryer gas, 700 W400, 2x7L	2	7 litre(s)	2	11 kW	W 400 mm D 700 mm H 850 mm	52.9 kg	2859251	3,998.- €	4015613486185
Deep fat fryer gas, 700 W800, 2x15L	2	15 litre(s)	3 (1 x large, 2 x small)	30 kW	W 800 mm D 700 mm H 850 mm	92 kg	2859271	5,398.- €	4015613486192

Component parts

Deep frying basket 700 7L

- Size basket: W 113 x D 255 x H 111 mm
- Size: W 535 x D 120 x H 257 mm
- Weight: 0.75 kg
- GTIN: 4015613822822

286992

RRP* 105.- €

Deep frying basket 700 15L-SG

- Size basket: W 120 x D 270 x H 110 mm
- Size: W 525 x D 130 x H 250 mm
- Weight: 0.75 kg
- GTIN: 4015613671093

286995

RRP* 89.- €

Deep frying basket 700 15L-LG

- Size basket: W 260 x D 270 x H 110 mm
- Size: W 525 x D 270 x H 250 mm
- Weight: 1.1 kg
- GTIN: 4015613488264

286998

RRP* 109.- €

Exhaust flue for hood

- Size: W 300 x D 65 x H 995 mm
- Weight: 9.85 kg
- GTIN: 4015613489124

2952720

RRP* 235.- €



- ▶ Deep fat fryer gas, 700 W800, 2x15L
Code-No.2859271
- ▶ Important information: The installation is only approved with an exhaust chimney

Electric warmer 700

286628

RRP* 1,998.- €

GTIN 4015613701400



- Basin size, GN format
- Depth tank
- Heat source
- Sub-counter unit type
- Height adjustable
- Power load
- Size
- Weight

1/1 GN
 150 mm
 Ceramic radiant heater
 Open
 850 mm to 900 mm
 0,75 kW | 230 V | 50 Hz
 W 400 x D 700 x H 850 mm
 28.4 kg

Pasta cooker 700, W400, 24L



- Basin size, GN format
- Beaker capacity
- Sub-counter unit type
- Height adjustable
- Properties
- Not included in delivery
- Equipment connection

2/3 GN
24 litre(s)
Leaf door
850 mm to 900 mm
Water supply and drain cock installed
Baskets
3 NAC

	Number of tanks	Power load	Size	Weight	Code-No.	RRP*	GTIN
Pasta cooker 700, W400, 24L	1	7 kW 400 V 50 Hz	W 400 mm D 700 mm H 850 mm	39.7 kg	286305	2,998.- €	4015613484594
Pasta cooker 700, W800, 2x24L	2	14 kW 400 V 50 Hz	W 800 mm D 700 mm H 850 mm	66.2 kg	286310	4,998.- €	4015613484600

Pasta cooker, gas 700, W400 24L



- Basin size, GN format
- Beaker capacity
- Ignition type
- Sub-counter unit type
- Height adjustable
- Properties
- Not included in delivery
- Gas type

2/3 GN
24 litre(s)
Piezo ignition
Leaf door
850 mm to 900 mm
Water supply and drain cock installed
Baskets
Natural gas H
Liquid gas and natural gas L-nozzles are enclosed

	Number of tanks	Power	Size	Weight	Code-No.	RRP*	GTIN
Pasta cooker, gas 700, W400 24L	1	8,7 kW	W 400 mm D 700 mm H 850 mm	45 kg	2853051	2,998.- €	4015613484563
Pasta cooker, gas 700, W800 2x24L	2	17,4 kW	W 800 mm D 700 mm H 850 mm	75 kg	2853101	5,149.- €	4015613484587

Component parts

Pasta basket 700, 1/3GN length

- Gastronorm: 1/3 GN
- Size basket: W 130 x D 275 x H 200 mm
- Size: W 145 x D 510 x H 330 mm
- Weight: 1.16 kg
- GTIN: 4015613490489



284123

RRP* 198.- €

Pasta basket 700, 1/3GN

- Gastronorm: 1/3 GN
- Size basket: W 275 x D 145 x H 200 mm
- Size: W 275 x D 335 x H 340 mm
- Weight: 1.16 kg
- GTIN: 4015613490465



284113

RRP* 189.- €

Pasta basket 700, 1/6GN

- Gastronorm: 1/6 GN
- Size basket: W 125 x D 125 x H 200 mm
- Size: W 130 x D 160 x H 345 mm
- Weight: 0.65 kg
- GTIN: 4015613490472



284116

RRP* 129.- €

Tilting frying pan 700 E51LHK



- Material crucible
- Size crucible
- Content
- Useful content
- Temperature range
- Water supply tap
- Water connection
- Height adjustable
- Properties
- Equipment connection
- Size

Stainless steel
Duplex base
W 670 x D 400 x H 190 mm
60 litre(s)
52 litre(s)
50 °C to 300 °C
Yes
3/4"
850 mm to 900 mm
Hinged lid that can be opened upwards
3 NAC
W 800 x D 700 x H 850 mm

	Tilting device	Power load	Weight	Code-No.	RRP*	GTIN
Tilting frying pan 700 E51LHK	Manual	10 kW 400 V 50 Hz	109.4 kg	286681	6,849.- €	4015613776965
Tilting frying pan 700 E51LEK	Electro-motor	10,25 kW 400 V 50 Hz	107 kg	286613	7,149.- €	4015613776972

Tilting frying pan 700 G51LHK



- Material crucible
- Size crucible
- Content
- Useful content
- Ignition type
- Temperature range
- Water supply tap
- Water connection
- Height adjustable
- Properties
- Gas type
- Connected load gas
- Size

Stainless steel
Duplex base
W 670 x D 400 x H 190 mm
60 litre(s)
52 litre(s)
Piezo ignition
50 °C to 300 °C
Yes
1/2"
850 mm to 900 mm
Hinged lid that can be opened upwards
Natural gas H
Liquid gas and natural gas L-nozzles are enclosed
12,5 kW
W 800 x D 700 x H 850 mm

	Tilting device	Power load	Weight	Code-No.	RRP*	GTIN
Tilting frying pan 700 G51LHK	Manual	0,05 kW 230 V 50 Hz	109.6 kg	2856811	6,998.- €	4015613737751
Tilting frying pan 700 E51LEK	Electro-motor	0,25 kW 230 V 50 Hz	109.4 kg	2856031	7,498.- €	4015613776958

Elec. boiling kettle, 700, 55L

286811

RRP* 8,749.- €

GTIN 4015613577869




- Material boiler
- Content
- Useful content
- Heating type
- Temperature control
- Water connection
- Height adjustable
- Properties
- Power load
- Equipment connection
- Size
- Weight

CNS 18/10
55 litre(s)
50 litre(s)
Indirect
2 levels
1/2"
850 mm to 900 mm
Automatic filling level check
9 kW | 400 V | 50 Hz
3 NAC
W 800 x D 700 x H 850 mm
95 kg

Component parts

Sliding grid SS, Series 700

- Material: CNS 18/10
- Designed for: 2 hobs behind each other
- Size: W 560 x D 352 x H 40 mm
- Weight: 2.5 kg
- GTIN: 4015613520414



285086

RRP* 209.- €

Grill plate 700-R

- Material: Cast iron
- Roasting surface design: Ribbed
- Size: W 575 x D 375 x H 38 mm
- Weight: 24.1 kg
- GTIN: 4015613486635



285080

RRP* 269.- €

Frying plate 700-G

- Material: Cast iron
- Roasting surface design: Smooth
- Size: W 575 x D 375 x H 38 mm
- Weight: 22.3 kg
- GTIN: 4015613486642



285083

RRP* 269.- €

Support ring for small pots 700

- Size: W 375 x D 575 x H 38 mm
- Weight: 0.25 kg
- GTIN: 4015613486659



285085

RRP* 35.- €

Door 700 40/80LR

- Door hinge side: Left / right
- Door hinge side can be changed: Yes
- Size: W 395 x D 80 x H 460 mm
- Weight: 3.4 kg
- GTIN: 4015613486604



285050

RRP* 259.- €

Drawers 700, W400, set of 2

- Number of drawers: 2
- With plastic inserts: No
- Size: W 395 x D 660 x H 455 mm
- Weight: 17 kg
- GTIN: 4015613530642



284401

RRP* 1,349.- €

Swivel castors 4S700

- Swivel casters: 4 swivel casters, 2 with brake
- Diameter casters: 100 mm
- Load-bearing capacity max., each: 100 kg
- Size: W 85 x D 170 x H 121 mm
- Weight: 2.91 kg
- GTIN: 4015613665986



285088

RRP* 235.- €

Series 900



The 900 series and its high-quality and solid stainless steel version in CNS 18/10 is the ideal choice for modern professional kitchens with high standards. First-rate, flexible and high-performance.

Gas range, 4 burners, OBU



- Ignition type
- Sub-counter unit type
- Height adjustable
- Gas type

Manual ignition
Open
900 mm to 950 mm
Natural gas H (20 mbar)
Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed



	Number of hobs	Distribution of hobs	Power	Size	Weight	Code-No.	RRP*	GTIN
Gas range, 4 burners, OBU	4	1 x 3,5 kW 1 x 5 kW 2 x 8 kW	24,5 kW	W 800 mm D 900 mm H 900 mm	95 kg	2951131	3,698.- €	4015613682099
Gas range, 6 burners, OBU	6	1 x 3,5 kW 2 x 5 kW 3 x 8 kW	37,5 kW	W 1,200 mm D 900 mm H 900 mm	137.1 kg	2951121	5,149.- €	4015613682105

Gas range, 4 burners, el. oven, 2/1GN



- Number of hobs
- Distribution of hobs
- Ignition type
- Size oven
- Gastronorm
- Height adjustable
- Gas type

4
1 x 3,5 kW, 1 x 5 kW, 2 x 8 kW
Manual ignition
W 655 x D 550 x H 300 mm
2/1 GN
900 mm to 950 mm
Natural gas H (20 mbar)
Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed

- Size

	Oven type	Connected load oven	Power	Weight	Code-No.	RRP*	GTIN
Gas range, 4 burners, el. oven, 2/1GN	Electro	5,6 kW 400 V 3 NAC	24,5 kW	136.8 kg	2952271	5,398.- €	4015613682754
Gas range 900, W900, 4BR, gsO	Gas	8 kW	32,5 kW	146.4 kg	2952171	5,198.- €	4015613682747

Gas range, 6BRs,el. oven,2/1GN NS



- Number of hobs 6
- Distribution of hobs 1 x 3,5 kW, 2 x 5 kW, 3 x 8 kW
- Ignition type Manual ignition
- Size oven W 655 x D 550 x H 300 mm
- Gastronorm 2/1 GN
- Size base unit W 345 x D 835 x H 470 mm
- Height adjustable 900 mm to 950 mm
- Gas type Natural gas H (20 mbar)
Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed
- Size W 1,200 x D 900 x H 900 mm

	Oven type	Connected load oven	Power	Weight	Code-No.	RRP*	GTIN
Gas range, 6BRs, el. oven,2/1GN NS	Electro	5,6 kW 400 V 3 NAC	37,5 kW	186.6 kg	2952481	7,149.- €	4015613682778
Gas range, 6BR, gsO 2/1GN, NS	Gas	8 kW	45,5 kW	195.9 kg	2952291	6,998.- €	4015613682761

Ceramic glass range, 2 HTzon., OBU



- Type of hobs Glass ceramic
- Sub-counter unit type Open
- Height adjustable 900 mm to 950 mm
- Equipment connection 3 NAC

	Number of hobs	Large hobs	Distribution of hobs	Power load	Size	Weight	Code-No.	RRP*	GTIN
Ceramic glass range, 2 HTzon., OBU	2	2 x Ø 265 mm	2 x 4 kW	8 kW 400 V 50/60 Hz	W 400 mm D 900 mm H 900 mm	36.8 kg	296411	3,298.- €	4015613672830
Ceramic glass range, 4 HTzon., OBU	4	4 x Ø 265 mm	4 x 4 kW	16 kW 400 V 50/60 Hz	W 800 mm D 900 mm H 900 mm	61.6 kg	296421	5,398.- €	4015613668543

Ceramic glass range,4HTzon,el.oven2/1GN

296431

RRP* 6,898.- €

GTIN 4015613672847



- Number of hobs 4
- Large hobs Ø 265 mm
- Distribution of hobs 4 x 4 kW
- Type of hobs Glass ceramic
- Oven type Electro
- Gastronorm 2/1 GN
- Oven connected load 5.6 kW
- Height adjustable 900 mm to 950 mm
- Power load 21,6 kW | 400 V | 50/60 Hz
- Equipment connection 3 NAC
- Size W 800 x D 900 x H 900 mm
- Weight 101.6 kg

Electric range, 4 plates, OBU

296215

RRP* 4,449.- €

GTIN 4015613673332



- Number of hobs 4
- Large hobs 300 x 300 mm
- Distribution of hobs 4 x 4 kW
- Sub-counter unit type Open
- Height adjustable 900 mm to 950 mm
- Power load 16 kW | 400 V | 50/60 Hz
- Equipment connection 3 NAC
- Size W 800 x D 900 x H 900 mm
- Weight 84.2 kg

Electric range 900, W900, 4PL,eIO

296325

RRP* 6,398.- €

GTIN 4015613668536



- Number of hobs 4
- Large hobs 300 x 300 mm
- Distribution of hobs 4 x 4 kW
- Oven type Electro
- Gastronorm 2/1 GN
- Oven connected load 5.6 kW
- Height adjustable 900 mm to 950 mm
- Power load 21,6 kW | 400 V | 50/60 Hz
- Equipment connection 3 NAC
- Size W 800 x D 900 x H 900 mm
- Weight 125.2 kg

6 plate electrical range, EBO 2/1GN

296217

RRP* 8,549.- €

GTIN 4015613672861



- Number of hobs 6
- Large hobs 300 x 300 mm
- Distribution of hobs 6 x 4 kW
- Oven type Electro
- Gastronorm 2/1 GN
- Oven connected load 5,6 kW
- Size base unit W 345 x D 835 x H 470 mm
- Height adjustable 900 mm to 950 mm
- Power load 29,6 kW | 400 V | 50/60 Hz
- Size W 1,200 x D 900 x H 900 mm
- Weight 172.6 kg

Induction range, 2 HTzon., OBU



- Large hobs Ø 270 mm
- Material hob Glass
- Size cerane surface W 320 x D 650 mm
- Sub-counter unit type Open
- Height adjustable 900 mm to 950 mm
- Properties Heating zones can be controlled separately
- Equipment connection 3 NAC

	Number of hobs	Distribution of hobs	Power load	Size	Weight	Code-No.	RRP*	GTIN
Induction range, 2 HTzon., OBU	2	2 x 5 kW	10 kW 400 V 50/60 Hz	W 400 mm D 900 mm H 900 mm	53.8 kg	296318	9,349.- €	4015613671000
Induction range, 4 HTzon., OBU	4	4 x 5 kW	20 kW 400 V 50/60 Hz	W 800 mm D 900 mm H 900 mm	84.6 kg	296319	15,998.- €	4015613672878

Electric bain marie, OBU



- Number of tanks 1
- Depth GN container max. 150 mm
- Temperature range 30 °C to 90 °C
- Water drain tap Yes
- Water supply tap Yes
- Water connection 3/4"
- Sub-counter unit type Open
- Height adjustable 900 mm to 950 mm
- Not included in delivery GN containers
- Equipment connection 3 NAC



Basin size, GN format

	Basin size, GN format	Power load	Size	Weight	Code-No.	RRP*	GTIN
Electric bain marie, OBU	1 x 1/1 GN +	3,5 kW 230 V	W 400 mm D 900 mm	36.4 kg	296303	2,449.- €	4015613668567
	1 x 1/3 GN	50/60 Hz	H 900 mm				
Electric bain marie, OBU	2 x 1/1 GN +	7 kW 400 V	W 800 mm D 900 mm	54.2 kg	296304	3,298.- €	4015613672915
	2 x 1/3 GN	50/60 Hz	H 900 mm				

Component parts

Intermediate bar 310

- Size: W 24 x D 324 x H 13 mm
- Weight: 0.11 kg
- GTIN: 4015613682723

296308

RRP* 29.- €

Intermediate bar 685

- Size: W 20 x D 685 x H 10 mm
- Weight: 1.5 kg
- GTIN: 4015613682716

296307

RRP* 45.- €

Work element, OBU



- Sub-counter unit type Open
- Height adjustable 900 mm to 950 mm

	Size	Weight	Code-No.	RRP*	GTIN
Work element, OBU	W 400 x D 900 x H 900 mm	27.8 kg	296105	1,149.- €	4015613672922
Neutral element, 900, W900, OU	W 800 x D 900 x H 900 mm	43.3 kg	296106	1,498.- €	4015613672939

Electric multi-fryer

296426

RRP* 6,449.- €

GTIN 4015613672908



- Material crucible CNS 18/10
- Content 32 litre(s)
- Temperature range 70 °C to 300 °C
- Sub-counter unit type Open
- Height adjustable 900 mm to 950 mm
- Including 1 collection tray 1/2 GN, 200 mm deep
- Power load 10 kW | 400 V | 50/60 Hz
- Equipment connection 3 NAC
- Size W 800 x D 900 x H 935 mm
- Weight 98.2 kg



Electric griddle plate 900, W450, smooth



- Material roasting surface
- Sub-counter unit type
- Height adjustable
- Equipment connection

Steel
Open
900 mm to 950 mm
3 NAC



	Roasting surface design	Size heating surface	Number of heating zones	Power load	Size	Weight	Code-No.	RRP*	GTIN
Electric griddle plate 900, W450, smooth	Smooth	W 355 mm D 760 mm	1	7,5 kW 400 V 50/60 Hz	W 400 mm D 900 mm H 900 mm	66.4 kg	296507	3,098.- €	4015613672946
Electric griddle plate, smooth, OBU	Smooth	W 755 mm D 760 mm	2	15 kW 400 V 50/60 Hz	W 800 mm D 900 mm H 900 mm	123 kg	296510	4,249.- €	4015613672960
Electric griddle plate, 1/2+1/2,OBU	1/2 smooth, 1/2 ribbed	W 755 mm D 760 mm	2	15 kW 400 V 50/60 Hz	W 800 mm D 900 mm H 900 mm	121.6 kg	296511	4,398.- €	4015613672977

Gas griddle plate, smooth, OBU



- Material roasting surface
- Ignition type
- Sub-counter unit type
- Height adjustable
- Gas type

Steel
Piezo ignition
Open
900 mm to 950 mm
Natural gas H
Liquid gas and natural gas L-nozzles are enclosed

	Roasting surface design	Size heating surface	Number of heating zones	Power	Size	Weight	Code-No.	RRP*	GTIN
Gas griddle plate, smooth, OBU	Smooth	W 355 mm D 760 mm	1	9 kW	W 400 mm D 900 mm H 900 mm	63.8 kg	2955041	2,998.- €	4015613672953
Gas griddle plate, smooth	Smooth	W 755 mm D 760 mm	2	18 kW	W 800 mm D 900 mm H 900 mm	118 kg	2955081	3,898.- €	4015613668611
Gas griddle plate, 1/2 + 1/2, OBU	1/2 smooth, 1/2 ribbed	W 755 mm D 760 mm	2	18 kW	W 800 mm D 900 mm H 900 mm	115.2 kg	2955061	4,049.- €	4015613672984

Component parts

Sealing plug

- Material: Plastic
- Diameter: 40 mm
- Size: W 40 x D 40 x H 40 mm
- Weight: 0.07 kg
- GTIN: 4015613677033



286100

RRP* 63.- €

Splash guard 940

- Material: Stainless steel
- Size: W 400 x D 720 x H 98 mm
- Weight: 3.05 kg
- GTIN: 4015613676944



296072

RRP* 215.- €

Backsplash 980

- Material: Stainless steel
- Size: W 870 x D 713 x H 98 mm
- Weight: 4.1 kg
- GTIN: 4015613677026



296078

RRP* 229.- €

Electric standing deep fat fryer



- Beaker capacity
- Grease release tap
- Sub-counter unit type
- Height adjustable
- Equipment connection

20 litre(s)
Yes
Leaf door
900 mm to 950 mm
3 NAC



	Number of tanks	Number of baskets	Power load	Size	Weight	Code-No.	RRP*	GTIN
Electric standing deep fat fryer	1	1	17,4 kW 400 V 50/60 Hz	W 400 mm D 900 mm H 900 mm	54.8 kg	296630	3,549.- €	4015613673011
El. standing deep fat fryer, 2 basins	2	2	34,8 kW 400 V 50/60 Hz	W 800 mm D 900 mm H 900 mm	88.8 kg	296970	6,198.- €	4015613673028

Gas standing deep fat fryer



- Beaker capacity
- Grease release tap
- Power load
- Equipment connection
- Sub-counter unit type
- Height adjustable
- Gas type

20 litre(s)
Yes
0,005 kW | 230 V | 50/60 Hz
Pluggable
Leaf door
900 mm to 950 mm
Natural gas H
Liquid gas and natural gas L-nozzles are enclosed



	Number of tanks	Number of baskets	Connected load gas	Size	Weight	Code-No.	RRP*	GTIN
Gas standing deep fat fryer	1	1	18 kW	W 400 mm D 900 mm H 900 mm	71.8 kg	2959961	3,949.- €	4015613670980
Gas standing deep fat fryer, 2 basins	2	2	36 kW	W 800 mm D 900 mm H 900 mm	124.6 kg	2959521	6,498.- €	4015613673035

Component parts

Substitute basket 20L, small

- Size basket: W 140 x D 450 x H 115 mm
- Size: W 140 x D 670 x H 225 mm
- Weight: 1.1 kg
- GTIN: 4015613677101

296633

RRP* 79.- €

Substitute basket 20L, large

- Size basket: W 290 x D 450 x H 115 mm
- Size: W 290 x D 670 x H 225 mm
- Weight: 1.25 kg
- GTIN: 4015613677118

296634

RRP* 98.- €

Flue 900XL

- Size: W 400 x D 170 x H 1,060 mm
- Weight: 13.6 kg
- GTIN: 4015613683010

285064

RRP* 419.- €

Electric pasta cooker, 1 basin

296311

RRP* 3,698.- €

GTIN 4015613668581



CNS
18/10

40 L

- Number of tanks
- Basin size, GN format
- Beaker capacity
- Sub-counter unit type
- Height adjustable
- Properties
- Not included in delivery
- Power load
- Equipment connection
- Size
- Weight

- 1
- 1/1 GN
- 40 litre(s)
- Leaf door
- 900 mm to 950 mm
- Water supply and drain cock installed
- Baskets
- 9,6 kW | 400 V | 50/60 Hz
- 3 NAC
- W 400 x D 900 x H 900 mm
- 45.2 kg



Gas pasta cooker, 1 basin

2953031

RRP* 3,798.- €

GTIN 4015613673042



CNS
18/10

40 L

- Number of tanks
- Basin size, GN format
- Beaker capacity
- Sub-counter unit type
- Height adjustable
- Properties
- Not included in delivery
- Gas type
- Power
- Size
- Weight

- 1
- 1/1 GN
- 40 litre(s)
- Leaf door
- 900 mm to 950 mm
- Water supply and drain cock installed
- Baskets
- Natural gas H
- Liquid gas and natural gas L-nozzles are enclosed
- 13,9 kW
- W 400 x D 900 x H 900 mm
- 61.4 kg

Component parts

Pasta basket 1/3 GN, length

- Gastronorm: 1/3 GN
- Size basket: W 145 x D 290 x H 205 mm
- Size: W 145 x D 510 x H 340 mm
- Weight: 1.15 kg
- GTIN: 4015613677057



284124

RRP* 155.- €

Pasta basket 1/3 GN

- Gastronorm: 1/3 GN
- Size basket: W 160 x D 290 x H 205 mm
- Size: W 160 x D 510 x H 335 mm
- Weight: 1.11 kg
- GTIN: 4015613677064



284114

RRP* 169.- €

Pasta basket 1/6 GN

- Gastronorm: 1/6 GN
- Size basket: W 140 x D 140 x H 205 mm
- Size: W 260 x D 260 x H 305 mm
- Weight: 0.73 kg
- GTIN: 4015613677071



284117

RRP* 109.- €

Gas lava rock grill, OBU



- Type of grid
- Number of grills areas
- Height-adjustable grid
- Ignition type
- Sub-counter unit type
- Height adjustable
- Including
- Gas type

V-grille (for meat)
1
Yes
Piezo ignition
Leaf door
900 mm to 950 mm
Lava stones for first filling
Natural gas H
Liquid gas and natural gas L-nozzles are enclosed

	Size grill plates	Number of heating zones	Filling quantity lava stones	Power	Size	Weight	Code-No.	RRP*	GTIN
Gas lava rock grill, OBU	W 350 mm D 505 mm	1	7 kg	12 kW	W 400 mm D 900 mm H 900 mm	49.7 kg	2954521	2,849.- €	4015613672991
Gas lava rock grill, OBU	W 750 mm D 505 mm	2	21 kg	24 kW	W 800 mm D 900 mm H 900 mm	103 kg	2954631	4,598.- €	4015613673004

Component parts

Round bar grid for fish

- Type of grid: Round grille (for fish)
- Size grill plates: W 350 x D 505 mm
- Size: W 373 x D 548 x H 42 mm
- Weight: 6 kg
- GTIN: 4015613681917



296472

RRP* 359.- €

V-grid for meat

- Type of grid: V-grille (for meat)
- Size grill plates: W 350 x D 505 mm
- Size: W 373 x D 617 x H 32 mm
- Weight: 2.64 kg
- GTIN: 4015613681894



296471

RRP* 319.- €

Lava rock 7kg

- Size: W 310 x D 310 x H 95 mm
- Weight: 7 kg
- GTIN: 4015613182049



100611

RRP* 57.- €

Round bar grid for fish

- Type of grid: Round grille (for fish)
- Size grill plates: W 750 x D 505 mm
- Size: W 377 x D 550 x H 45 mm
- Weight: 12 kg
- GTIN: 4015613681924



296474

RRP* 798.- €

V-grid for meat

- Type of grid: V-grille (for meat)
- Size grill plates: W 750 x D 505 mm
- Size: W 612 x D 772 x H 30 mm
- Weight: 4 kg
- GTIN: 4015613681900



296473

RRP* 529.- €

Tilting frying pan 900 E87LEK



- Material crucible
- Size crucible
- Content
- Useful content
- Temperature range
- Water supply tap
- Water connection
- Height adjustable
- Equipment connection
- Size

Stainless steel
W 720 x D 610 x H 225 mm
87 litre(s)
70 litre(s)
100 °C to 300 °C
Yes
Connection valve for hot and cold water Ø 12 mm
900 mm to 950 mm
3 NAC
W 800 x D 900 x H 900 mm

	Tilting device	Power load	Weight	Code-No.	RRP*	GTIN
Tilting frying pan 900 E87LEK	Electro-motor	10,2 kW 400 V 50/60 Hz	162 kg	296677	11,449.- €	4015613745541
Tilting frying pan 900 E87LHK	Manual	9,9 kW 400 V 50/60 Hz	150 kg	296607	9,398.- €	4015613745558

*RRP= Recommended Retail Price - all prices are recommendations only. The reseller is free to set his own sales prices | Subject to technical amendments.

El. boil.kettle, 100L



- Material boiler
- Heating type
- Water connection
- Height adjustable
- Properties
- Equipment connection
- Size

Double-walled
Indirect
Connection valve for hot and cold water
Ø 10 mm
900 mm to 950 mm
Automatic filling level check
3 NAC
W 800 x D 900 x H 900 mm



	Content	Useful content	Power load	Weight	Code-No.	RRP*	GTIN
El. boil.kettle, 100L	117 litre(s)	100 litre(s)	16 kW 400 V 50/60 Hz	139.6 kg	296910	10,298.- €	4015613673141
El. boil.kettle, 135L	152 litre(s)	135 litre(s)	18 kW 400 V 50/60 Hz	145.8 kg	296911	10,598.- €	4015613673158

Component parts

Grill plate 900-R

- Material: Cast iron
- Roasting surface design: Ribbed
- Size: W 390 x D 390 x H 17 mm
- Weight: 10.64 kg
- GTIN: 4015613676920



296051

RRP* 429.- €

Frying plate 900-G

- Material: Cast iron
- Roasting surface design: Smooth
- Size: W 390 x D 390 x H 19 mm
- Weight: 10.76 kg
- GTIN: 4015613676937



296056

RRP* 359.- €

Support ring for small pots

- Size: W 260 x D 260 x H 18 mm
- Weight: 0.3 kg
- GTIN: 4015613676906



296086

RRP* 36.- €

Door 900, right stop

- Door hinge side: Right
- Size: W 391 x D 95 x H 501 mm
- Weight: 3.92 kg
- GTIN: 4015613680811



296014

RRP* 289.- €

Door 900, left stop

- Door hinge side: Left
- Size: W 391 x D 95 x H 501 mm
- Weight: 3.92 kg
- GTIN: 4015613680828



296015

RRP* 289.- €

Swivel castors 4S900

- Swivel casters: 4 swivel casters, 2 with brake
- Diameter casters: 125 mm
- Load-bearing capacity max., each: 100 kg
- Size: W 145 x D 155 x H 160 mm
- Weight: 3.34 kg
- GTIN: 4015613680804



295088

RRP* 298.- €

COOKING TECHNOLOGY

Cooking to perfection? Not such a simple thing to do. Or maybe it is: Because with Bartscher cooking technology, the certainty of success is already incorporated as standard regardless of whether it's a combi steamer, a hot air oven or a sous vide cooker.

Cerane range 600, 5 HTzones, eLO

155660

RRP* 2,849.- €

GTIN 4015613469621



- Number of hobs 5
- Large hobs 1 x Ø 120/210 mm, 1 x Ø 170/265 mm, 1 x 210 mm, 2 x 145 mm
- Distribution of hobs 1 x 0,7/2,1 kW, 1 x 1,4/2,2 kW, 1 x 2,2 kW, 2 x 1,2 kW
- Material hob Glass
- Oven type Electro
- Multifunctional oven Yes
- Material cooking chamber Enamelled
- Oven volume 100 litre(s)
- Temperature range 50 °C to 250 °C
- Oven connected load 2,5 kW
- Including 1 baking tray
2 grilles
- Power load 11,4 kW | 400 V | 50/60 Hz
- Equipment connection 3 NAC
- Size W 900 x D 600 x H 890 mm
- Weight 76 kg

Baking tray

- Material: Steel plate, Enamelled
- Size: W 666 x D 376 x H 25 mm
- Weight: 1.95 kg
- GTIN: 4015613721330

150958

RRP* 36.- €

Oven grid

- Size: W 666 x D 360 x H 19 mm
- Weight: 1.01 kg
- GTIN: 4015613656557

150606

RRP* 26.- €

Induction range 6K-EBMF

286426

RRP* 3,849.- €

GTIN 4015613772943



With its smart black design, this induction range enhances any kitchen. With 6 hobs and a large electric oven, a large cooking space for preparing tasty meals is not all it offers. In addition, the versatility of this multi-functional oven really impresses customers when it comes to selecting the perfect cooking programme.

- Material Steel
- Number of hobs 6
- Large hobs 225 x 225 mm
- Distribution of hobs 6 x 3 kW
- Material hob Glass
- Oven type Electro
- Multifunctional oven Yes
- Material cooking chamber Enamelled
- Oven volume 98 litre(s)
- Temperature range 50 °C to 250 °C
- Oven connected load 2.45 kW
- Including 1 baking tray
2 grilles
- Height adjustable 900 mm to 940 mm
- Power load 10,5 kW | 400 V | 50/60 Hz
- Equipment connection 3 NAC
- Size W 900 x D 600 x H 900 mm
- Weight 99.6 kg

Baking tray

- Material: Steel plate, Enamelled
- Size: W 666 x D 376 x H 25 mm
- Weight: 1.95 kg
- GTIN: 4015613721330

150958


RRP* 36.- €

Oven grid 6K-EBMF

- Material: Stainless steel
- Size: W 665 x D 330 x H 15 mm
- Weight: 0.95 kg
- GTIN: 4015613814919

150959

RRP* 35.- €



Gas range BGH 600-520

1519811

RRP* 1,598.- €

GTIN 4015613707198



- Number of hobs
- Large hobs
- Distribution of hobs
- Gas burner

- Ignition type
- Oven type
- Multifunctional oven
- Material cooking chamber
- Oven volume
- Temperature range
- Connected load oven
- Including

- Height adjustable
- Gas type

- Power
- Size
- Weight

5
4 x 230 x 270 mm, 1 x Ø 350 mm
1 x 1 kW, 1 x 3 kW, 2 x 1.75 kW, 1 x 3.8 kW
Single burner
Triple ring burner
Electronic one-hand ignition
Electro
Yes
Enamelled
104 litre(s)
50 °C to 250 °C
2,5 kW | 230 V | Pluggable
1 baking tray
2 grilles
850 mm to 900 mm
Natural gas H (20 mbar)
Propane nozzles (50 mbar) and natural gas nozzles L (20 mbar) are enclosed
11,3 kW
W 900 x D 600 x H 900 mm
64 kg

Baking tray

- Size: W 666 x D 376 x H 25 mm
- Weight: 1.95 kg
- GTIN: 4015613721330

150958

RRP* 36.- €

Oven grid

- Size: W 666 x D 360 x H 19 mm
- Weight: 1.01 kg
- GTIN: 4015613656557

150606

RRP* 26.- €



Gas range GHU 4110

2819991

RRP* 2,998.- €

GTIN 4015613616940



- Number of hobs
- Distribution of hobs
- Gas burner
- Ignition type
- Oven type
- Oven functions
- Gastronorm
- Temperature range
- Connected load oven
- Including

- Height adjustable
- Gas type

- Power
- Size
- Weight

4
2 x 3,5 kW, 2 x 7 kW
Two-circle burner
Manual ignition
Electro
Circulating air
1/1 GN
50 °C to 300 °C
3,1 kW | 230 V | Pluggable
2 baking trays
1 grille
850 mm to 910 mm
Natural gas H (20 mbar)
Liquid gas nozzles (50 mbar) are enclosed
21 kW
W 700 x D 700 x H 850 mm
100.8 kg

Tray 1/1GN, 20 mm

- Gastronorm: 1/1 GN
- Size: W 530 x D 325 x H 20 mm
- Weight: 1.45 kg
- GTIN: 4015613271729

A101185

RRP* 27.- €

GN grid 1/1, SS

- Gastronorm: 1/1 GN
- Size: W 325 x D 530 x H 10 mm
- Weight: 0.95 kg
- GTIN: 4016098175250

A101091

RRP* 37.- €



Gas range MFGO 7040



The gas oven series MFG – starter models for the professional field in a solid design made of stainless steel. Due to the intuitive operation with a pilot flame, they are ideally suited for everyday use in the kitchen.

- Large hobs
- Gas burner
- Ignition type
- Pilot flame
- Height adjustable
- Gas type

330 x 300 mm
Single burner
Manual ignition
Yes
910 mm to 955 mm
Natural gas H (20 mbar)
Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed



	Number of hobs	Distribution of hobs	Power	Size	Weight	Code-No.	RRP*	GTIN
MFGO 7040	4	2 x 3.5 kW 2 x 6 kW	19 kW	W 800 mm D 700 mm H 910 mm	56.4 kg	1582051	2,549.- €	4015613698878
MFGO 7060	6	3 x 3.5 kW 3 x 6 kW	28,5 kW	W 1,200 mm D 700 mm H 910 mm	79.2 kg	1582101	3,049.- €	4015613635033

Gas range MFG 7341



- Large hobs
- Gas burner
- Ignition type
- Pilot flame
- Oven type
- Oven functions
- Gastronorm
- Temperature range
- Including
- Height adjustable
- Gas type

330 x 300 mm
Single burner
Manual ignition
Yes
Electro
Upper / lower heat
2/1 GN
100 °C to 300 °C
1 grille
910 mm to 955 mm
Natural gas H (20 mbar)
Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed



	Number of hobs	Distribution of hobs	Connected load oven	Power	Size	Weight	Code-No.	RRP*	GTIN
MFG 7341	4	2 x 3.5 kW 2 x 6 kW	3.6 kW 400 V 2 NAC	19 kW	W 800 mm D 730 mm H 910 mm	108.4 kg	1582011	3,598.- €	4015613749136
MFG 7360	6	3 x 3.5 kW 3 x 6 kW	6 kW 400 V 2 NAC	28,5 kW	W 1,200 mm D 700 mm H 910 mm	129.4 kg	1582201	4,498.- €	4015613635040

Component parts

Tray 2/1GN, 20 mm

- Size: W 650 x D 530 x H 20 mm
- Weight: 2.7 kg
- GTIN: 4015613271699

A101181

RRP* 47.- €

GN grid 2/1, SS

- Size: W 650 x D 530 x H 10 mm
- Weight: 1.93 kg
- GTIN: 4016098175267

A101092

RRP* 58.- €

Stock-pot stove E 1K350

105343

RRP* 1,598.- €

GTIN 4015613126036



- Diameter hob
- Power load
- Equipment connection
- Size
- Weight

300 mm
3,5 kW | 380-400 V | 50/60 Hz
3 NAC
W 500 x D 500 x H 520 mm
16.4 kg

Stock-pot stove E 1K500

105325

RRP* 1,469.- €

GTIN 4015613633244



- Diameter hob
- Power load
- Equipment connection
- Size
- Weight

400 mm
5 kW | 400 V | 50 Hz
3 NAC
W 570 x D 590 x H 515 mm
34.2 kg

Stock-pot stove G-1KB 1K680

1054513

RRP* 355.- €

GTIN 4015613683256



- Gas burner
- Ignition type
- Ignition guard
- Gas type
- Load-bearing capacity max.
- Properties

Strong burner
Piezo ignition
Yes
Liquid gas
Natural gas G20 nozzle (50 mbar) provided
50 kg
Hob size: 230 - 450 mm
The hob size can be enhanced with the optional small pot ring and wok adapter
Rubber feet
Hose length: 1.5 m
Can only be used outdoors
Delivery without gas connecting set
A pressure reducer of max. 50 mbar is necessary
6,8 kW
W 400 x D 440 x H 385 mm
12.6 kg

- Important information

- Power
- Size
- Weight

Support ring for small pots G-1KB 1K680

- Material: Stainless steel
- Diameter cooking crockery: 175 - 230 mm
- Size: W 400 x D 390 x H 25 mm
- Weight: 0.86 kg
- GTIN: 4015613756806



105453

RRP* 21.- €

Wok attachment G-1KB 1K680

- Material: CNS 18/10
- Diameter wok insert: 314 mm
- Size: W 400 x D 400 x H 90 mm
- Weight: 2.16 kg
- GTIN: 4015613724690



105452

RRP* 75.- €



Stock-pot stove G-2KB 1K700

1051403

RRP* 1,579.- €

GTIN 4015613734552



- Gas burner
- Ignition type



- Ignition guard
- Pilot flame



- Gas type

- Load-bearing capacity max.
- Important information

- Power
- Size
- Weight

Two-circle burner
Manual ignition
Yes
Yes
Liquid gas
Natural gas nozzles H and L are enclosed
70 kg
The pot diameter must be at least 22.5 cm
A pressure reducer of max. 50 mbar is necessary
7 kW
W 450 x D 475 x H 500 mm
20.2 kg

Stock-pot stove G-WB 1K1250



- Gas burner
- Ignition type



- Ignition guard
- Pilot flame



- Gas type

- Load-bearing capacity max.
- Power

Wart burner
Manual ignition
Yes
Yes
Liquid gas
Natural gas nozzles H and L are enclosed
70 kg
12,5 kW



G-WB 1K1250 XL



	Size	Weight	Code-No.	RRP*	GTIN
G-WB 1K1250	W 660 x D 590 x H 520 mm	28.6 kg	1051503	2,098.- €	4015613734545
G-WB 1K1250 XL	W 590 x D 680 x H 820 mm	31 kg	1051603	2,619.- €	4015613734088

Gas cooker 1K750



- Gas burner
- Ignition guard



- Control pressure
- Gas type

Wart burner
Yes
50 mbar
Propane



1K105

	Output hob(s) max.	Ignition type	Gas consumption at maximum setting	Power	Size	Weight	Code-No.	RRP*	GTIN
1K750	7,5 kW	Manual ignition	527 g / h	7,5 kW	W 398 mm D 570 mm H 170 mm	6 kg	1054503	198.- €	4015613467764
1K1050	10,5 kW	Piezo ignition	764 g / h	10,5 kW	W 410 mm D 540 mm H 180 mm	5.3 kg	1054603	95.- €	4015613682860

Component parts

Gas connection set GW-AI

- Can be used in: Inner and outer area
- Size: W 64 x D 61 x H 27 mm
- Weight: 1.3 kg
- GTIN: 4015613586557



500180

RRP* 149.- €

Gas connection kit

- Can be used in: Outer area
- Size: W 64 x D 180 x H 35 mm
- Weight: 1.5 kg
- GTIN: 4015613419015



825152

RRP* 98.- €

Wok cookers



Gas wok table cooker GWTH1

1052303

RRP* 1,359.- €

GTIN 4015613630977



- Number of hobs: 1
- Large hobs: Ø 290 mm
- Distribution of hobs: 1 x 11,5 kW
- Gas burner: High-performance burner
- Ignition type: Manual ignition
- Pilot flame: Yes
- Height-adjustable feet: Yes
- Properties:
 - Burner can be removed without a tool
 - Burner is thermo-electrically secured
 - Hobs without wok ring top, for pots from Ø 200 mm
- Gas type: Liquid gas (50 mbar)
Natural gas nozzles H (20 mbar) are enclosed
- Power: 11,5 kW
- Size: W 400 x D 600 x H 415 mm
- Weight: 25.4 kg

Wok cooker, 2 burners



- Large hobs: Ø 290 mm
- Gas burner: High-performance burner
- Ignition type: Manual ignition
- Pilot flame: Yes
- Height adjustable: 960 mm to 985 mm
- Properties:
 - Burner can be removed without a tool
 - Burner is thermo-electrically secured
 - Heating zones can be controlled separately
 - Hobs without wok ring top, for pots from Ø 200 mm
- Gas type: Liquid gas (50 mbar)
Natural gas nozzles H (20 mbar) are enclosed

	Number of hobs	Distribution of hobs	Power	Size	Weight	Code-No.	RRP*	GTIN
Wok cooker, 2 burners	2	2 x 11,5 kW	23 kW	W 900 mm D 600 mm H 960 mm	58 kg	1052103	2,598.- €	4015613610764
Wok cooker, 3 burners	3	3 x 11,5 kW	34,5 kW	W 1,500 mm D 600 mm H 960 mm	85 kg	1053103	3,398.- €	4015613610771

Component parts

Wok pan steel, 360mm

- Material: Steel
- Diameter: 360 mm
- Size: W 560 x D 360 x H 95 mm
- Weight: 1.5 kg
- GTIN: 4015613371313



A105960

RRP* 139.- €

Wok pan W385R

- Material: Stainless steel
- Diameter: 385 mm
- Size: W 645 x D 385 x H 160 mm
- Weight: 1.7 kg
- GTIN: 4015613668451



A105971

RRP* 81.- €

Multi-roaster 20L ST2ZE

289716

RRP* 3,998.- €

GTIN 4015613723754



- Material crucible
- Content
- Temperature range
- Number of heating zones
- Heating zones can be controlled separately
- Grease release tap
- Sub-counter unit type
- Height adjustable
- Properties

Steel
20 litre(s)
30 °C to 290 °C
2
Yes
Yes
Open
850 mm to 900 mm
All-round splash-water, welded
Base with 2/1 GN drawers
1 fish slice
1 plug
6,6 kW | 400 V | 50/60 Hz
3 NAC
W 800 x D 712 x H 980 mm
95 kg

• Including

- Power load
- Equipment connection
- Size
- Weight

Tilting frying pan E80LHK



- Material crucible
- Temperature range
- Tilting device
- Water supply tap
- Water connection
- Height adjustable
- Properties

Chrome-nickel steel
45 °C to 300 °C
Manual
Yes
12 mm
850 mm to 910 mm
Power supply interruption in case of malfunction
Heating resistors from "Incoloy 800"
3 NAC

• Equipment connection



	Content	Useful content	Power load	Size	Weight	Code-No.	RRP*	GTIN
E80LHK	80 litre(s)	70 litre(s)	9,9 kW 400 V 50 Hz	W 900 mm D 900 mm H 900 mm	158 kg	193036	7,398.- €	4015613721224
E120LHK	120 litre(s)	100 litre(s)	14,8 kW 400 V 50 Hz	W 1,200 mm D 900 mm H 900 mm	237 kg	193062	11,898.- €	4015613723464

Tilting frying pan G80LHK



- Material crucible
- Ignition type
- Pilot flame
- Temperature range
- Tilting device
- Water supply tap
- Water connection
- Height adjustable
- Properties
- Gas type

Chrome-nickel steel
Piezo ignition
Yes
100 °C to 300 °C
Manual
Yes
12 mm
850 mm to 910 mm
Gas heater with stainless steel tube burner
Safety system with thermal element
Natural gas H

	Content	Useful content	Connected load gas	Size	Weight	Code-No.	RRP*	GTIN
G80LHK	80 litre(s)	70 litre(s)	22 kW	W 900 mm D 900 mm H 900 mm	162.6 kg	1930311	7,198.- €	4015613721231
G120LHK	120 litre(s)	100 litre(s)	30 kW	W 1,200 mm D 900 mm H 900 mm	220 kg	1930511	11,298.- €	4015613723471

Boiling kettles



Boiling kettle E113L



- Material boiler
- Heating type
- Height adjustable
- Properties

- Available on request
- Equipment connection

Stainless steel
 Indirect
 850 mm to 900 mm
 Automatic water level check in the intermediate jacket
 Automatic shutdown in case of malfunction
 Pressure monitoring: Funnel fitting with safety valve (calibrated to 0.5 bar)
 Electrical heating thanks to cast case "Incoloy 800" resisters made of a special alloy
 Mixer tap for cold and warm water
 Cooking pot for steam heating
 3 NAC

	Content	Useful content	Water connection	Power load	Size	Weight	Code-No.	RRP*	GTIN
E113L	113 litre(s)	102 litre(s)	Connection valve for hot and cold water Ø 10 mm	16 kW 400 V 50/60 Hz	W 800 mm D 900 mm H 900 mm	143 kg	280015	9,898.- €	4015613705378
E145L	145 litre(s)	135 litre(s)	Connection valve for hot and cold water Ø 10 mm	18 kW 400 V 50/60 Hz	W 800 mm D 900 mm H 900 mm	155 kg	280016	10,398.- €	4015613705392
E220L	220 litre(s)	200 litre(s)	R1/2"	32 kW 400 V 50/60 Hz	W 1,000 mm D 1,150 mm H 900 mm	235 kg	280021	14,498.- €	4015613353326
E342L	342 litre(s)	317 litre(s)	R1/2"	36 kW 400 V 50/60 Hz	W 1,150 mm D 1,300 mm H 900 mm	280 kg	280022	17,198.- €	4015613353333
E480L	480 litre(s)	455 litre(s)	R1/2"	36 kW 400 V 50/60 Hz	W 1,150 mm D 1,300 mm H 1,030 mm	300 kg	280023	22,998.- €	4015613353340



Boiling kettle G113L



- Material boiler
- Temperature control
- Ignition type
- Heating type
- Height adjustable
- Properties

Stainless steel
 2 levels
 Piezo ignition
 Indirect
 850 mm to 900 mm
 Automatic water level check in the intermediate jacket
 Automatic shutdown in case of malfunction
 Pressure monitoring: Funnel fitting with safety valve (calibrated to 0.5 bar)
 Gas heated thanks to very efficient stainless steel burner
 Gas supply for the burner is guaranteed by a gas multifunctional control
 Mixer tap for cold and warm water
 Natural gas H

- Gas type

	Content	Useful content	Water connection	Power	Size	Weight	Code-No.	RRP*	GTIN
Boiling kettle G113L	113 litre(s)	102 litre(s)	Connection valve for hot and cold water Ø 10 mm	21 kW	W 800 mm D 900 mm H 900 mm	143 kg	2800021	10,498.- €	4015613705354
Boiling kettle G150L	150 litre(s)	145 litre(s)	Connection valve for hot and cold water Ø 10 mm	21 kW	W 800 mm D 900 mm H 900 mm	153 kg	2800031	10,998.- €	4015613705361
Boiling kettle G342L	342 litre(s)	317 litre(s)	R1/2"	48 kW	W 1,150 mm D 1,300 mm H 900 mm	277 kg	2800071	17,398.- €	4015613353203
Boiling kettle G480L	480 litre(s)	455 litre(s)	R1/2"	58 kW	W 1,150 mm D 1,300 mm H 1,030 mm	305 kg	2800081	22,298.- €	4015613353210

Component parts

Strainer for boiling kettles

- Size: W 110 x D 145 x H 80 mm
- Weight: 0.07 kg
- GTIN: 4015613720951



296999

RRP* 49.- €

Snackpoint



Snackpoint 200

107301

RRP* 1,998.- €

GTIN 4015613756820



Really flexible food preparation and serving. Snackpoint 200 enables food preparation and serving with maximum variability: From the hot dog stand to the grill station to the coffee bar - the mobile station is quickly and easily converted and perfectly adapted for the next use.

- Material: Stainless steel
- Number of niches: 1
- With glass top: Yes
- Size glass superstructure: W 790 x D 200 x H 300 mm
- Properties placement niche: Height-adjustable insert shelf: 3 heights
Surface: W 760 x D 590 mm
Can be fitted with optional extra insert shelves
- Equipped with: Storage compartment below the setting niches, dimensions: W 755 x D 580 mm
4 swivel casters, 2 with brake
2 cable ducts
Magnetic stainless steel front can be used for advertising
Glass shelves (safety glass), rounded on server side
Diverse appliance combinations thanks to optional extra shelves
Possible connection of two or more Snackpoint 200s
- Including: Glass top
2 connection elements
Moveable shelf reinforcement for optional extra shelves
- Size: W 800 x D 600 x H 1,225 mm
- Weight: 42.3 kg




- ▶ A flexible all-rounder
- ▶ 1 niche
- ▶ Utility surface: W 760 x D 590 mm
- ▶ Designed for max. 2 table-top appliances



- ▶ Diverse appliance combinations thanks to optional extra shelves



- ▶ Possible connection of two or more Snackpoint 200s
- ▶ Shortened glass shelf available as optional extra



- ▶ Glass shelves (safety glass), rounded on server side



Component parts

Insert shelf M1 Snackpoint 200

- Material: Stainless steel
- Cut-out: Designed for deep-fat fryer SNACK III Plus, Dimensions: W 380 x D 280 mm
- Size utility space: W 375 x D 575 mm
- Properties: 2 cable ducts
- Size: W 755 x D 578 x H 15 mm
- Weight: 3.7 kg
- GTIN: 4015613761770



107302

RRP* 135.- €

Insert shelf M2 Snackpoint 200

- Material: Stainless steel
- Cut-out 1: Designed for induction cooker IK 305-EB, Dimensions: W 270 x D 490 mm
- Cut-out 2: Designed for GN 1/1 bain-marie, 150 mm, Dimensions: W 345 x D 545 mm
- Properties: Ventilation holes
- Size: W 755 x D 578 x H 15 mm
- Weight: 1.4 kg
- GTIN: 4015613761787



107303

RRP* 135.- €

Insert shelf M3 Snackpoint 200

- Material: Stainless steel
- Cut-out 1: Designed for the griddle plate GDP 320E-G, Dimensions: W 330 x D 550 mm
- Cut-out 2: Designed for GN 1/1 bain-marie, 150 mm, Dimensions: W 345 x D 545 mm
- Properties: Ventilation holes
- Size: W 755 x D 578 x H 15 mm
- Weight: 0.78 kg
- GTIN: 4015613761794



107304

RRP* 135.- €

Insert shelf M4 Snackpoint 200

- Material: Stainless steel
- Cut-out 1: Designed for GN 1/1 bain-marie, 150 mm, Dimensions: W 345 x D 545 mm
- Cut-out 2: Designed for GN 1/1 bain-marie, 150 mm, Dimensions: W 345 x D 545 mm
- Size: W 755 x D 578 x H 15 mm
- Weight: 0.77 kg
- GTIN: 4015613761800



107305

RRP* 135.- €

Insert shelf M5 Snackpoint 200

- Material: Stainless steel
- Cut-out: Designed for induction wok IW35-EB, Dimensions for wok: W 330 x D 350 mm, Dimensions for control panel: W 150 x D 70 mm
- Size utility space: W 375 x D 575 mm
- Properties: 1 cable duct, Ventilation holes
- Size: W 755 x D 578 x H 15 mm
- Weight: 3.5 kg
- GTIN: 4015613761817



107306

RRP* 135.- €

Insert shelf M6 Snackpoint 200

- Material: Stainless steel
- Cut-out: Designed for GN 1/1 bain-marie, 150 mm, Dimensions: W 345 x D 545 mm
- Size utility space: W 375 x D 575 mm
- Properties: 1 cable duct
- Size: W 755 x D 578 x H 15 mm
- Weight: 2.9 kg
- GTIN: 4015613761824



107307

RRP* 135.- €

Insert shelf M7 Snackpoint 200

- Material: Stainless steel
- Size utility space: W 755 x D 578 mm
- Properties: 1 cable duct
- Size: W 755 x D 578 x H 15 mm
- Weight: 5 kg
- GTIN: 4015613761831



107308

RRP* 135.- €

Glass shelf VB Snackpoint 200

- The shortened glass side shelf enables a smooth workflow when two Snackpoint 200 counter units are joined together.
- Material: Glass
- Properties: With pre-drilled holes
- Important information: Two glass shelves are required per connection
- Size: W 195 x D 6 x H 300 mm
- Weight: 0.84 kg
- GTIN: 4015613761848



107309

RRP* 169.- €

Cover hood Snackpoint 200

- Material: Polyester fabric, PVC-coated on both sides
- Designed for: Snackpoint 200
- Model: Foldable, Integrated padding, Velcro on 4 sides
- Important information: Use on Snackpoint with no glass top
- Size: W 850 x D 630 x H 915 mm
- Weight: 5.2 kg
- GTIN: 4015613768700



107310

RRP* 329.- €

Cooking station



Front cooking station KST2200 Plus



A mobile cooking station for a professional look in front cooking areas. From a 230 V induction cooker to a 400 V Series 650 solid griddle plate – extremely flexible for use in catering, for events, and in front cooking areas with room for 2 - 3 table-top units.



- With glass top Yes
- Fan regulation 4-level
- Material filter Stainless steel
- Filter type Activated carbon filter
Labyrinth filter
Zeolit-filter
- Flame protection filter Type A
- Lighting LED
- Swivel casters On the germ guard
4 swivel casters, 2 with brake
- Not included in delivery Electrical appliances
Platforms
Side work surfaces
3 NAC
- Equipment connection

Front cooking station KST2200 Plus

- Designed for 2 table-top units
- Dimensions of niche utility space W 805 x D 600 mm
- Size glass superstructure W 1075 x D 740 x H 345 mm
- Equipped with Storage compartment below the setting niches, dimensions:
W 805 x D 600 x H 150 mm
4 GN containers 1/9 GN, 100 mm deep for oils, sauces, cooking cutlery
Integrated electrical fuse
Integrated ventilation with labyrinth filter
- Number of filters 2
- Plug design 2 x 230 V, 2 x 400 V 16A CEE
- Power load 20 kW | 400 V | 50/60 Hz
- Size W 1,125 x D 770 x H 1,265 mm
- Weight 108.4 kg
- GTIN 4015613731858

107300

RRP* 12,649.- €

Front cooking station KST3240 Plus

- Designed for 2-3 table-top units
- Dimensions of niche utility space W 1,208 x D 600 mm
- Size glass superstructure W 1475 x D 740 x H 345 mm
- Equipped with Storage compartment below the setting niches, dimensions:
W 1,200 x D 600 x H 150 mm
4 GN containers 1/9 GN, 100 mm deep for oils, sauces, cooking cutlery
Integrated electrical fuse
Integrated ventilation with labyrinth filter
- Number of filters 3
- Plug design 3 x 230 V, 2 x 400 V 16A CEE
- Power load 24 kW | 400 V | 50 Hz
- Size W 1,520 x D 770 x H 1,265 mm
- Weight 146 kg
- GTIN 4015613697093

107290

RRP* 13,998.- €



Bartscher appliances suitable for the front cooking station KST2200 Plus / KST3240 Plus – Bartscher.com



Component parts

Active carbon filter mat KST2200 Plus

- Material: Activated carbon
- Important information: One active carbon filter mat is contained in the cooking station KST2200 Plus
- Size: W 760 x D 445 x H 10 mm
- Weight: 0.14 kg
- GTIN: 4015613769493



107291

RRP* 39.- €

Active carbon filter mat KST3240 Plus

- Material: Activated carbon
- Important information: One active carbon filter mat is contained in the cooking station KST3240 Plus
- Size: W 1,120 x D 445 x H 10 mm
- Weight: 0.21 kg
- GTIN: 4015613681634



107273

RRP* 42.- €

Zeolite filter KST Plus

- Material: Zeolite
- Important information: There are 2 zeolite filters in the KST2200 Plus cooking station, There are 3 zeolite filters in the KST3240 Plus cooking station
- Size: W 462 x D 380 x H 16 mm
- Weight: 3.64 kg
- GTIN: 4015613692326



107274

RRP* 298.- €

Platform 100 KST Plus

- Material: CNS 18/10
- Size: W 400 x D 595 x H 100 mm
- Weight: 3.08 kg
- GTIN: 4015613682549



107276

RRP* 229.- €

Platform 200 KST Plus

- Material: CNS 18/10
- Size: W 400 x D 595 x H 200 mm
- Weight: 7.37 kg
- GTIN: 4015613684659



107277

RRP* 498.- €

Side table KST Plus

- Material: CNS 18/10
- Assembly side: Left, Right
- Including: Attachment material
- Size: W 700 x D 350 x H 80 mm
- Weight: 4.35 kg
- GTIN: 4015613695341



107279

RRP* 689.- €

Tray slide KST2200 Plus

- Material: CNS 18/10
- Including: Attachment material
- Size: W 1,100 x D 345 x H 130 mm
- Weight: 4.09 kg
- GTIN: 4015613765822



107289

RRP* 489.- €

Tray slide KST3240 Plus

- Material: CNS 18/10
- Including: Attachment material
- Size: W 1,490 x D 345 x H 130 mm
- Weight: 4.4 kg
- GTIN: 4015613695334



107278

RRP* 559.- €

High-speed oven



Snackjet 200

120751

RRP* 6,198.- €

GTIN 4015613736587



The Bartscher Snackjet is the ideal high-speed oven for use in system catering and in other catering fields. The combination of convection and microwave oven means that you can create both crispy snacks and fresh, succulent culinary treats. With 1024 programmes and 15 cooking phases, a variety of dishes can be prepared quickly and easily in the shortest time possible.

- Material cooking chamber
- Size inside
- Functions
- Number of cooking programs
- Number of cooking phases
- Temperature range
- Temperature control
- Time adjustment
- Fan speed
- Number of magnetrons
- Microwave output
- Hot air output
- Heat-up time
- Start-stop function

Stainless steel
 W 305 x D 325 x H 180 mm
 Fan oven-microwave combination
 Convection
 Microwave
 1,024
 Individually programmable programs
 Max. 15 per program
 25 °C to 280 °C
 Thermostatic
 In 0.1 °C steps
 0 to 20 minutes
 0 % to 100 %
 1
 1200 W
 3000 W
 8 min.
 Manual
 Automatic via door contact
 Save / import for programs including images
 Programs, time, program progress
 Colour display, 5 inch
 1 cooking basket, 280 x 210 mm
 1 baffle, 280 x 305 mm
 1 food scoop
 1 pizza tray
 Only use suitable cooking utensils
 3,3 kW | 230 V | 50 Hz
 W 460 x D 680 x H 660 mm
 71 kg



- ▶ Combination of convection and microwave oven
- ▶ Air speed: 0% to 100%



- ▶ Programs incl. images
- ▶ Can be saved to a USB drive

- USB connection
- Display
- Including

- Important information
- Power load
- Size
- Weight



Component parts

Snackjet pizza tray

- Material: Aluminium, Coated
- Designed for: Snackjet 200
- Properties: Microwave suitable, Perforated
- Size: W 260 x D 260 x H 15 mm
- Weight: 0.22 kg
- GTIN: 4015613800158



120758

RRP* 32.- €

Cooking tray RG2500 Snackjet

- Material: Cast aluminium, Coated
- Designed for: Snackjet 200
- Model: Ø 250 mm, Smooth base, Edge 28 mm high, Round
- Properties: Microwave suitable
- Size: W 250 x D 250 x H 30 mm
- Weight: 0.58 kg
- GTIN: 4015613809526



120775

RRP* 75.- €

Cooking tray RG2100 Snackjet

- Material: Cast aluminium, Coated
- Designed for: Snackjet 200
- Model: Ø 210 mm, Smooth base, Edge 42 mm high, Round
- Properties: Microwave suitable
- Size: W 210 x D 210 x H 45 mm
- Weight: 0.5 kg
- GTIN: 4015613809502



120773

RRP* 89.- €

Cooking tray EG2600 Snackjet

- Material: Cast aluminium, Coated
- Designed for: Snackjet 200
- Model: Rectangular, Smooth base, Edge 28 mm high
- Properties: Microwave suitable
- Size: W 260 x D 260 x H 30 mm
- Weight: 1 kg
- GTIN: 4015613809472



120770

RRP* 45.- €

Snackjet grill plate

- Material: Aluminium, Teflon-coated
- Designed for: Snackjet 200
- Size: W 205 x D 280 x H 20 mm
- Weight: 0.85 kg
- GTIN: 4015613789705



120757

RRP* 109.- €

Snackjet cooking basket

- Material: Fibreglass fabric, Polytetrafluorethylene coating
- Designed for: Preparing snacks
- Properties: Microwave suitable
- Size: W 290 x D 220 x H 30 mm
- Weight: 0.06 kg
- GTIN: 4015613753072



120753

RRP* 22.- €

Snackjet food scoop

- Material: Aluminium, Plastic
- Designed for: Removal of food and pizza tray
- Size: W 300 x D 410 x H 62 mm
- Weight: 0.54 kg
- GTIN: 4015613753065



120752

RRP* 36.- €

Snackjet cleaner F1L

- Designed for: Snackjet 200, Conventional and combination oven with convection (e.g. high-speed oven)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Properties: Efficient spontaneous dissolving for fastest effectiveness, Highly effective against burnt-on food
- Size: W 110 x D 100 x H 300 mm
- Weight: 1.09 kg
- Order quantity unit: 1 box (6 bottles)
- GTIN: 4015613779911



173284

RRP* 85.- €

Snackjet Protector Spray F1L

- Designed for: Snackjet 200, Conventional and combination oven with convection (e.g. high-speed oven)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Properties: Makes oven interior cleaning easier, Protection from burnt-on food and fat deposits
- Size: W 110 x D 100 x H 300 mm
- Weight: 1.1 kg
- Order quantity unit: 1 box (6 bottles)
- GTIN: 4015613779928



173285

RRP* 95.- €

Convection ovens



Convection oven, universal

A120880

RRP* 475.- €

GTIN 4015613404073



• Material cooking chamber

• Size inside



• Number of drawers

• Functions



• Temperature range

• Heat-up time



• Time adjustment

• Including

• Power load

• Size

• Weight

Stainless steel

W 404 x D 308 x H 254 mm

4

Circulating air

50 °C to 250 °C

approx. 6 minutes (163 °C)

0 to 120 minutes

1 tray

1 grille

2,5 kW | 230 V | 50/60 Hz

W 530 x D 495 x H 320 mm

17.5 kg

Baking tray for A120880

• Size: W 400 x D 280 x H 11 mm

• Weight: 0.3 kg

• GTIN: 4015613404127

A120702

RRP* 25.- €

Oven grid for A120880

• Size: W 400 x D 290 x H 20 mm

• Weight: 0.55 kg

• GTIN: 4015613404110

A120701

RRP* 19.50 €

Convection oven AT110

120789

RRP* 579.- €

GTIN 4015613496924



• Material cooking chamber

• Number of drawers



• Format drawers

• Functions



• Temperature range

• Heat-up time



• Time adjustment

• Number of fans

• Properties

• Including

• Power load

• Size

• Weight

Stainless steel

3

1/2 GN

Circulating air

50 °C to 300 °C

approx. 3 minutes (180 °C)

0 to 120 minutes

1

Double-winged door pane

Rounded baking chamber

Bearing rails can be detached

Signal tone after expiry of the time

3 grilles

2,7 kW | 230 V | 50/60 Hz

W 460 x D 575 x H 465 mm

25.5 kg

GN tray, 1/2 with reinforced rim

• Material: CNS 18/10

• Size: W 325 x D 265 x H 25 mm

• Weight: 0.7 kg

• GTIN: 4015613271750

A101190

RRP* 16.- €

Grid 1/2 GN

• Material: Stainless steel

• Size: W 330 x D 265 x H 55 mm

• Weight: 0.76 kg

• GTIN: 4015613815275

786009

RRP* 45.- €

Convection oven AT90



- Number of drawers
- Format drawers
- Temperature range
- Heat-up time
- Time adjustment
- Interior lighting
- Number of fans
- Properties

4
438 x 315 mm
50 °C to 300 °C
approx. 8 minutes (150 °C)
0 to 120 minutes
Yes
2
Double-winged door pane
Rounded baking chamber
Bearing rails can be detached
Signal tone after expiry of the time
4 trays

- Including



▶ Water connection: 3/4"

	Material cooking chamber	Functions	Power load	Size	Weight	Code-No.	RRP*	GTIN
AT90	Enamelled	Circulating air	2,7 kW 230 V 50/60 Hz	W 595 mm D 615 mm H 580 mm	38 kg	A120786	598.- €	4015613400655
AT90-ST	Stainless steel	Circulating air	2,7 kW 230 V 50 Hz	W 595 mm D 615 mm H 580 mm	37.4 kg	120879	649.- €	4015613717081
AT120	Stainless steel	Circulating air Grill function Steaming	2,7 kW 230 V 50/60 Hz	W 600 mm D 610 mm H 580 mm	40 kg	A120788	939.- €	4015613400662

Convection oven AT90-MDI

A120796

RRP* 709.- €

GTIN 4015613712147



- Material cooking chamber
- Number of drawers
- Format drawers
- Functions
- Control unit
- Temperature range
- Heat-up time
- Time adjustment
- Interior lighting
- Number of fans
- Properties

Enamelled
4
438 x 315 mm
Circulating air
MDI knob
50 °C to 300 °C
approx. 8 minutes (150 °C)
0 to 120 minutes
Yes
2
Knob with digital display for temperature and time
Possible cooking pause using the temperature controller
Double-winged door pane
Rounded baking chamber
Bearing rails can be detached
Signal tone after expiry of the time
Memory function
4 trays
2,7 kW | 230 V | 50 Hz
W 595 x D 615 x H 580 mm
38.4 kg

- Including
- Power load
- Size
- Weight



▶ Knob with digital display for temperature and time



-  • Material cooking chamber
-  • Number of drawers
-  • Format drawers
-  • Functions
-  • Temperature range
-  • Heat-up time
-  • Time adjustment
-  • Interior lighting
-  • Number of fans
-  • Properties

- Including
- Power load
- Size
- Weight

Stainless steel
 4
 438 x 315 mm
 Circulating air
 50 °C to 300 °C
 approx. 8 minutes (150 °C)
 0 to 99 minutes
 Yes
 2
 Rounded baking chamber
 Bearing rails can be detached
 Digital display for temperature and time
 Double-winged door pane
 Signal tone after expiry of the time
 4 trays
 2,67 kW | 230 V | 50 Hz
 W 595 x D 615 x H 580 mm
 37 kg

Component parts

Baking tray AT90120

- Material: Stainless steel
- Size: W 438 x D 315 x H 10 mm
- Weight: 0.68 kg
- GTIN: 4015613805351

786008

RRP* 25.- €

Grid AT90120

- Material: Stainless steel
- Size: W 438 x D 315 x H 15 mm
- Weight: 0.68 kg
- GTIN: 4015613815282

786010

RRP* 29.- €

Base frame AT90-120

- Material: Stainless steel
- Number of drawers: 4
- Format drawers: 438 x 315 mm
- Size: W 535 x D 595 x H 855 mm
- Weight: 11.8 kg
- GTIN: 4015613730011



115084

RRP* 419.- €

Base frame AT90-120VR

- Material: Stainless steel
- Number of drawers: 4
- Format drawers: 438 x 315 mm
- Size: W 535 x D 595 x H 590 mm
- Weight: 10.8 kg
- GTIN: 4015613729992



115083

RRP* 379.- €

Connecting frame AT90-120

- Material: Stainless steel
- Designed for: Convection ovens AT90, Convection oven AT120
- Size: W 598 x D 536 x H 55 mm
- Weight: 2 kg
- GTIN: 4015613730073



115086

RRP* 69.- €

Baking tray 433x333-ST

- Material: Stainless steel
- Temperature resistant to: 260 °C
- Size: W 433 x D 333 x H 10 mm
- Weight: 1 kg
- GTIN: 4015613734644



100404

RRP* 35.- €

Baking tray 433x333-SI

- Material: Aluminium
- Silicone coating: Yes
- Temperature resistant to: 260 °C
- Size: W 433 x D 333 x H 10 mm
- Weight: 0.66 kg
- GTIN: 4015613734651



100405

RRP* 41.- €

Baking tray 433x333-AL

- Material: Aluminium
- Temperature resistant to: 260 °C
- Size: W 433 x D 333 x H 10 mm
- Weight: 0.65 kg
- GTIN: 4015613734668



100406

RRP* 27.- €

Perforated tray 433x333-SI

- Material: Aluminium
- Silicone coating: Yes
- Temperature resistant to: 260 °C
- Size: W 433 x D 333 x H 10 mm
- Weight: 0.49 kg
- GTIN: 4015613734675



100407

RRP* 36.- €

Perforated tray 433x333-AL

- Material: Aluminium
- Temperature resistant to: 260 °C
- Size: W 433 x D 333 x H 10 mm
- Weight: 0.55 kg
- GTIN: 4015613734682



100408

RRP* 24.- €

Wall-mounting shelf 600x600mm, SS

- Material: CNS 18/10
- Load-bearing capacity max.: 50 kg
- Size: W 600 x D 600 x H 155 mm
- Weight: 5.4 kg
- GTIN: 4015613434988



174600

RRP* 118.- €

Convection oven AT211-MDI

A120792

RRP* 898.- €

GTIN 4015613727349



- Material cooking chamber
- Number of drawers
- Format drawers
- Functions
- Control unit
- Temperature range
- Heat-up time
- Time adjustment
- Interior lighting
- Number of fans
- Properties

Stainless steel
4
1/1 GN
Circulating air
MDI knob
50 °C to 300 °C
approx. 12 minutes (150 °C)
0 to 120 minutes
Yes
2
Knob with digital display for temperature and time
Possible cooking pause using the temperature controller
Double-winged door pane
Rounded baking chamber
Bearing rails can be detached
Signal tone after expiry of the time
Memory function
1 grille
1 GN container
3 kW | 230 V | 50 Hz
W 700 x D 625 x H 540 mm
42.2 kg

Tray 1/1GN, 20 mm

- Size: W 530 x D 325 x H 20 mm
- Weight: 1.45 kg
- GTIN: 4015613271729

A101185

RRP* 27.- €

GN grid 1/1, SS

- Size: W 325 x D 530 x H 10 mm
- Weight: 0.95 kg
- GTIN: 4016098175250

A101091

RRP* 37.- €

- Including
- Power load
- Size
- Weight

Convection oven AT400 humidity

105780

RRP* 1,698.- €

GTIN 4015613505572



- Material cooking chamber
- Number of drawers
- Format drawers
- Functions
- Temperature range
- Heat-up time
- Time adjustment
- Interior lighting
- Number of fans
- Water connection
- Properties

Stainless steel
4
600 x 400 mm
Circulating air
Steaming
Reversing motor direction (fan wheels)
50 °C to 300 °C
Approx. 8 minutes (200 °C)
0 to 180 minutes
Yes
2
3/4"
Double-winged door pane
Rounded baking chamber
Bearing rails can be detached
Signal tone after expiry of the time
2 perforated trays
2 trays
6,4 kW | 400 V | 50 Hz
3 NAC
W 835 x D 800 x H 570 mm
65 kg

- Including
- Power load
- Equipment connection
- Size
- Weight

Set of guiding rails, right-left

- Material: Stainless steel
- Number of drawers: 4
- Format drawers: 1/1 GN
- Size: W 105 x D 485 x H 300 mm
- Weight: 0.3 kg
- GTIN: 4015613661971

780002

RRP* 72.- €

Base frame AT400

- Material: Stainless steel
- Number of drawers: 4
- Format drawers: 600 x 400 mm
- Size: W 833 x D 673 x H 844 mm
- Weight: 12.4 kg
- GTIN: 4015613730059

115085

RRP* 639.- €





Multifunctional for simple operation – with its many different cooking functions, the hot-air oven offers many options for perfect preparation of food.



- Material cooking chamber Enamelled
- Number of drawers 6
- Format drawers 440 x 375 mm
- Functions
 - Upper heat
 - Lower heat
 - Bottom heat with circulating air
 - Upper / lower heat
 - Top / bottom heat with fan
 - Circulating air
 - Grill function
 - Grill function with fan
- Grill output 1,8 kW
- Temperature range 25 °C to 250 °C
- Heat-up time Approx. 20 minutes (250 °C)
- Time adjustment 0 to 90 minutes
- Interior lighting Yes
- Properties
 - Door with triple glazing
 - Rounded baking chamber
 - Bearing rails can be detached
- Including
 - 1 tray
 - 1 grille
- Power load 2,7 kW | 230 V | 50/60 Hz
- Size W 600 x D 650 x H 620 mm
- Weight 50.2 kg



▶ 6 drawers
▶ Format: 440 x 375 mm



▶ Bearing rails can be detached



▶ Veiling heating, hinged

Baking tray MF6430

- Material: Steel plate, Enamelled
- Size: W 435 x D 352 x H 30 mm
- Weight: 1.02 kg
- GTIN: 4015613702148



206203

RRP* 47.- €

Oven grid MF6430

- Material: Stainless steel
- Size: W 440 x D 375 x H 5 mm
- Weight: 0.79 kg
- GTIN: 4015613702155



206204

RRP* 31.- €

Fermenting cupboard 823HO



- Number of drawers 8
- Format drawers 2/3 GN
- Temperature range 442 x 320 mm
- Properties 30 °C to 60 °C
- Power load Water bowl for air humidification
- Size 2 kW | 230 V | 50-60 Hz
- Weight W 700 x D 600 x H 960 mm
- Weight 44 kg



Combi steamers series Silversteam



Combi steamer Silversteam 5230M



- Material cooking chamber
- Functions



- Number of cooking programs
- Number of cooking phases
- Temperature range
- Fan speed
- Continuous operation
- Core temperature sensor connection
- Water connection
- Interior lighting
- Properties

- Including

- Important information

CNS 18/10
 Circulating air
 Steam
 Combi-steaming
 Low temperature cooking
 Reversing motor direction (fan wheels)
 Steam production by means of direct injection

1
 1
 50 °C to 280 °C
 2 levels
 Yes
 Side
 3/4"
 Yes
 Rounded baking chamber
 Bearing rails can be detached
 Double-winged door pane
 LED lighting in door

1 grille GN
 1 tray GN

From a water hardness of 5° d.H upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar



► Easy knob operation



► Double door glazing, inner door can be opened easily for cleaning



► Vapour extractor is easy to regulate

	Number of drawers	Format drawers	Number of fans	Power load	Equipment connection	Size	Weight	Code-No.	RRP*	GTIN
5230M	5	2/3 GN	1	3,3 kW 230 V 50 Hz	Pluggable	W 620 mm D 780 mm H 675 mm	57.2 kg	116622	3,449.- €	4015613751900
5111M	5	1/1 GN	1	6,3 kW 400 V 50 Hz	3 NAC	W 890 mm D 835 mm H 675 mm	82.3 kg	116726	5,049.- €	4015613786353
7111M	7	1/1 GN	2	9,6 kW 400 V 50 Hz	3 NAC	W 890 mm D 835 mm H 850 mm	101 kg	116728	6,349.- €	4015613776439
10111M	10	1/1 GN	2	12,6 kW 400 V 50 Hz	3 NAC	W 890 mm D 835 mm H 1,065 mm	119 kg	116731	7,349.- €	4015613786360

Combi steamer Silversteam 7111D



- Material cooking chamber
- Functions

- Rack control
- Number of cooking programs
- Number of cooking phases
- Temperature range
- Fan speed
- Continuous operation
- Core temperature sensor connection
- USB connection
- Water connection
- Interior lighting
- Properties

- Including

- Important information

CNS 18/10
 Circulating air
 Steam
 Combi-steaming
 Low temperature cooking
 Delta-T cooking
 Reversing motor direction (fan wheels)
 Steam production by means of direct injection
 Yes
 300 pre-installed programs
 300 configurable programs
 9
 50 °C to 300 °C
 3 levels
 Yes
 Side
 Side
 3/4"
 Yes
 Rounded baking chamber
 Bearing rails can be detached
 Double-winged door pane
 LED lighting in door
 1 grille GN
 1 tray GN
 From a water hardness of 5° d.H upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar



▶ Electronic control with 600 programs (300 preinstalled, 300 programmable); up to 9 cooking phases per program



▶ Rack control
 ▶ To enable the selection of a program for each shelf



▶ Combi steamer Silversteam P
 Faster heating and reheating times

	Number of drawers	Format drawers	Number of fans	Power load	Equipment connection	Size	Weight	Code-No.	RRP*	GTIN
5230D	5	2/3 GN	1	3,3 kW 230 V 50 Hz	Pluggable	W 620 mm D 775 mm H 675 mm	58.6 kg	117623	4,298.- €	4015613751931
5111D	5	1/1 GN	1	6,3 kW 400 V 50 Hz	3 NAC	W 890 mm D 835 mm H 675 mm	84.4 kg	117725	5,698.- €	4015613786377
7111D	7	1/1 GN	2	9,6 kW 400 V 50 Hz	3 NAC	W 890 mm D 835 mm H 850 mm	105.8 kg	117727	7,298.- €	4015613786384
10111D	10	1/1 GN	2	12,6 kW 400 V 50 Hz	3 NAC	W 890 mm D 835 mm H 1,065 mm	120 kg	117730	8,249.- €	4015613786391
P-5230D	5	2/3 GN	1	4,8 kW 400 V 50 Hz	3 NAC	W 620 mm D 775 mm H 675 mm	58.6 kg	117650	4,449.- €	4015613762067
P-5111D	5	1/1 GN	1	7,7 kW 400 V 50 Hz	3 NAC	W 890 mm D 835 mm H 675 mm	84.6 kg	117761	5,849.- €	4015613786407
P-7111D	7	1/1 GN	2	12,6 kW 400 V 50 Hz	3 NAC	W 890 mm D 835 mm H 850 mm	107 kg	117762	7,298.- €	4015613786414
P-10111D	10	1/1 GN	3	17,4 kW 400 V 50 Hz	3 NAC	W 890 mm D 835 mm H 1,065 mm	120 kg	117763	8,398.- €	4015613786421

Combi steamer Silversteam 10111DRS



- Material cooking chamber
- Functions



- Rack control
- With cleaning system
- Number of cooking programs
- Number of cooking phases
- Temperature range
- Fan speed
- Continuous operation
- Core temperature sensor connection
- USB connection
- Water connection
- Interior lighting
- Properties

CNS 18/10
 Circulating air
 Steam
 Combi-steaming
 Low temperature cooking
 Delta-T cooking
 Reversing motor direction (fan wheels)
 Steam production by means of direct injection
 Automatic 3-level cleaning system with drying program
 Yes
 Yes
 300 pre-installed programs
 300 configurable programs
 9
 50 °C to 300 °C
 3 levels
 Yes
 Side
 Side
 3/4"
 Yes
 Rounded baking chamber
 Bearing rails can be detached
 Double-winged door pane
 LED lighting in door
 1 grille GN
 1 tray GN
 From a water hardness of 5° d.H upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar

- Including
- Important information



▶ Rack control
 ▶ To enable the selection of a program for each shelf



▶ Combi steamer Silversteam P
 Faster heating and reheating

	Number of drawers	Format drawers	Number of fans	Power load	Equipment connection	Size	Weight	Code-No.	RRP*	GTIN
5230DRS	5	2/3 GN	1	3,3 kW 230 V 50 Hz	Pluggable	W 620 mm D 775 mm H 675 mm	59.2 kg	117723	4,949.- €	4015613737997
5111DRS	5	1/1 GN	1	6,3 kW 400 V 50 Hz	3 NAC	W 890 mm D 835 mm H 675 mm	86.8 kg	117741	6,498.- €	4015613786476
111DRS	7	1/1 GN	2	9,6 kW 400 V 50 Hz	3 NAC	W 890 mm D 835 mm H 850 mm	111 kg	117781	7,798.- €	4015613776446
10111DRS	10	1/1 GN	2	12,6 kW 400 V 50 Hz	3 NAC	W 890 mm D 835 mm H 1,065 mm	122 kg	117731	9,298.- €	4015613786469
P-5230DRS	5	2/3 GN	1	4,8 kW 400 V 50 Hz	3 NAC	W 620 mm D 775 mm H 675 mm	59.8 kg	117672	5,098.- €	4015613762128
P-5111DRS	5	1/1 GN	1	7,7 kW 400 V 50 Hz	3 NAC	W 890 mm D 835 mm H 675 mm	91.2 kg	117764	6,498.- €	4015613786438
P-7111DRS	7	1/1 GN	2	12,6 kW 400 V 50 Hz	3 NAC	W 890 mm D 835 mm H 850 mm	107.3 kg	117765	7,749.- €	4015613786445
P-10111DRS	10	1/1 GN	3	17,4 kW 400 V 50 Hz	3 NAC	W 890 mm D 835 mm H 1,065 mm	122 kg	117766	9,649.- €	4015613786452

Component parts

Guiding rails 6040 SST5110

- Material: CNS 18/10
- Number of drawers: 4
- Format drawers: 600 x 400 mm
- Designed for: Combi steamers 5 x 1/1 GN, series Silversteam
- Size: W 385 x D 300 x H 43 mm
- Weight: 0.87 kg
- GTIN: 4015613761930



117051

RRP* 289.- €

Guiding rails 6040 SST7110

- Material: CNS 18/10
- Number of drawers: 5
- Format drawers: 600 x 400 mm
- Designed for: Combi steamers 7 x 1/1 GN, series Silversteam
- Size: W 384 x D 451 x H 40 mm
- Weight: 1.2 kg
- GTIN: 4015613761947



117052

RRP* 349.- €

Guiding rails 6040 SST10110

- Material: CNS 18/10
- Number of drawers: 8
- Format drawers: 600 x 400 mm
- Designed for: Combi steamers 10 x 1/1 GN, series Silversteam
- Size: W 385 x D 697 x H 40 mm
- Weight: 3.7 kg
- GTIN: 4015613761954



117053

RRP* 549.- €

Core temperature sensor set 1KA

- Set comprises: 1 core temperature sensor, 1 holder
- Material temperature sensor: Stainless steel
- Length cable: 1,8 m
- Size: W 180 x D 265 x H 25 mm
- Weight: 0.57 kg
- GTIN: 4015613595139



116009

RRP* 259.- €

Hand shower f. combi steamer

- Length hose: 2 m
- Water connection: 1/2"
- Properties: Shutoff valve for fixed connection to water supply 1/2"
- Including: 1 holder
- Size: W 2,160 x D 75 x H 30 mm
- Weight: 1 kg
- GTIN: 4015613587189



116005

RRP* 249.- €

Pump set f. combi steamer

- Set comprises: 1 plastic canister (5 litres), 1 pump, 1 supply hose: canister - pump (150 cm), 1 supply hose: pump - steaming pipe (80 cm), Installation material
- Size: W 325 x D 260 x H 140 mm
- Weight: 0.98 kg
- GTIN: 4015613595146



116011

RRP* 215.- €

Pressure regulator for steamers

- Material: Brass, Chrome-plated
- Connection: 3/4"
- Water pressure: 1 - 6 bar (preset to 3 bar)
- Incoming pressure max.: 16 bar
- Operating temperature max.: 65 °C
- Size: W 95 x D 75 x H 50 mm
- Weight: 0.4 kg
- GTIN: 4015613468617



533051

RRP* 62.- €

Combi steamer cleaner RS-5L

- Designed for: Combi steamers with an automatic dosing system
- Order quantity unit: 1 canister
- Content: 5 kg
- Chlorine-free: Yes
- Properties: Gentle material cleaning
- Important information: For professional use only
- Size: W 200 x D 150 x H 250 mm
- Weight: 5.2 kg
- GTIN: 4015613813042



116299V

RRP* 279.- €

Combi steamer cleaner F10L

- Designed for: Combi steamers with an automatic dosing system
- Order quantity unit: 1 canister
- Content: 10 litres
- HACCP compliant: Yes
- Properties: Ready to use, no need to pour from another container, Easy to rinse and residue-free, Automatically dissolves fat, protein and burned-on food
- Size: W 230 x D 200 x H 315 mm
- Weight: 11.53 kg
- GTIN: 4015613767925



173279

RRP* 115.- €

Component parts

Connection kit Silversteam

- Material: Stainless steel
- Width frame: 876 mm
- Set comprises: 1 frame, 1 pipe and holding plate for vapour extraction, 1 connection hose, 4 feet, Attachment circlips, Screws
- Combination possibilities: 5 x 1/1 GN to 5 x 1/1 GN, 5 x 1/1 GN to 7 x 1/1 GN
- Size: W 876 x D 622 x H 114 mm
- Weight: 9.2 kg
- GTIN: 4015613607078



116012

RRP* 709.- €

Base unit Silversteam 230

- Material: Chrome-nickel steel
- Base shelf: Yes
- Size: W 570 x D 515 x H 741 mm
- Weight: 10.6 kg
- GTIN: 4015613610641



115075

RRP* 359.- €

Base unit Silversteam 110

- Material: CNS 18/10
- Number of drawers: 10
- Format drawers: 1/1 GN
- Type of drawers: Longitudinal
- Height adjustable: 741 mm to 790 mm
- Size: W 850 x D 700 x H 741 mm
- Weight: 25 kg
- GTIN: 4015613602486



115069

RRP* 719.- €

Base unit Silversteam 6040

- Material: CNS 18/10
- Number of drawers: 10
- Format drawers: 1/1 GN, 600 x 400 mm
- Type of drawers: Longitudinal
- Height adjustable: 745 mm to 790 mm
- Size: W 950 x D 700 x H 745 mm
- Weight: 24 kg
- GTIN: 4015613682051



115079

RRP* 998.- €

Base unit Silversteam 2-110

- Material: Chrome-nickel steel
- Number of drawers: 6
- Format drawers: 1/1 GN
- Type of drawers: Longitudinal
- Height adjustable: 400 mm to 450 mm
- Size: W 850 x D 700 x H 400 mm
- Weight: 14.2 kg
- GTIN: 4015613617589



115071

RRP* 665.- €

Extractor hood Silversteam

- Material: Chrome-nickel steel
- Material filter: Stainless steel
- Number of filters: 2
- Number of fan motors/exhaust air outputs: 1
- Motor Power: 100 m3/h to 540 m3/h
- Assembly type: Top of appliance
- Power load: 0,1 kW | 230 V | 50 Hz
- Size: W 900 x D 875 x H 230 mm
- Weight: 25 kg
- GTIN: 4015613620503



116016

RRP* 2,098.- €

Condensation hood Silversteam

- Material: Stainless steel
- Material filter: Stainless steel
- Number of filters: 2
- Number of fan motors/exhaust air outputs: 1
- Motor Power: 800 m3/h to 1500 m3/h
- Assembly type: Top of appliance
- Including: Connection material, Attachment material
- Power load: 0,37 kW | 230 V | 50/60 Hz
- Size: W 870 x D 950 x H 300 mm
- Weight: 31.6 kg
- GTIN: 4015613702773



116019

RRP* 3,449.- €



Combi steamer Silversteam-K 6110D



Thanks to the lengthwise shelves, the Silversteam-K is particularly compact, so perfect for even the smallest of kitchens. With intuitive digital controls, a rack control function and good air circulation, it can be used to steam, poach or bake foods in 1/1 GN containers.



- Material cooking chamber CNS 18/10
- Format drawers 1/1 GN
- Type of drawers Longitudinal
- Distance between trays 60 mm
- Functions
 - Circulating air
 - Steam
 - Combi-steaming
 - Low temperature cooking
 - Delta-T cooking
 - Reversing motor direction (fan wheels)
 - Steam production by means of direct injection
- Rack control Yes
- Number of cooking programs 300 pre-installed programs
300 configurable programs
- Number of cooking phases 9
- Temperature range 50 °C to 300 °C
- Continuous operation Yes
- Fan speed 3 levels
- Core temperature sensor connection Below cooking chamber
- USB connection Frontal
- Water connection 3/4"
- Interior lighting Yes
- Including 1 grille GN
1 tray GN
- Properties Rounded baking chamber
Bearing rails can be detached
Double-winged door pane
LED lighting in door
- Important information From a water hardness of 5° d.H upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar
- Available on request Combi steamer with door hinge on left
- Equipment connection 3 NAC



▶ Electronic control with 99 programs, each program with up to 9 cooking phases



▶ Rack control
▶ To enable the selection of a program for each shelf



▶ Double door glazing, inner door can be opened easily for cleaning



10110DRS

	Number of drawers	With cleaning system	Number of fans	Power load	Size	Weight	Code-No.	RRP*	GTIN
Silversteam-K 6110D	6	No	1	6,9 kW 400 V 50/60 Hz	W 519 mm D 865 mm H 1,032 mm	75 kg	117262	6,949.- €	4015613809694
Silversteam-K 6110DRS	6	Yes	1	6,9 kW 400 V 50/60 Hz	W 519 mm D 865 mm H 1,032 mm	76 kg	117263	7,598.- €	4015613809700
Silversteam-K 10110D	10	No	2	13,8 kW 400 V 50/60 Hz	W 519 mm D 865 mm H 1,032 mm	94.4 kg	117264	8,749.- €	4015613809717
Silversteam-K 10110DRS	10	Yes	2	13,8 kW 400 V 50/60 Hz	W 519 mm D 865 mm H 1,032 mm	95.4 kg	117265	9,498.- €	4015613804972

*RRP= Recommended Retail Price - all prices are recommendations only. The reseller is free to set his own sales prices | Subject to technical amendments.

Component parts

Core temperature sensor set 3KA

- Set comprises: 1 core temperature sensor, 1 holder
- Material temperature sensor: Chrome-nickel steel
- Puncture depth: 80 mm
- Length cable: 1,9 m
- Size: W 175 x D 25 x H 270 mm
- Weight: 0.14 kg
- GTIN: 4015613818047



116111

RRP* 279.- €

Hand shower f. combi steamer

- Length hose: 2 m
- Water connection: 1/2"
- Properties: Shutoff valve for fixed connection to water supply 1/2"
- Including: 1 holder
- Size: W 2,160 x D 75 x H 30 mm
- Weight: 1 kg
- GTIN: 4015613587189



116005

RRP* 249.- €

Pressure regulator for steamers

- Material: Brass, Chrome-plated
- Connection: 3/4"
- Water pressure: 1 - 6 bar (preset to 3 bar)
- Incoming pressure max.: 16 bar
- Operating temperature max.: 65 °C
- Size: W 95 x D 75 x H 50 mm
- Weight: 0.4 kg
- GTIN: 4015613468617



533051

RRP* 62.- €

Compact connection kit Silversteam-K

- Material: Stainless steel
- Set comprises: 1 frame, 4 feet, 1 pipe and holding plate for vapour extraction, 1 connection hose, Attachment circlips, Screws
- Combination possibilities: 6 x 1/1 GN to 6 x 1/1 GN, 6 x 1/1 GN to 10 x 1/1 GN
- Size: W 525 x D 735 x H 75 mm
- Weight: 4.8 kg
- GTIN: 4015613632452



117100

RRP* 339.- €

Base unit Silversteam-K

- Material: Chrome-nickel steel
- Number of drawers: 5
- Format drawers: 1/1 GN
- Type of drawers: Longitudinal
- Height adjustable: 735 mm to 780 mm
- Size: W 550 x D 700 x H 741 mm
- Weight: 14.2 kg
- GTIN: 4015613627090



115076

RRP* 569.- €

Condensation hood Silversteam-K

- Material: Stainless steel
- Material filter: Stainless steel
- Fan regulation: Automatix, sensor-controlled
- Including: Drain hose, 320 mm
- Power load: 0,3 kW | 230 V | 50/60 Hz
- Size: W 520 x D 1,040 x H 300 mm
- Weight: 28.4 kg
- GTIN: 4015613671031



117002

RRP* 3,949.- €

Low-temperature cooker 1,2kW

120792

RRP* 1,819.- €

GTIN 4015613525822



Cooking and keeping warm in one – gentle preparation thanks to even heat that comes from all sides.



- Number of drawers
- Format drawers



- Functions

- Temperature range
- Door hinge side can be changed
- Including

- Power load
- Size
- Weight

3
1/1 GN
600 x 400 mm
Low temperature cooking
HOLD function - for keeping warm at a precise temperature
COOK function - for low-temperature cooking up to max. 110 °C
30 °C to 110 °C
Yes
1 core temperature sensor
1 pair of bearing rails for metal sheets 600 x 400
1,2 kW | 230 V | 50 Hz
W 505 x D 715 x H 415 mm
27.3 kg

Component parts

Baking tray 600x400-AL

- Material: Aluminium
- Bakery norm: 600 x 400 mm
- Temperature resistant to: 260 °C
- Size: W 600 x D 400 x H 20 mm
- Weight: 1.1 kg
- GTIN: 4015613734699



100412

RRP* 30.- €

Perforated tray 600x400-AL

- Material: Aluminium
- Bakery norm: 600 x 400 mm
- Temperature resistant to: 260 °C
- Size: W 600 x D 400 x H 20 mm
- Weight: 0.88 kg
- GTIN: 4015613734705



100413

RRP* 30.- €

Perforated tray 600x400-SI

- Material: Aluminium
- Bakery norm: 600 x 400 mm
- Silicone coating: Yes
- Temperature resistant to: 260 °C
- Size: W 600 x D 400 x H 15 mm
- Weight: 0.89 kg
- GTIN: 4015613734712



100416

RRP* 49.- €

Grease drip container 600 x 400

- Material: Stainless steel
- Bakery norm: 600 x 400 mm
- Size: W 605 x D 405 x H 45 mm
- Weight: 2.8 kg
- GTIN: 4015613658414




525782

RRP* 119.- €

Grid 600x400, stainless steel

- Material: Stainless steel
- Bakery norm: 600 x 400 mm
- Size: W 600 x D 400 x H 8 mm
- Weight: 1.4 kg
- GTIN: 4015613638355



133264

RRP* 51.- €

Perforated tray 2/3-AL

- Material: Aluminium
- Gastronorm: 2/3 GN
- Temperature resistant to: 260 °C
- Size: W 354 x D 325 x H 10 mm
- Weight: 0.36 kg
- GTIN: 4015613734729



100417

RRP* 18.- €

Perforated tray 2/3-SI

- Material: Aluminium
- Gastronorm: 2/3 GN
- Silicone coating: Yes
- Temperature resistant to: 260 °C
- Size: W 355 x D 325 x H 10 mm
- Weight: 0.41 kg
- GTIN: 4015613734736



100425

RRP* 29.- €

Baking tray 1/1-AL

- Material: Aluminium
- Gastronorm: 1/1 GN
- Temperature resistant to: 260 °C
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.69 kg
- GTIN: 4015613734743



100426

RRP* 21.50 €

Perforated tray 1/1-AL

- Material: Aluminium
- Gastronorm: 1/1 GN
- Temperature resistant to: 260 °C
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.48 kg
- GTIN: 4015613734750



100427

RRP* 21.- €

Perforated tray 1/1-SI

- Material: Aluminium
- Gastronorm: 1/1 GN
- Silicone coating: Yes
- Temperature resistant to: 260 °C
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.55 kg
- GTIN: 4015613734767



100428

RRP* 34.- €

Grill plate

- Material: Cast aluminium
- Gastronorm: 1/1 GN
- Roasting surface design: Diamond patterned
- With juice groove: Yes
- Size: W 530 x D 325 x H 15 mm
- Weight: 2.8 kg
- GTIN: 4015613660783



106576

RRP* 169.- €

Cooking parchment 1/1 GN

- Material: Paper
- GN-capable: Yes
- Format per sheet: 1/1 GN, W 530 x D 325 mm
- Heat resistant to: 220 °C
- Order quantity unit: 1 box (500 sheets)
- Size: W 530 x D 325 x H 35 mm
- Weight: 3.55 kg
- GTIN: 4015613711423



150687

RRP* 45.- €

Backing spray 500ml

- Designed for: Greasing forms, baking trays, pans and waffle irons
- Material: 100 % vegetable oils
- Content / can: 500 ml
- Size: W 65 x D 65 x H 240 mm
- Weight: 0.37 kg
- Order quantity unit: 1 box of 6 cans
- GTIN: 4015613498515
- Minimum order quantity: 2 boxes



173060

RRP* 47.50 €



Deck oven CL



Baked goods from a traditional bakestone made of fireclay with separately adjustable upper and lower heat. This deck oven has an impressively low temperature loss even with steaming. External steam generation and the firebrick ensure an almost constant temperature in the baking chamber.



• Material baking chamber	Refractory clay baking stone Stainless steel
• Shelf height	140 mm
• Heating type	Upper / lower heat
• Upper / lower heat can be controlled separately	Yes
• Steam generators	External steam-box
• Temperature range to	300 °C
• Temperature control	In 1 °C steps
• Number of programs	15 pre-installed programs 84 programmable manually adjustable program
• Number of baking phases	6
• Steaming	Set in the program Manual
• Time setting	1 to 99 minutes Manual baking time extension
• Automatic switch-on via timer	Yes
• Automatic pre-heating	Yes
• Control unit	Touch
• Interior lighting	LED
• USB connection	Yes
• Water intake temperature	10 °C to 40 °C
• Water connection	R3/4"
• Properties	Programs from other devices can be imported Programs with all parameters can be copied within the menu
• Important information	A pressure reducer is required from a water pressure of 35 mbar Upstream connection of a water softener is always required
• Equipment connection	3 NAC

Component parts

Installation kit LBO70

- Set comprises: Condensate collection box, Condensate hoses, Installation materials, Water drainage hoses, Water supply pressure gauge, Water supply hoses, Vapour extractor
- Combination examples:
Deck oven CL6080-3
+ base frame CL6040-10
+ condensation hood LBO800
Deck ovens CL6080-3
+ proofer PR 6040-10
+ condensation hood LBO 800
+ proofer extension PR 6040-10
- Size: W 398 x D 558 x H 228 mm
- Weight: 8.2 kg
- GTIN: 4015613796468

117945

RRP* 379.- €

Installation kit LBO80

- Set comprises: Condensate collection box, Condensate hoses, Installation materials, Water drainage hoses, Water supply pressure gauge, Water supply hoses, Vapour extractor
- Combination examples:
Deck oven CL6080-2
+ base frame CL6040-12
+ condensation hood LBO800
Deck ovens CL6080-2
+ proofer PR 6040-16
+ condensation hood LBO 800
+ proofer extension PR 6040-16
- Size: W 550 x D 430 x H 320 mm
- Weight: 7.4 kg
- GTIN: 4015613772264

117946

RRP* 379.- €

Installation kit LBO100

- Set comprises: Condensate collection box, Condensate hoses, Installation materials, Water drainage hoses, Water supply hoses, Vapour extractor
- Size: W 398 x D 558 x H 228 mm
- Weight: 4.4 kg
- GTIN: 4015613805139

117948

RRP* 498.- €



Deck oven CL6040-1

- Number of baking chambers 1
- Oven dimensions W 680 x D 420 x H 200 mm
- Capacity 1 x 600 x 400 mm
- Heating output 2,4 kW
- Steam-box power 1,5 kW
- Important information The LBO100 installation kit is required for individual device operation (the corresponding installation kit must be selected for the combined device configuration)
- Power load 4,8 kW | 400 V | 50/60 Hz
- Size W 980 x D 900 x H 400 mm
- Weight 98 kg
- GTIN 4015613769981

117910

RRP* 5,298.- €



Deck oven CL6080-1

- Number of baking chambers 1
- Oven dimensions W 680 x D 840 x H 200 mm
- Capacity 1 x 600 x 800 mm
- Heating output 4,8 kW
- Steam-box power 1,5 kW
- Important information The LBO100 installation kit is required for individual device operation (the corresponding installation kit must be selected for the combined device configuration)
- Power load 6,5 kW | 400 V | 50/60 Hz
- Size W 980 x D 1,330 x H 400 mm
- Weight 131 kg
- GTIN 4015613795157

117911

RRP* 6,298.- €



Deck oven CL6080-2

- Number of baking chambers 2
- Oven dimensions W 680 x D 840 x H 200 mm
- Capacity 2 x 600 x 800 mm
- Heating output 9,6 kW
- Steam-box power 3 kW
- Important information The LBO80 installation kit is required for individual device operation (the corresponding installation kit must be selected for the combined device configuration)
- Power load 13,8 kW | 400 V | 50/60 Hz
- Size W 980 x D 1,330 x H 700 mm
- Weight 233 kg
- GTIN 4015613770017

117912

RRP* 11,989.- €



Deck oven CL6080-3

- Number of baking chambers 3
- Oven dimensions W 680 x D 840 x H 200 mm
- Capacity 3 x 600 x 800 mm
- Heating output 14,4 kW
- Steam-box power 4,5 kW
- Important information The LBO70 installation kit is required for individual device operation (the corresponding installation kit must be selected for the combined device configuration)
- Power load 20,6 kW | 400 V | 50/60 Hz
- Size W 980 x D 1,330 x H 995 mm
- Weight 329 kg
- GTIN 4015613795164

117913

RRP* 17,498.- €

Convection baking oven MC



Ideal cooking space climate in the convection oven: The crispy, freshly baked goods are particularly successful thanks to the optimal air circulation created by the really rapid fan direction change in the baking chamber. 99 programs, 6 baking phases and 6 parameters ensure a time-saving and uncomplicated workflow.

- Material baking chamber: Stainless steel
- Format drawers: 600 x 400 mm
- Heating type: Convection
- Steam generators: Direct injection
- Temperature range to: 250 °C
- Temperature control: In 1 °C steps
- Number of programs: 15 pre-installed programs, 84 programmable manually adjustable program
- Number of baking phases: 6
- Steaming: Set in the program
- Time setting: Manual, 1 to 99 minutes, Continuous operation, Manual baking time extension
- Number of fans: 1
- Fan speed: 10 levels
- Reversing motor direction: Yes
- With cleaning system: Yes
- Automatic switch-on via timer: Yes
- Automatic pre-heating: Yes
- Automatic cooling: Yes
- Control unit: Touch
- Interior lighting: In the door, LED
- USB connection: Yes
- Properties: Bearing rails and rear wall can be detached, Double-winged door pane, Consistent results when the baking chamber is full, Fan stop after steaming process, Programs from other devices can be imported, Programs with all parameters can be copied within the menu, Fast change of fan direction
- Important information: A pressure reducer is required from a water pressure of 35 mbar, Upstream connection of a water softener is always required, The LBO10 installation kit is required for individual device operation (the corresponding installation kit must be selected for the combined device configuration)
- Equipment connection: 3 NAC

COOKING TECHNOLOGY ▶ In-store ovens



▶ Shelves 600 x 400 mm



▶ 99 programs
▶ 6 baking phases
▶ 6 parameters



▶ Steam generators:
Direct injection



▶ Fan speed
▶ 10 stages



	Number of drawers	Heating output	Power load	Size	Weight	Code-No.	RRP*	GTIN
MC6040-5	5	11 kW	11,9 kW 400 V 50/60 Hz	W 980 mm D 840 mm H 750 mm	126 kg	117900	9,998.- €	4015613795119
MC6040-8	8	15 kW	15,9 kW 400 V 50/60 Hz	W 980 mm D 840 mm H 1,025 mm	152 kg	117901	11,498.- €	4015613769936
MC6040-10	10	2 x 9,55 kW	20,5 kW 400 V 50/60 Hz	W 980 mm D 840 mm H 1,150 mm	187 kg	117902	13,298.- €	4015613795126

Component parts

Installation kit LBO10

- Set comprises: Condensate collection box, Condensate hoses, Installation materials, Water drainage hoses, Water supply pressure gauge, Water supply hoses, Vapour extractor
- Combination examples:
 - Convection oven MC6040-5
+ base frame LBO6040-5
+ condensation hood LBO800
 - Convection oven MC6040-5
+ proofer PR6040-16
+ condensation hood LBO800
 - Convection oven MC6040-8
+ base frame LBO6040-5
+ condensation hood LBO800
 - Convection oven MC6040-8
+ proofer PR6040-16
+ condensation hood LBO800
 - Convection oven MC6040-10
+ base frame LBO6040-4
+ condensation hood LBO800
 - Convection oven MC6040-10
+ proofer PR6040-16
+ condensation hood LBO800
- Size: W 549 x D 439 x H 324 mm
- Weight: 4.4 kg
- GTIN: 4015613771755

117922

RRP* 249.- €



Convection baking oven HC



Steam generation perfectly tailored for the baked goods: Either via the external steam box or via direct injection - the AirFresh Box of the convection oven ensures a crispy exterior by quickly reducing the humidity. The multi-selection toggle switch with multi-coloured LED lighting enables intuitive operation with an additional visual signal.

- Material baking chamber: Stainless steel
- Format drawers: 600 x 400 mm
- Heating type: Convection
- Steam generators: Direct injection, External steam-box
- Steam-box power: 3 kW
- Temperature range to: 250 °C
- Temperature control: In 1 °C steps
- Fan speed: 10 levels
- Number of fans: 1
- Reversing motor direction: Yes
- Number of programs: 15 pre-installed programs, 84 programmable manually adjustable program
- Number of baking phases: 6
- Steaming: Set in the program, Manual, Manual selection of the steaming system
- Time setting: 1 to 99 minutes, Continuous operation, Manual baking time extension
- AirFresh box: Yes
- With cleaning system: Yes
- Automatic switch-on via timer: Yes
- Automatic pre-heating: Yes
- Automatic cooling: Yes
- Control unit: Multi-selective toggle with LED lighting, Touch
- Interior lighting: In the door, LED
- USB connection: Yes
- Water connection: R3/4"
- Properties: Bearing rails and rear wall can be detached, Double-winged door pane, Consistent results when the baking chamber is full, Fan stop after steaming process, Programs from other devices can be imported, Programs with all parameters can be copied within the menu, Fast change of fan direction
- Important information: A pressure reducer is required from a water pressure of 35 mbar, Upstream connection of a water softener is always required, The LBO20 installation kit is required for individual device operation (the corresponding installation kit must be selected for the combined device configuration)
- Equipment connection: 3 NAC

COOKING TECHNOLOGY ▲ In-store ovens



- ▶ 99 programs
- ▶ 6 baking phases
- ▶ 6 parameters



- ▶ Steam generator: Choice of internal or external
- ▶ Direct injection
- ▶ External steam box



- ▶ AirFresh box



- ▶ Fan speed
- ▶ 10 stages



	Number of drawers	Heating output	Power load	Size	Weight	Code-No.	RRP*	GTIN
HC6040-5	5	11 kW	12,1 kW 400 V 50/60 Hz	W 980 mm D 900 mm H 730 mm	158.8 kg	117905	11,998.- €	4015613795133
HC6040-8	8	15 kW	19,1 kW 400 V 50/60 Hz	W 980 mm D 900 mm H 1,000 mm	187.5 kg	117906	14,398.- €	4015613770055
HC6040-10	10	2 x 9,55 kW	20,3 kW 400 V 50/60 Hz	W 980 mm D 900 mm H 1,130 mm	210 kg	117907	17,298.- €	4015613795140

Component parts

Installation kit LBO20

- Set comprises: Condensate collection box, Condensate hoses, Installation materials, Water drainage hoses, Water supply pressure gauge, Water supply hoses, Vapour extractor
- Combination examples:
Convection oven HC6040-5
+ base frame LBO6040-5
+ condensation hood LBO800
Convection oven HC6040-5
+ proofer PR6040-16
+ condensation hood LBO800
Convection oven HC6040-8
+ base frame LBO6040-5
+ condensation hood LBO800
Convection oven HC6040-8
+ proofer PR6040-16
+ condensation hood LBO800
Convection oven HC6040-10
+ base frame LBO6040-4
+ condensation hood LBO800
Convection oven HC6040-10
+ proofer PR6040-16
+ condensation hood LBO800
- Size: W 550 x D 435 x H 320 mm
- Weight: 6.6 kg
- GTIN: 4015613771762

117923

RRP* 398.- €



Component parts

Guiding rails MCHC6040-6

- Material: Stainless steel
- Number of drawers: 6
- Format drawers: 600 x 400 mm
- Distance between trays: 75 mm
- Designed for: Convection oven MC6040-5, convection oven HC6040-5
- Size: W 405 x D 495 x H 70 mm
- Weight: 5.6 kg
- GTIN: 4015613796390



117920

RRP* 398.- €

Guiding rails MCHC6040-10

- Material: Stainless steel
- Number of drawers: 10
- Format drawers: 600 x 400 mm
- Distance between trays: 72 mm
- Designed for: Convection oven MC6040-8, convection oven HC6040-8
- Size: W 440 x D 770 x H 60 mm
- Weight: 9 kg
- GTIN: 4015613769943



117921

RRP* 498.- €

Pressure regulator for steamers

- Material: Brass, Chrome-plated
- Connection: 3/4"
- Water pressure: 1 - 6 bar (preset to 3 bar)
- Incoming pressure max.: 16 bar
- Operating temperature max.: 65 °C
- Size: W 95 x D 75 x H 50 mm
- Weight: 0.4 kg
- GTIN: 4015613468617



533051

RRP* 62.- €

Installation kit LBO30

- Set comprises: Electrical connection box, Condensate collection box, Condensate hoses, Installation materials, Water drainage hoses, Water supply pressure gauge, Water supply hoses, Vapour extractor
- Combination examples:
Convection oven MC6040-5
+ convection oven MC6040-8
+ condensation hood LBO800
Convection oven MC6040-5
+ convection oven MC6040-10
+ condensation hood LBO800
- Size: W 305 x D 985 x H 255 mm
- Weight: 12.7 kg
- GTIN: 4015613796406

117935

RRP* 498.- €

Installation kit LBO40

- Set comprises: Condensate collection box, Condensate hoses, Installation materials, Water drainage hoses, Water supply pressure gauge, Water supply hoses, Vapour extractor
- Combination examples:
Convection oven MC6040-5
+ convection oven MC6040-5
+ base frame LBO6040-3
+ condensation hood LBO800
Convection oven MC6040-5
+ convection oven MC6040-5
+ proofer cabinet PR6040-10
+ condensation hood LBO800
- Size: W 999 x D 319 x H 259 mm
- Weight: 14 kg
- GTIN: 4015613796451

117936

RRP* 498.- €

Installation kit LBO50

- Set comprises: Condensate collection box, Condensate hoses, Installation materials, Water drainage hoses, Water supply pressure gauge, Water supply hoses, Vapour extractor
- Combination examples:
Convection oven HC6040-5
+ convection oven HC6040-8
+ condensation hood LBO800
Convection oven HC6040-5
+ convection oven HC6040-10
+ condensation hood LBO800
- Size: W 999 x D 319 x H 264 mm
- Weight: 15.8 kg
- GTIN: 4015613796505

117937

RRP* 498.- €

Installation kit LBO60

- Set comprises: Condensate collection box, Condensate hoses, Installation materials, Water drainage hoses, Water supply pressure gauge, Water supply hoses, Vapour extractor
- Combination examples:
Convection oven HC6040-5
+ convection oven HC6040-5
+ base frame LBO6040-5
+ condensation hood LBO800
Convection oven HC6040-5
+ convection oven HC6040-5
+ proofer cabinet PR6040-16
+ condensation hood LBO800
- Size: W 295 x D 985 x H 255 mm
- Weight: 13.8 kg
- GTIN: 4015613796512

117938

RRP* 498.- €

Installation kit LBO90

- Set comprises: Condensate collection box, Condensate hoses, Installation materials, Water drainage hoses, Water supply pressure gauge, Water supply hoses, Vapour extractor
- Combination examples:
Convection oven MC6040-5
+ deck oven CL6040-1
+ base frame LBO6040-4
+ condensation hood LBO800
Konvektionsugn MC6040-5
+ etageugn CL6040-1
+ jässkåp PR6040-10
+ kondenskåpa LBO800
Convectie-oven HC6040-5
+ etage-oven CL6040-1
+ onderstel LBO6040-4
+ condensatie afzuigkap LBO800
Convection oven HC6040-5
+ deck oven CL6040-1
+ proofer PR6040-10
+ condensation hood LBO800
- Size: W 310 x D 998 x H 278 mm
- Weight: 12.9 kg
- GTIN: 4015613796499

117947

RRP* 379.- €

Component parts

Base frame CL6040-10

- Material: Stainless steel
- Number of drawers: 5, 2 trays each
- Format drawers: 600 x 400 mm
- Swivel casters: 2 casters, 2 swivel casters with brakes
- Diameter casters: 80 mm
- Designed for: Deck ovens CL6080-1, CL6080-2, CL6080-3
- Size: W 1,050 x D 1,330 x H 855 mm
- Weight: 30.4 kg
- GTIN: 4015613796437



117934

RRP* 1,449.- €

Base frame CL6040-12

- Material: Stainless steel
- Number of drawers: 6, 2 trays each
- Format drawers: 600 x 400 mm
- Swivel casters: 2 casters, 2 swivel casters with brakes
- Diameter casters: 100 mm
- Designed for: Deck ovens CL6080-1, CL6080-2, CL6080-3
- Size: W 1,045 x D 1,330 x H 1,030 mm
- Weight: 33.8 kg
- GTIN: 4015613770031



117933

RRP* 1,498.- €

Base frame LBO6040-3

- Material: Stainless steel
- Number of drawers: 3
- Format drawers: 600 x 400 mm
- Swivel casters: 2 casters, 2 swivel casters with brakes
- Diameter casters: 80 mm
- Designed for: Convection oven MC, convection oven HC, deck oven CL6040-1
- Size: W 990 x D 760 x H 510 mm
- Weight: 23.4 kg
- GTIN: 4015613796420



117932

RRP* 1,149.- €

Base frame LBO6040-4

- Material: Stainless steel
- Number of drawers: 4
- Format drawers: 600 x 400 mm
- Swivel casters: 2 casters, 2 swivel casters with brakes
- Diameter casters: 80 mm
- Designed for: Convection oven MC, convection oven HC, deck oven CL6040-1
- Size: W 990 x D 760 x H 750 mm
- Weight: 28 kg
- GTIN: 4015613769967



117931

RRP* 1,249.- €

Base frame LBO6040-5

- Material: Stainless steel
- Number of drawers: 5
- Format drawers: 600 x 400 mm
- Swivel casters: 2 casters, 2 swivel casters with brakes
- Diameter casters: 80 mm
- Designed for: Convection oven MC, convection oven HC, deck oven CL6040-1
- Size: W 990 x D 760 x H 915 mm
- Weight: 31.4 kg
- GTIN: 4015613796413



117930

RRP* 1,298.- €

Rolling base MCHC2300

- Material: Stainless steel
- Swivel casters: 2 casters, 2 swivel casters with brakes
- Diameter casters: 100 mm
- Designed for: Convection oven MC, convection oven HC
- Size: W 1,045 x D 910 x H 345 mm
- Weight: 17.4 kg
- GTIN: 4015613804903



117939

RRP* 1,198.- €

Condensation hood LBO800

- Material: Stainless steel
- Motor output: 20 W
- Number of fan motors: 2
- Fan regulation: Automatic, oven-controlled
- Assembly type: Top of appliance
- Power load: 0,08 kW | 230 V | 50 Hz
- Size: W 990 x D 890 x H 350 mm
- Weight: 31.3 kg
- GTIN: 4015613769974



117940

RRP* 3,149.- €

Hood extension LBO800

- Material: Stainless steel
- Designed for: Condensation hood LBO800
- Including: Attachment material
- Size: W 418 x D 35 x H 335 mm
- Weight: 2.6 kg
- GTIN: 4015613796444



117941

RRP* 279.- €



Fermenting cupboard PR6040-10



Temperature, humidity and time can be electronically controlled for the fermentation process. The ideal climate for dough is created in particular by the innovative air circulation technology and external air supply.

- Format drawers 600 x 400 mm
- Distance between trays 70 mm
- Heating output 1,2 kW
- Steam generator External steam-box
- Steam generator output 1,2 kW
- Temperature range to 50 °C
- Temperature control In 0.1 °C steps
- Humidity 10 % to 95 %
- Automatic humidity control Up to 99 %
- Time setting 1 to 999 minutes
- Continuous operation
- Control unit Electronic
- Interior lighting LED
- Water intake temperature 10 °C to 40 °C
- Water connection R3/4"
- Swivel casters 2 casters, 2 swivel casters with brakes
- Diameter casters 80 mm
- Properties Innovative air circulation technology
- Including Water supply hose
- Power load 2,5 kW | 230 V | 50 Hz



	Number of drawers	Size	Weight	Code-No.	RRP*	GTIN
PR6040-10	10	W 985 mm D 850 mm H 630 mm	74.4 kg	117925	4,549.- €	4015613769950
PR6040-16	16	W 985 mm D 850 mm H 840 mm	92 kg	117926	4,749.- €	4015613771779

Component parts

Proofing cabinet extension PR6040-10

- Material: Stainless steel
- Designed for: Fermenting cupboard PR6040-10
- Including: Attachment material
- Size: W 985 x D 515 x H 590 mm
- Weight: 9.2 kg
- GTIN: 4015613770048



117927

RRP* 1,198.- €

Proofing cabinet extension PR6040-16

- Material: Stainless steel
- Designed for: Fermenting cupboard PR6040-16
- Including: Attachment material
- Size: W 980 x D 515 x H 750 mm
- Weight: 19.6 kg
- GTIN: 4015613771786



117928

RRP* 1,498.- €



Sous-Vide stick SV ST15L

115133

RRP* 139,- €

GTIN 4015613685076



The compact alternative to standard Sous-Vide cookers – the Sous-Vide-Stick can be used flexibly in many placed with the right pot and is therefore ideal for mobile use



• Designed for



- Temperature range
- Temperature control
- Time setting
- Intervals time setting
- Dry-run protection
- Properties

Pots, depth: min. 190 mm
 Water quantity max.: 15 litres
 20 °C to 95 °C
 Electronic, in 0.5 °C steps
 1 minute - 59 hours and 59 minutes
 1 minute(s)
 Yes
 Memory function
 Signal tone after expiry of the time
 1,3 kW | 230 V | 50/60 Hz
 W 68 x D 135 x H 375 mm
 1.1 kg

- Power load
- Size
- Weight

Sous-Vide cooker SV G16L

115131

RRP* 529,- €

GTIN 4015613675008



Precise, gentle and tasty – the cooking point can be determined precisely thanks to the individual time and temperature setting.



• Beaker capacity



- Size basin
- Temperature range
- Temperature control
- Time setting
- Intervals time setting
- Dry-run protection
- Properties

16 litre(s)
 W 300 x D 330 x H 200 mm
 25 °C to 90 °C
 In 0.1 °C steps
 0 minutes - 99 hours
 1 minute(s)
 Yes
 Memory function with 5 memory slots
 Programmable timer with 1 minutes steps
 Acoustic timer
 Holder / frame for vacuuming bags
 2 kW | 230 V | 50 Hz
 W 345 x D 400 x H 317 mm
 7.5 kg

- Including
- Power load
- Size
- Weight

Dehydrator 120

A120888

RRP* 198,- €

GTIN 4015613713809



Dehydration preserves foods and extends their shelf life. This gentle preservation method is the perfect way to preserve foods. Fruit, vegetables, meat, fish, as well as herbs and spices taste better than ever.



• Material
 • Material cooking chamber

- Number of drawers
- Distance between trays
- Dehydration method
- Temperature range
- Temperature control

Plastic
 Plastic
 Metal grille
 12
 20 mm
 Circulating air
 30 °C to 70 °C
 In 1 °C steps
 Manual
 20 minute(s)
 1 level
 30 min. to 48 hours
 Yes
 1 Removeable drip tray
 6 dehydration racks
 0,5 kW | 230 V | 50/60 Hz
 W 450 x D 340 x H 305 mm
 5 kg

- Heat-up time
- Fan speed
- Time setting
- Automatic turn-off
- Including

- Power load
- Size
- Weight

Dehydration rack 120

- Material: Plastic
- Designed for: The dehydrator 120
- Size: W 328 x D 305 x H 9 mm
- Weight: 0.16 kg
- GTIN: 4015613798523



A120893

RRP* 19,- €

HI-LIGHT-Salamanders



Hi-Light-Lift-Salamander 400-2Z

101552

RRP* 2,549.- €

GTIN 4015613634890



-  • Number of heating zones 2
-  • Heating zones can be controlled separately Yes
-  • Height-adjustable heating element Yes
-  • Heat source Infrared radiator
-  • Size grid B 400 x D 304 mm
-  • Height-adjustable grid No
-  • Manual time setting Yes
-  • Grease collection tank Yes
-  • Including 1 grille
1 bracket for wall attachment
- Power load 3 kW | 230 V | 50/60 Hz
- Size W 400 x D 570 x H 515 mm
- Weight 41 kg

Hi-Light-Salamander 600-2Z

101548

RRP* 2,649.- €

GTIN 4015613634906



-  • Number of heating zones 2
-  • Heating zones can be controlled separately Yes
-  • Heat source Infrared radiator
-  • Size grid B 572 x D 358 mm
-  • Height-adjustable grid Yes
-  • Warm-keeping function Yes
-  • Manual time setting Yes
-  • Grease collection tank Yes
-  • Including 1 grille
1 bracket for wall attachment
- Power load 4,5 kW | 380-400 V | 50/60 Hz
- Equipment connection 3 NAC
- Size W 590 x D 550 x H 515 mm
- Weight 40.2 kg

Hi-Light-Lift-Salamander 600-2Z

101546

RRP* 3,249.- €

GTIN 4015613634913



-  • Number of heating zones 2
-  • Heating zones can be controlled separately Yes
-  • Height-adjustable heating element Yes
-  • Heat source Infrared radiator
-  • Size grid B 572 x D 358 mm
-  • Warm-keeping function Yes
-  • Manual time setting Yes
-  • Grease collection tank Yes
-  • Including 1 grille
1 bracket for wall attachment
- Power load 4,5 kW | 380-400 V | 50/60 Hz
- Equipment connection 3 NAC
- Size W 580 x D 590 x H 515 mm
- Weight 59.4 kg

Hi-Light-Lift-Salamander 700-2Z

101554

RRP* 3,598.- €

GTIN 4015613634920



- Number of heating zones 2
- Heating zones can be controlled separately Yes
- Height-adjustable heating element Yes
- Heat source Infrared radiator
- Size grid B 737 x D 355 mm
- Manual time setting Yes
- Grease collection tank Yes
- Including 1 grille
1 bracket for wall attachment
- Power load 6 kW | 380-400 V | 50/60 Hz
- Equipment connection 3 NAC
- Size W 745 x D 590 x H 515 mm
- Weight 70.6 kg

Hi-Light-Lift-Salamander "Premium"

101547

RRP* 3,829.- €

GTIN 4015613634883



- Number of heating zones 3
- Heating zones can be controlled separately Yes
- Height-adjustable heating element Yes
- Heat source Infrared radiator
- Heating surface setting Full or reduced
- Size grid B 572 x D 358 mm
- Warm-keeping function Yes
- Automatic activation function Yes
- Settable programs 3
- Manual time setting Yes
- Grease collection tank Yes
- Including 1 grille
1 bracket for wall attachment
- Power load 4,5 kW | 400 V | 50/60 Hz
- Equipment connection 3 NAC
- Size W 585 x D 600 x H 515 mm
- Weight 61.4 kg



► Automatic activation function



► Height-adjustable heating element

THE SERIES IN COMPARISON

	Number of heating zones	Number of heating elements	Heating zones can be controlled separately	Height-adjustable heating element	Automatic activation function	Warm-keeping function	Manual time setting	Height-adjustable grid
101552	2	2	✓	✓	-	-	✓	-
101548	2	3	✓	-	-	✓	✓	✓
101546	2	3	✓	✓	-	✓	✓	-
101554	2	4	✓	✓	-	-	✓	-
101547	3	3	✓	✓	✓	✓	✓	-

Salamanders



Salamander 401-1Z-W

A1515002

RRP* 315.- €

GTIN 4015613708850



The salamander has a height-adjustable cooking grill and 1 heating zone, which can be activated for up to 15 minutes using a timer. The attachments on the rear mean that the 401-1Z-W can either be used as a tabletop appliance or can be wall-mounted onto fireproof wall surfaces.

- Number of heating zones
- Heat source
- Size grid
- Height-adjustable grid
- Grease collection tank
- Properties

1
Infrared radiator
B 447 x D 250 mm
Yes
Yes
Suitable as a tabletop device and for wall mounting
Attachments for wall mounting on the rear of the device

- Including
- Power load
- Size
- Weight

1 grille
2 kW | 230 V | 50 Hz
W 610 x D 305 x H 280 mm
14 kg



Salamander 400-1Z



- Height-adjustable grid
- Grease collection tank
- Including

Yes
Yes
1 grille



600-2Z



700-2Z II

► Including: 2 handles

	Number of heating zones	Heat source	Size grid	Power load	Equipment connection	Size	Weight	Code-No.	RRP*	GTIN
400-1Z	1	Infrared radiator 'Incoloy'	B 430 mm D 305 mm	2,2 kW 230 V 50 Hz	Pluggable	W 597 mm D 368 mm H 365 mm	13.8 kg	100524	498.- €	4015613370057
600-2Z	2	Infrared radiator 'Incoloy'	B 640 mm D 300 mm	4,4 kW 400 V 50 Hz	3 NAC	W 880 mm D 550 mm H 390 mm	23 kg	100528	859.- €	4015613390925
700-2Z II	2	Radiant heaters	B 705 mm D 320 mm	4,4 kW 400 V 50 Hz	3 NAC	W 910 mm D 375 mm H 425 mm	29.5 kg	100532	539.- €	4015613709369

*RRP= Recommended Retail Price - all prices are recommendations only. The reseller is free to set his own sales prices | Subject to technical amendments.

Salamander 400-1Z-P

100534

RRP* 449.- €

GTIN 4015613782508



Gratinate, grill and keep food warm as you continue working for a workflow without interruptions. When the salamander is placed on a countertop, the two long open sides of the salamander allow practical service from both sides in kitchens and service areas.



- Number of heating zones 1
- Heat source Radiant heaters
- Size grid B 430 x D 300 mm
- Height-adjustable grid Yes
- Grease collection tank Yes
- Power load 2,8 kW | 230 V | 50/60 Hz
- Size W 620 x D 500 x H 362 mm
- Weight 14.2 kg



▶ Salamander with 1 heating zone



▶ Grill height adjustable
▶ In 7 levels



▶ Very accessible cooking grill
▶ From 3 sides



Lift-Salamander 500-1Z



- Height-adjustable heating element Yes
- Heat source Radiant heaters
- Height-adjustable grid No
- Grease collection tank Yes
- Including 1 grille



- Including 1 grille



600-2Z

	Number of heating zones	Size grid	Power load	Equipment connection	Size	Weight	Code-No.	RRP*	GTIN
500-1Z	1	B 445 mm D 325 mm	2,8 kW 230 V 50/60 Hz	Pluggable	W 470 mm D 525 mm H 535 mm	38.8 kg	151510	779.- €	4015613385570
600-2Z	2	B 590 mm D 320 mm	4 kW 400 V 50/60 Hz	2 NAC	W 600 mm D 540 mm H 530 mm	47.7 kg	151512	908.- €	4015613680163

Salamander griddle



Combination appliance off
▶ Griddle plate
▶ Salamander
page 110



PIZZA | PASTA

To ensure that everything on your guests' plates is "Bella Italia", we can give you the technology to prepare delicious pasta dishes and wonderfully crispy pizza dough: whether pasta or pizza – tutti perfetto!



Pastry roll machines



Pastry roll machine FI/32N, 0,37 kW



The machine's sturdy design allows cold dough to be processed at high speed without compromising the properties of the dough.



- Adjustment of dough thickness 0,3 mm to 5,5 mm
- Power load 0,37 kW | 230 V | 50 Hz



	Dough diameter up to max.	Roll length	Dough weight	Size	Weight	Code-No.	RRP*	GTIN
FI/32N, 0,37 kW	300 mm	320 mm	80 g - 210 g	W 490 mm D 510 mm H 655 mm	36 kg	101932	1,798.- €	4015613620138
FI/42N, 0,37 kW	400 mm	420 mm	210 g - 700 g	W 590 mm D 510 mm H 775 mm	44 kg	101937	1,949.- €	4015613620145

Pizza ovens



Pizza oven ST350 TR

203515

RRP* 469.- €

GTIN 4015613690070



Pizza oven in compact stainless steel version with short heating time. Ideal for smaller production quantities of fresh or frozen pizzas and tarte flambee. The oven grid is attached to the door and handle for easy handling.



- Material baking chamber Stainless steel
- Oven functions Upper / lower heat



- Upper / lower heat can be controlled separately No



- Temperature range 50 °C to 300 °C
- Pizza capacity 1 pizza Ø 34 cm
- Properties Pizza grid (size: W 340 x D 335 x H 5 mm), firmly connected to the oven door and handle
- Timer: Optionally 0 - 15 minutes or continuous operation
- Signal tone after expiry of the time
- Heat-up time: 10 minutes
- Crumb drawer, can be removed
- Power load 1,75 kW | 230 V | 50/60 Hz
- Size W 510 x D 570 x H 215 mm
- Weight 14.6 kg





Conveyor pizza oven 3600TB10

2002203

RRP* 979.- €

GTIN 4015613724584



Non-stop pizza and snacks: The conveyor pizza oven is ideal for pizzas, topped baguettes and toasts. The individual speed control of the conveyor belt makes all kinds food crispy and tasty.



- Material baking chamber: Stainless steel
- Oven functions: Upper / lower heat
- Upper / lower heat can be controlled separately: Yes
- Temperature range: 70 °C to 250 °C
- Pizza capacity: Max. Ø 32 cm
- Conveyor model: Grid
- Belt speed: Can be controlled in 10 levels
- Processing time: Approx. 2 to 14 minutes
- Power load: 3,5 kW | 230 V | 50 Hz
- Size: W 472 x D 1,045 x H 400 mm
- Weight: 21.9 kg



Pizza baking tray 290-R

- Pizza diameter: 290 mm
- Size: W 325 x D 325 x H 10 mm
- Weight: 0.26 kg
- GTIN: 4015613720357



100925

RRP* 8.50 €

Pizza oven ST340

A201113

RRP* 249.- €

GTIN 4015613757001



The perfect pizza oven for new entrants to the art of producing pizzas, flammkuchen, pizza rolls and baguettes in small quantities. Thanks to the provided firebrick, pizzas and similar products acquire that typically crispy brick-oven-baked taste.



- Material baking chamber: Steel
- Oven functions: Galvanised
- Upper / lower heat can be controlled separately: Upper / lower heat
- Temperature range: Continuous baking function
- Pizza capacity: No
- Timer: 50 °C to 250 °C
- Properties: 1 pizza Ø 33,5 cm
- Power load: Yes
- Size: Use of pizza rack and firebrick can be alternated
- Weight: 1,5 kW | 230 V | 50 Hz
- Weight: W 510 x D 500 x H 270 mm
- Weight: 21.5 kg



- ▶ Oven functions
- ▶ Upper/lower heat



- ▶ Alternate use
- ▶ Pizza rack or firebrick



Pizza oven Mini 1, 1 baking chamber



- Material baking chamber
- Oven functions
- Temperature range
- Properties

Base made of heat-resistant stone
Upper / lower heat
50 °C to 300 °C
Timer: Optionally 0 - 15 minutes or continuous operation



	Number of baking chambers	Pizza capacity	Power load	Size	Weight	Code-No.	RRP*	GTIN
Mini 1, 1 baking chamber	1	1 pizza Ø 35 cm	2 kW 230 V 50 Hz	W 545 mm D 500 mm H 230 mm	18.8 kg	203510	519.- €	4015613494074
Mini 2, 2 baking chambers	2	2 pizzas Ø 35 cm (2 x 1 pizza)	2,7 kW 230 V 50 Hz	W 545 mm D 500 mm H 380 mm	27.7 kg	203500	749.- €	4015613491714

Pizza oven "Mini Plus"



- Material baking chamber
- Oven functions
- Upper / lower heat can be controlled separately
- Temperature range

Base made of heat-resistant stone
Upper / lower heat
Yes
50 °C to 400 °C



	Number of baking chambers	Pizza capacity	Power load	Size	Weight	Code-No.	RRP*	GTIN
"Mini Plus"	1	1 pizza Ø 35 cm	2 kW 230 V 50 Hz	W 575 mm D 525 mm H 270 mm	27.2 kg	203530	798.- €	4015613581095
"Mini Plus 2"	2	2 pizzas Ø 35 cm (2 x 1 pizza)	3,4 kW 230 V 50 Hz	W 570 mm D 550 mm H 475 mm	41.8 kg	203535	1,398.- €	4015613647593

Pizza oven ST415

2002102

RRP* 485.- €

GTIN 4015613731612



This compact pizza oven is the perfect choice for bistros, fast-food outlets, and snack bars. With separately controlled upper and lower heating, crispy pizzas with a diameter of 40 cm can be baked on the stone base. A window and timer ensure perfect results.

- Material baking chamber
- Oven functions
- Upper / lower heat can be controlled separately
- Temperature range
- Pizza capacity
- Properties

Stainless steel
Base made of heat-resistant stone
Upper / lower heat
Yes
50 °C to 350 °C
1 pizza Ø 40 cm
Timer: Optionally 0 - 120 minutes or continuous operation
Heat-up time: 10 minutes
2 kW | 230 V | 50 Hz
W 565 x D 585 x H 265 mm
20.45 kg

- Power load
- Size
- Weight



Pizza oven CT 100



• Material

Steel plate

Painted



• Material baking chamber

Brick made of fire-resistant stone

Aluminium

• Oven functions

Upper / lower heat

• Upper / lower heat can be controlled separately

Yes

• Temperature range

50 °C to 400 °C

• Interior lighting

Yes

• Equipment connection

3 NAC



	Number of baking chambers	Pizza capacity	Power load	Size	Weight	Code-No.	RRP*	GTIN
CT 100	1	4 pizzas Ø 30 cm	4,2 kW 380 V 50 Hz	W 890 mm D 860 mm H 430 mm	65.6 kg	2002010	1,219.- €	4015613437781
CT 200	2	8 pizzas Ø 30 cm (2 x 4 pizzas)	8,4 kW 380 V 50 Hz	W 890 mm D 860 mm H 760 mm	112.3 kg	2002020	2,119.- €	4015613437798

Component parts

Base unit PO CT

- Material: Chrome-nickel steel
- Height-adjustable feet: No
- Size: W 895 x D 735 x H 900 mm
- Weight: 15 kg
- GTIN: 4015613602455



200319

RRP* 415.- €

Pizza shovel alu

- Size shovell: W 280 x D 280 mm
- Length handle: 1000 mm
- Size: W 280 x D 50 x H 1,333 mm
- Weight: 2 kg
- GTIN: 4015613527949



100927

RRP* 69.- €

Pizza cutter

- Diameter knife: 100 mm
- Size: W 100 x D 22 x H 230 mm
- Weight: 0.2 kg
- GTIN: 4015613527956



100928

RRP* 32.- €

Pizza oven NT 501



• Material

Steel plate

Painted



• Material baking chamber

Refractory clay baking stone

• Oven functions

Upper / lower heat

• Upper / lower heat can be controlled separately

Yes

• Temperature range

85 °C to 450 °C

• Interior lighting

Yes



	Number of baking chambers	Pizza capacity	Power load	Equipment connection	Size	Weight	Code-No.	RRP*	GTIN
NT 501	1	4 pizzas Ø 25 cm	4 kW 400 V 50 Hz	2 NAC	W 800 mm D 750 mm H 360 mm	44.6 kg	2002018	1,098.- €	4015613640990
NT 502	2	8 pizzas Ø 25 cm (2 x 4 pizzas)	6 kW 400 V 50 Hz	3 NAC	W 800 mm D 750 mm H 510 mm	63 kg	2002028	1,498.- €	4015613641003
NT 621	1	4 pizzas Ø 30 cm	5 kW 400 V 50 Hz	2 NAC	W 885 mm D 790 mm H 400 mm	59.6 kg	2002088	1,379.- €	4015613641010
NT 622	2	8 pizzas Ø 30 cm (2 x 4 pizzas)	10 kW 400 V 50 Hz	3 NAC	W 885 mm D 790 mm H 710 mm	102.8 kg	2002095	2,109.- €	4015613641027
NT 901	1	6 pizzas Ø 30 cm	6 kW 400 V 50 Hz	3 NAC	W 1,190 mm D 780 mm H 395 mm	80.3 kg	2002101	1,569.- €	4015613641041
NT 921	2	12 pizzas Ø 30 cm (2 x 6 pizzas)	12 kW 400 V 50 Hz	3 NAC	W 1,190 mm D 780 mm H 710 mm	141.8 kg	2002121	2,598.- €	4015613641058

Pizza oven NT 622VS

2002094

RRP* 2,549.- €

GTIN 4015613674018



• Material baking chamber

Full clay

• Oven functions

Upper / lower heat



• Upper / lower heat can be controlled separately

Yes

• Temperature range

85 °C to 450 °C

• Pizza capacity

8 pizzas Ø 30 cm (2 x 4 pizzas)

• Interior lighting

Yes

• Power load

10 kW | 400 V | 50/60 Hz

• Equipment connection

3 NAC

• Size

W 930 x D 835 x H 730 mm

• Weight

151.6 kg

Component parts

Base unit PO NT5

- Material: Chrome-nickel steel
- Height-adjustable feet: No
- Size: W 760 x D 610 x H 900 mm
- Weight: 14.6 kg
- GTIN: 4015613602424



200316

RRP* 369.- €

Base unit PO NT6

- Material: Chrome-nickel steel
- Height-adjustable feet: No
- Size: W 840 x D 670 x H 900 mm
- Weight: 15.9 kg
- GTIN: 4015613602431



200317

RRP* 398.- €

Base unit PO NT9

- Material: Chrome-nickel steel
- Height adjustable: 850 mm to 900 mm
- Size: W 1,150 x D 665 x H 900 mm
- Weight: 19.5 kg
- GTIN: 4015613602448



200318

RRP* 515.- €

Pizza oven ET 105, 1Bch 1050x1050



• Material

CNS 18/10

Galvanised | Steel plate | Painted



• Material baking chamber

Base made of heat-resistant stone

• Oven functions

Upper / lower heat

• Upper / lower heat can be controlled separately

Yes

• Temperature range

50 °C to 450 °C

• Interior lighting

Yes

• Equipment connection

3 NAC

	Number of baking chambers	Pizza capacity	Power load	Size	Weight	Code-No.	RRP*	GTIN
ET 105 1Bch 1050x1050	1	9 pizzas Ø 33 cm	12 kW 400 V 50 Hz	W 1,310 mm D 1,270 mm H 420 mm	143 kg	2002150	2,719.- €	4015613545028
ET 205 2Bch 1050x1050	2	18 pizzas Ø 33 cm (2 x 9 pizzas)	24 kW 400 V 50 Hz	W 1,310 mm D 1,270 mm H 760 mm	247 kg	2002170	4,698.- €	4015613545035

Base unit PO ET

- Material: Steel plate, Painted
- Height-adjustable feet: No
- Size: W 1,320 x D 1,150 x H 965 mm
- Weight: 43 kg
- GTIN: 4015613552989



2002165

RRP* 749.- €

Pasta cooker 1 basket, 7L, TU

132260

RRP* 469.- €

GTIN 4015613584171



• Beaker capacity

7 litre(s)

• Number of baskets

1



• Size basket

W 210 x D 235 x H 100 mm

• Temperature range to

110 °C



• Power load

3,4 kW | 230 V | 50 Hz

• Size

W 305 x D 410 x H 315 mm



• Weight

6.8 kg

Pasta cooker 8L MDI

132265

RRP* 379.- €

GTIN 4015613770970



• Beaker capacity

8 litre(s)

• Number of baskets

1



• Basket content

4,9 litre(s)

• Size basket

W 190 x D 225 x H 125 mm

• Temperature range to

110 °C



• Control unit

MDI knob



• Properties

Memory function

• Power load

Removable pan and heating element

• Size

3,3 kW | 230 V | 50 Hz

• Weight

W 290 x D 470 x H 385 mm

6.6 kg

Component parts

Basket small f. pasta cooker 132260

- Size basket: W 100 x D 138 x H 135 mm
- Important information: 2 baskets are needed for 1 basin
- Size: W 100 x D 200 x H 310 mm
- Weight: 0.29 kg
- GTIN: 4015613584225

132261

RRP* 62.- €

Basket large f. pasta cooker 132260

- Size basket: W 210 x D 235 x H 100 mm
- Size: W 210 x D 430 x H 205 mm
- Weight: 0.69 kg
- GTIN: 4015613585666

132262

RRP* 106.- €

Pasta basket 8L MDI

- Size basket: W 190 x D 225 x H 125 mm
- Size: W 200 x D 460 x H 150 mm
- Weight: 1.1 kg
- GTIN: 4015613797755

132266

RRP* 35.- €

Pasta machine 1,5kg

101971

RRP* 1,849.- €

GTIN 4015613584843



- Production max.
- Storage capacity
- Properties

• Not included in delivery

• Important information

- Power load
- Size
- Weight

3 kg / h

1,5 kg

Container and kneading hook made of CNS 18/10

Micro-switch on the container lid

Screw made of brass with bronze alloy

For kneading and rolling out und 12 different types of pasta

Dies for pasta

Closing cap

Cap is required to close the ejected material during dough production

0,3 kW | 230 V | 50 Hz

W 250 x D 480 x H 460 mm

17.7 kg

Sealing cap

- Material: Bronze
- Size: W 55 x D 55 x H 9 mm
- Weight: 0.18 kg
- GTIN: 4015613584997



101986

RRP* 76.- €

Component parts

Pasta mould for Caserecce 9x5mm

- Pasta type: Caserecce
- Pasta size: 9 x 5 mm
- Size: W 55 x D 55 x H 10 mm
- Weight: 0.14 kg
- GTIN: 4015613584850



101972

RRP* 76.- €

Pasta mould for Fusilli Ø9mm

- Pasta type: Fusilli
- Pasta size: Ø 9 mm
- Size: W 55 x D 55 x H 10 mm
- Weight: 0.14 kg
- GTIN: 4015613584867



101973

RRP* 76.- €

Pasta mould for Pappadelle 16mm

- Pasta type: Pappardelle
- Pasta size: 16 mm
- Size: W 55 x D 55 x H 10 mm
- Weight: 0.16 kg
- GTIN: 4015613584874



101974

RRP* 76.- €

Pasta mould for Gnocchi Ø12mm

- Pasta type: Gnocchi
- Pasta size: Ø 12 mm
- Size: W 55 x D 55 x H 10 mm
- Weight: 0.17 kg
- GTIN: 4015613584881



101975

RRP* 76.- €

Pasta mould for Cap. Dangelo Ø1mm

- Pasta type: Capelli d'angelo
- Pasta size: Ø 1 mm
- Size: W 55 x D 55 x H 10 mm
- Weight: 0.16 kg
- GTIN: 4015613584911



101978

RRP* 76.- €

Pasta mould for Spaghetti Ø2mm

- Pasta type: Spaghetti
- Pasta size: Ø 2 mm
- Size: W 55 x D 55 x H 10 mm
- Weight: 0.16 kg
- GTIN: 4015613584928



101979

RRP* 76.- €

Pasta mould for Spaghetti 2x2mm

- Pasta type: Spaghetti alla chitarra
- Pasta size: 2 x 2 mm
- Size: W 55 x D 55 x H 10 mm
- Weight: 0.17 kg
- GTIN: 4015613584935



101980

RRP* 76.- €

Pasta mould for Tagliolini 3mm

- Pasta type: Tagliolini
- Pasta size: 3 mm
- Size: W 55 x D 55 x H 10 mm
- Weight: 0.15 kg
- GTIN: 4015613761534



101989

RRP* 76.- €

Pasta mould for Fettuccine 8mm

- Pasta type: Fettuccine
- Pasta size: 8 mm
- Size: W 55 x D 55 x H 10 mm
- Weight: 0.15 kg
- GTIN: 4015613761527



101988

RRP* 76.- €

Pasta mould for Sfoglia 135mm

- Pasta type: Pasta sfoglia
- Pasta size: 135 mm
- Size: W 55 x D 55 x H 40 mm
- Weight: 0.41 kg
- GTIN: 4015613584966



101983

RRP* 76.- €

Pasta mould for Cannellone Ø25mm

- Pasta type: Cannelloni
- Pasta size: Ø 25 mm
- Size: W 55 x D 55 x H 10 mm
- Weight: 0.15 kg
- GTIN: 4015613584973



101984

RRP* 76.- €

Pasta mould for Bigoli Ø3mm

- Pasta type: Bigoli
- Pasta size: Ø 3 mm
- Size: W 55 x D 55 x H 10 mm
- Weight: 0.16 kg
- GTIN: 4015613584980



101985

RRP* 76.- €

SNACK | TAKE-AWAY

Take-away classics such as curry sausage, chips & co. are always popular. The technology is therefore used intensively everyday. From grill plates, contact grills to deep fryers and curry sausage cutters – here you will find what you are looking for.



Chip cutter 3010

500308

RRP* 129.- €

GTIN 4015613694832



- Die/stamp material
- Number of dies/stamps
- Dies/stamps

Stainless steel
Plastic
4
6 mm chips
9 mm chips
13 mm chips
Potato wedges
Table mounting
Wall mounting
W 155 x D 425 x H 335 mm
2.64 kg

- Designed for
- Size
- Weight

Deep fat fryer PETIT

165103

RRP* 62.- €

GTIN 4015613447223



- Beaker capacity
- Number of baskets
- Temperature range
- Safety thermostat
- Power load
- Size
- Weight

3 litre(s)
1
130 °C to 190 °C
Yes
2 kW | 230 V | 50 Hz
W 210 x D 530 x H 240 mm
2.5 kg

Deep fat fryer MINI II



- Beaker capacity
- Temperature range
- Safety thermostat

4 litre(s)
60 °C to 190 °C
Yes



► 2 separate sockets required

	Number of tanks	Number of baskets	Power load	Size	Weight	Code-No.	RRP*	GTIN
MINI II	1	1	2,2 kW 230 V 50-60 Hz	W 205 mm D 540 mm H 280 mm	3 kg	A165110	85.- €	4015613392271
MINI III	2	2	4,4 kW 230 V 50-60 Hz	W 400 mm D 540 mm H 280 mm	5.5 kg	A165112	159.- €	4015613392288

Component parts

Deep frying basket PETIT 3L

- Size basket: W 145 x D 240 x H 80 mm
- Content: 2,5 litre(s)
- Size: W 145 x D 405 x H 155 mm
- Weight: 0.24 kg
- GTIN: 4015613662251

165528

RRP* 11.- €

Deep frying basket MINI 4L

- Size basket: W 145 x D 245 x H 110 mm
- Content: 3,6 litre(s)
- Size: W 145 x D 435 x H 155 mm
- Weight: 0.24 kg
- GTIN: 4015613658421

165521

RRP* 12.- €

Deep fat fryer SNACK I



- Temperature range
- Safety thermostat
- Important information



50 °C to 190 °C
Yes
Suitable for frying oil and blocks of fat



	Number of tanks	Beaker capacity	Number of baskets	Important information	Power load	Size	Weight	Code-No.	RRP*	GTIN
SNACK I	1	4 litre(s)	1	–	2 kW 230 V 50 Hz	W 217 mm D 565 mm H 310 mm	5.1 kg	A162410E	159.- €	4015613662350
SNACK II	2	4 litre(s)	2	2 separate sockets required	4 kW 230 V 50 Hz	W 445 mm D 525 mm H 310 mm	9.6 kg	A162412E	279.- €	4015613662374
SNACK III	1	8 litre(s)	1	–	3,25 kW 230 V 50 Hz	W 265 mm D 620 mm H 340 mm	6.7 kg	A162810E	198.- €	4015613662381
SNACK IV	2	8 litre(s)	2	2 separate sockets required	6,5 kW 230 V 50 Hz	W 550 mm D 580 mm H 340 mm	12.5 kg	A162812E	339.- €	4015613662398

Deep fat fryer SNACK I Plus



- Temperature range
- Safety thermostat
- Grease release tap
- Cold zone
- Heating element
- Important information



50 °C to 190 °C
Yes
Yes
Yes
Can be swivelled
Suitable for frying oil and blocks of fat



	Number of tanks	Beaker capacity	Number of baskets	Important information	Power load	Size	Weight	Code-No.	RRP*	GTIN
SNACK I Plus	1	4 litre(s)	1	–	2 kW 230 V 50/60 Hz	W 200 mm D 530 mm H 340 mm	4.2 kg	A162820E	175.- €	4015613708904
SNACK II Plus	2	4 litre(s)	2	2 separate sockets required	4 kW 230 V 50/60 Hz	W 400 mm D 530 mm H 340 mm	9 kg	A162821E	325.- €	4015613708911
SNACK III Plus	1	9 litre(s)	1	–	3,3 kW 230 V 50/60 Hz	W 300 mm D 530 mm H 385 mm	6.2 kg	A162823E	245.- €	4015613718897
SNACK IV Plus	2	9 litre(s)	2	2 separate sockets required	6,6 kW 230 V 50/60 Hz	W 575 mm D 530 mm H 385 mm	11.5 kg	A162824E	398.- €	4015613718903

Deep-fat fryer MDI SNACK III Plus



Proper frying made easy: With the digital Bartscher MDI knob, the temperature can be set accurate to the degree. In addition, the current oil temperature can be checked at any time.



- Beaker capacity
- Control unit
- Temperature range
- Temperature control
- Safety thermostat
- Grease release tap
- Cold zone
- Oil temperature check
- Heating element
- Important information

- 9 litre(s)
- MDI knob
- 50 °C to 190 °C
- Electronic
- In 0.1 °C steps
- Yes
- Yes
- Yes
- Current temperature can be checked at all times
- Indicator lamp for reached oil temperature
- Can be swivelled
- Suitable for frying oil and blocks of fat



- ▶ Bartscher MDI control
- ▶ To-the-degree temperature adjustment

	Number of tanks	Number of baskets	Important information	Power load	Size	Weight	Code-No.	RRP*	GTIN
MDI SNACK III Plus	1	1	—	3,3 kW 230 V 50 Hz	W 285 mm D 610 mm H 386 mm	6.4 kg	A162828	298.- €	4015613752150
MDI SNACK IV Plus	2	2	2 separate sockets required	6,6 kW 230 V 50 Hz	W 561 mm D 640 mm H 386 mm	11.7 kg	A162829	539.- €	4015613752167

Deep fat fryer SNACK XL Plus

165530

RRP* 549.- €

GTIN 4015613687018



- Beaker capacity
- Number of baskets
- Temperature range
- Safety thermostat
- Grease release tap
- Cold zone
- Heating element
- Properties

- Power load
- Size
- Weight

- 8 litre(s)
- 1
- 50 °C to 190 °C
- Yes
- Yes
- Yes
- Can be removed
- Control box with heating element, detachable
- Drain tap with bayonet cap, detachable
- Handles, on side
- 3,4 kW | 230 V | 50/60 Hz
- W 245 x D 720 x H 470 mm
- 8 kg

Component parts

Deep frying basket SNACK 4L

- Size basket: W 135 x D 205 x H 123 mm
- Content: 2,4 litre(s)
- Size: W 135 x D 450 x H 245 mm
- Weight: 0.65 kg
- GTIN: 4015613658438

165522

RRP* 33.- €

Deep frying basket SNACK 8L

- Size basket: W 195 x D 245 x H 140 mm
- Content: 5,5 litre(s)
- Size: W 195 x D 500 x H 225 mm
- Weight: 0.8 kg
- GTIN: 4015613658445

165523

RRP* 43.- €

Deep-fat fryer basket SNACK Plus 4L

- Size basket: W 130 x D 220 x H 105 mm
- Content: 2,5 litre(s)
- Size: W 130 x D 460 x H 135 mm
- Weight: 0.7 kg
- GTIN: 4015613731636

162826

RRP* 32.- €

Deep-fat fryer basket SNACK Plus 9L

- Size basket: W 210 x D 220 x H 120 mm
- Content: 5,5 litre(s)
- Size: W 210 x D 460 x H 165 mm
- Weight: 0.85 kg
- GTIN: 4015613731643

162827

RRP* 41.- €

Deep frying basket SNACK XL Plus 8L

- Size basket: W 150 x D 320 x H 120 mm
- Content: 5,7 litre(s)
- Size: W 150 x D 570 x H 190 mm
- Weight: 0.82 kg
- GTIN: 4015613658858

165527

RRP* 64.- €



▶ Deep fat fryer thermometer page 339

Deep fat fryer IMBISS I



- Beaker capacity
- Safety thermostat
- Grease release tap
- Important information

8 litre(s)
Yes
Yes
Suitable for frying oil and blocks of fat



▶ 2 separate sockets required

	Number of tanks	Number of baskets	Power load	Size	Weight	Code-No.	RRP*	GTIN
IMBISS I	1	1	3,25 kW 230 V 50 Hz	W 290 mm D 630 mm H 410 mm	9.7 kg	A150307	339.- €	4015613662404
IMBISS II	2	2	6,5 kW 230 V 50 Hz	W 580 mm D 630 mm H 410 mm	17 kg	A150407	549.- €	4015613662411

Induction deep fat fryer 8L Plus



The powerful induction technology ensures the ideal temperature setting – at all times. The desired food is fried in a precise process to guarantee top results.

- Beaker capacity
- Temperature range
- Safety thermostat
- Grease release tap
- Heating element

8 litre(s)
60 °C to 190 °C
Yes
Yes
Induction coil



▶ 2 separate sockets required

	Number of tanks	Number of baskets	Power load	Size	Weight	Code-No.	RRP*	GTIN
Induction deep fat fryer 8L Plus	1	1	3,5 kW 230 V 50-60 Hz	W 290 mm D 565 mm H 415 mm	12.5 kg	165118	485.- €	4015613742083
Induction deep fat fryer 2x8L Plus	2	2	7 kW 230 V 50-60 Hz	W 580 mm D 575 mm H 415 mm	23 kg	165119	915.- €	4015613742090

Deep fat fryer IMBISS PRO

162500

RRP* 549.- €

GTIN 4015613535104



- Beaker capacity
- Number of baskets
- Temperature range
- Safety thermostat
- Cold zone
- Grease release tap
- Heating element in stainless steel
- Heating element
- Power load
- Equipment connection
- Size
- Weight

9,7 litre(s)
1
50 °C to 190 °C
Yes
Yes
Yes
Yes
Can be removed
8,1 kW | 400 V | 50 Hz
3 NAC
W 410 x D 500 x H 380 mm
12.7 kg

Deep fat fryer PROFESSIONAL I



CNS

10L

- Beaker capacity
- Temperature range
- Safety thermostat
- Grease release tap
- Cold zone
- Heating element in stainless steel
- Heating element
- Equipment connection

10 litre(s)
50 °C to 190 °C
Yes
Yes
Yes
Yes
Can be removed
3 NAC



	Number of tanks	Number of baskets	Power load	Size	Weight	Code-No.	RRP*	GTIN
PROFESSIONAL I	1	1	8,1 kW 400 V 50-60 Hz	W 390 mm D 450 mm H 375 mm	11.5 kg	162900	669.- €	4015613494098
PROFESSIONAL II	2	2	16,2 kW 400 V 50-60 Hz	W 750 mm D 450 mm H 375 mm	21.8 kg	162910	1,229.- €	4015613536798

Deep fat fryer 12L-10



STAINLESS STEEL

12L

A robust table-top appliance, this deep-fat fryer with its 12-litre basin is ideal for use in large professional kitchens. The grease drain tap, removable panade sieve and pivot-out heating element enable easy cleaning.

- Beaker capacity
- Temperature range
- Safety thermostat
- Grease release tap
- Cold zone
- Heating element
- Equipment connection

12 litre(s)
50 °C to 190 °C
Yes
Yes
Yes
Can be swivelled
3 NAC

	Number of tanks	Number of baskets	Power load	Size	Weight	Code-No.	RRP*	GTIN
Deep fat fryer 12L-10	1	1	9 kW 400 V 50 Hz	W 400 mm D 830 mm H 442 mm	15.4 kg	162650	949.- €	4015613757773
Deep fat fryer 12L-20	2	2	18 kW 400 V 50 Hz	W 800 mm D 835 mm H 485 mm	28.8 kg	162651	1,719.- €	4015613757780

Component parts

Deep frying basket IMBISS 8L

- Size basket: W 195 x D 230 x H 195 mm
- Content: 5,5 litre(s)
- Size: W 195 x D 485 x H 220 mm
- Weight: 0.8 kg
- GTIN: 4015613658452

165524

RRP* 55.- €

Fryer basket Induction 8L Plus

- Size basket: W 190 x D 230 x H 145 mm
- Content: 5,5 litre(s)
- Size: W 194 x D 475 x H 215 mm
- Weight: 0.81 kg
- GTIN: 4015613742106

165122

RRP* 45.- €

Deep frying basket IMBISS PRO 9,7L

- Size basket: W 250 x D 275 x H 140 mm
- Content: 9,2 litre(s)
- Size: W 255 x D 515 x H 290 mm
- Weight: 0.87 kg
- GTIN: 4015613658469

165525

RRP* 45.- €

Deep frying basket PROFESSIONAL 10L-L

- Size basket: W 300 x D 240 x H 120 mm
- Content: 8,2 litre(s)
- Size: W 235 x D 425 x H 215 mm
- Weight: 0.95 kg
- GTIN: 4015613658865

162906

RRP* 66.- €

Deep frying basket PROFESSIONAL 10L-S

- Size basket: W 120 x D 233 x H 100 mm
- Content: 2,7 litre(s)
- Important information:
2 baskets are needed for 1 basin
- Size: W 130 x D 415 x H 220 mm
- Weight: 0.59 kg
- GTIN: 4015613658872

162912

RRP* 44.- €

Deep-fat fryer basket 12L-10/20

- Size basket: W 250 x D 230 x H 110 mm
- Content: 6,5 litre(s)
- Size: W 495 x D 230 x H 190 mm
- Weight: 0.95 kg
- GTIN: 4015613809182

162653

RRP* 49.- €



-  • Number of tanks 2
-  • Beaker capacity 8 litre(s)
-  • Number of baskets 2
-  • Size basket W 130 x D 310 x H 120 mm
-  • Temperature range 140 °C to 190 °C
-  • Safety thermostat Yes
- Grease release tap Yes
- Grease collection tank Yes
- Cold zone Yes
- Heating element Can be swivelled
- Height adjustable 850 mm to 910 mm
- Power load 14 kW | 380-400 V | 50/60 Hz
- Equipment connection 3 NAC
- Size W 400 x D 700 x H 850 mm
- Weight 62 kg

Component parts

Fat disposal container 12L

- Material: Steel plate, Hot-dipped galvanised, Acc. to DIN EN ISO 1461
- Content: 12 litre(s)
- Important information: The container is only designed for the transport and disposal of old grease.
- Size: W 355 x D 335 x H 450 mm
- Weight: 4.3 kg
- GTIN: 4015613274096

A150460V

RRP* 209.- €



Frying fat filter

- Material: Special fabric
- Temperature range to: 190 °C
- Size: W 250 x D 600 x H 155 mm
- Weight: 0.52 kg
- GTIN: 4016098100986

A101999

RRP* 189.- €



Substitute filter for A101999

- Size: W 250 x D 250 x H 1 mm
- Weight: 0.1 kg
- GTIN: 4016098100979

A101901

RRP* 102.- €

French fry wamer 12-150

A114002

RRP* 259.- €

GTIN 4015613739632



-  • Basin size, GN format 1/2 GN
-  • Depth tank 150 mm
-  • Heat source Heated pan
-  • Including 1 drip tray, removeable
-  • Power load 0,35 kW | 230 V | 50-60 Hz
-  • Size W 270 x D 350 x H 220 mm
-  • Weight 5.5 kg

Heat lamp 12-150

- Material: Stainless steel
- Heat source type: Heating coil
- Including: Attachment material
- Power load: 0,5 kW | 230 V | 50-60 Hz
- Size: W 270 x D 335 x H 505 mm
- Weight: 2.97 kg
- GTIN: 4015613739649

A114003

RRP* 165.- €





Pastries deep fat fryer BF 16E



- Number of tanks 1
- Number of baskets 1
- Temperature range 50 °C to 190 °C
- Safety thermostat Yes
- Grease release tap Yes
- Heating element in stainless steel Yes
- Heating element Can be removed
- Properties Drain cock with safety fixture
Basin with large cold zone
- Equipment connection 3 NAC

	Beaker capacity	Basket content	Power load	Size	Weight	Code-No.	RRP*	GTIN
BF 16E	16 litre(s)	8,9 litre(s)	9 kW 400 V 50 Hz	W 560 mm D 470 mm H 400 mm	14.7 kg	101530	879.- €	4015613405049
BF 30E	30 litre(s)	19,2 litre(s)	15 kW 400 V 50 Hz	W 660 mm D 650 mm H 410 mm	23.4 kg	101560	1,349.- €	4015613405063

Pastries deep fat fryer BF 30E OU

101535

RRP* 1,849.- €

GTIN 4015613633299



- Beaker capacity 30 litre(s)
- Number of baskets 1
- Basket content 19,2 litre(s)
- Size base unit W 612 x D 497 x H 377 mm
- Height adjustable 980 mm to 1040 mm
- Including 1 sieve with a handle
2 grease collection tanks with handles
- Power load 15 kW | 400 V | 50 Hz
- Equipment connection 3 NAC
- Size W 660 x D 650 x H 980 mm
- Weight 40 kg

Component parts

Basket shelf BF 16E

- Assembly side: On both sides
- Size: W 445 x D 235 x H 85 mm
- Weight: 2.9 kg
- GTIN: 4015613535098



101566

RRP* 115.- €

Basket shelf BF 30E

- Assembly side: On both sides
- Size: W 465 x D 644 x H 255 mm
- Weight: 3.95 kg
- GTIN: 4015613405087



101565

RRP* 139.- €

Deep frying basket BF 16E

- Size basket: W 475 x D 235 x H 80 mm
- Size: W 560 x D 245 x H 190 mm
- Weight: 1.3 kg
- GTIN: 4015613405056



101533

RRP* 98.- €

Deep frying basket BF 30E

- Size basket: W 570 x D 440 x H 80 mm
- Size: W 650 x D 465 x H 190 mm
- Weight: 1.9 kg
- GTIN: 4015613405070



101563

RRP* 149.- €

Deep fat fryer GRANDE 50L

162550

RRP* 1,569.- €


GTIN 4015613610849



- Beaker capacity 50 litre(s)
- Number of baskets 2
- Content basket 1 | basket 2 8,4 litre(s) | 11,5 litre(s)
- Temperature range 0 °C to 190 °C
- Safety thermostat Yes
- Grease release tap Yes
- Heating element Can be removed
- Properties Drain cock with safety fixture
Adjustment of output power at 2 levels
- Power load 15 kW | 400 V | 50 Hz
- Equipment connection 3 NAC
- Size W 650 x D 630 x H 460 mm
- Weight 26.6 kg

Deep frying basket GRANDE 50L-60

- Content: 8,4 litre(s)
- Size: W 760 x D 330 x H 240 mm
- Weight: 1.35 kg
- GTIN: 4015613686608




162551

RRP* 69.- €

Deep frying basket GRANDE 50L-90

- Content: 11,5 litre(s)
- Size: W 760 x D 330 x H 240 mm
- Weight: 1.37 kg
- GTIN: 4015613686615



162552

RRP* 89.- €

Pastries deep fat fryer BF 21E



- Number of tanks 1
- Number of baskets 1
- Temperature range 140 °C to 190 °C
- Safety thermostat Yes
- Grease release tap Yes
- Properties Drain cock with safety fixture



Pastries deep fat fryers - ELECTRIC
▶ Heating element can be swivelled



▶ Ignition type: Piezo ignition
▶ Gas type: Liquid gas

	Operating mode	Beaker capacity	Basket content	Power load	Equipment connection	Size	Weight	Code-No.	RRP*	GTIN
BF 21E	Electro	21 litre(s)	16,1 litre(s)	6,8 kW 400 V 50 Hz	3 NAC	W 700 mm D 590 mm H 320 mm	31 kg	101412	2,549.- €	4015613370576
BF 35E	Electro	35 litre(s)	24,8 litre(s)	10 kW 400 V 50 Hz	3 NAC	W 1,095 mm D 600 mm H 340 mm	47.4 kg	101413	3,098.- €	4015613418186
BF 20G	Gas	20 litre(s)	12,9 litre(s)	12 kW	—	W 700 mm D 585 mm H 390 mm	40.5 kg	1014113	3,349.- €	4015613381855

Component parts

Basket shelf BF 21E

- Assembly side: On both sides
- Size: W 390 x D 765 x H 245 mm
- Weight: 4.05 kg
- GTIN: 4015613122403

101402

RRP* 159.- €

Basket shelf BF 35E

- Assembly side: On both sides
- Size: W 390 x D 1,125 x H 250 mm
- Weight: 5.75 kg
- GTIN: 4015613122953

101607

RRP* 215.- €

Basket shelf BF 20G

- Assembly side: On both sides
- Size: W 350 x D 645 x H 250 mm
- Weight: 3.45 kg
- GTIN: 4015613394176

101404

RRP* 155.- €

Deep frying basket BF 21E

- Size basket: W 630 x D 365 x H 70 mm
- Size: W 730 x D 380 x H 232 mm
- Weight: 1 kg
- GTIN: 4015613658834

158615

RRP* 185.- €

Deep frying basket BF 35E

- Size basket: W 970 x D 365 x H 70 mm
- Size: W 380 x D 1,080 x H 242 mm
- Weight: 3.4 kg
- GTIN: 4015613658841

101419

RRP* 279.- €

Deep frying basket BF 20G

- Size basket: W 580 x D 320 x H 70 mm
- Size: W 660 x D 330 x H 260 mm
- Weight: 1.8 kg
- GTIN: 4015613658827

158614

RRP* 175.- €

Contact grills



Contact grill 1800 1R



- Material grill plates

Cast iron
Enamelled



- Number of grill units

1

- Size grill plates top

W 214 x D 214 mm

- Size grill plates bottom

W 220 x D 235 mm



- Temperature range

50 °C to 300 °C

- Grease collection tank

Yes

- Including

1 cleaning brush

- Power load

1,8 kW | 230 V | 50 Hz

- Size

W 290 x D 395 x H 210 mm

	Design grill surface	Weight	Code-No.	RRP*	GTIN
1800 1R	Ribbed	12.7 kg	A150670	265.- €	4015613385617
1800 1G	Smooth	12.7 kg	A150669	265.- €	4015613391380
1800 1GR	Ribbed at top, smooth at the bottom	13 kg	A150668	265.- €	4015613391656

Contact grill 3600 2GR



- Number of grill units

2

- Size grill plate top, each

W 215 x D 215 mm

- Size grill plates bottom

W 470 x D 230 mm



- Heating zones can be controlled separately

Yes



- Temperature range

50 °C to 300 °C

- Grease collection tank

Yes

- Including

1 cleaning brush

- Power load

3,6 kW | 230 V | 50/60 Hz

- Size

W 570 x D 395 x H 210 mm

	Design grill surface	Weight	Code-No.	RRP*	GTIN
3600 2R	Ribbed	26 kg	A150671	479.- €	4015613385624
3600 2G	Smooth	23.5 kg	A150672	479.- €	4015613391397
3600 2GR	Ribbed at top, smooth at the bottom	23.25 kg	A150673	479.- €	4015613391403



Contact grill "Panini" 1GR



Contact grills are useful and versatile, ideal for snack preparation and the warming of pita bread etc.



- Material grill plates
- Number of grill units
- Temperature range
- Grease collection tank
- Including
- Power load
- Size

Cast iron
Enamelled
1
50 °C to 300 °C
Yes
1 cleaning brush
2,2 kW | 230 V | 50/60 Hz
W 410 x D 400 x H 200 mm



► Audible signal when the time expires

	Design grill surface	Size grill plates top	Size grill plates bottom	Timer	Weight	Code-No.	RRP*	GTIN
"Panini" 1R	Ribbed	W 335 mm D 220 mm	W 335 mm D 230 mm	No	18.7 kg	A150674	325.- €	4015613415000
"Panini" 1G	Smooth	W 335 mm D 220 mm	W 335 mm D 230 mm	No	18 kg	A150679	325.- €	4015613606750
"Panini" 1GR	Ribbed at top, smooth at the bottom	W 335 mm D 220 mm	W 335 mm D 230 mm	No	18.6 kg	A150676	325.- €	4015613486833
"Panini-T" 1R	Ribbed	W 340 mm D 220 mm	W 360 mm D 240 mm	Yes	18.4 kg	A150774	339.- €	4015613717159
"Panini-T" 1G	Smooth	W 340 mm D 220 mm	W 360 mm D 240 mm	Yes	18 kg	A150779	339.- €	4015613717166
"Panini-T" 1GR	Ribbed at top, smooth at the bottom	W 340 mm D 220 mm	W 360 mm D 240 mm	Yes	18.6 kg	A150776	339.- €	4015613717173

Component parts


Cooking paper 1/2GN, 1x100 pcs

- Format per sheet: 1/2 GN, W 330 x D 270 mm
- Heat resistant to: 220 °C
- Order quantity unit: 1 box (12 paper dispensers with 100 sheets each)
- Size: W 357 x D 295 x H 179 mm
- Weight: 0.37 kg
- GTIN: 4015613587110



150678

RRP* 112.- €



Contact grill "Panini-MDI" 1GR



- Material grill plates Cast iron
Enamelled
- Number of grill units 1
- Size grill plates top W 340 x D 220 mm
- Size grill plates bottom W 360 x D 285 mm
- Control unit MDI knob
- Temperature range 50 °C to 300 °C
- Grease collection tank Yes
- Digital display Yes
- Timer Yes
- Programming -
- Properties Audible signal when the time expires
(0 - 9:30 minutes)
Memory function
- Including 1 cleaning brush
- Power load 2,2 kW | 230 V | 50/60 Hz
- Size W 410 x D 400 x H 200 mm



	Design grill surface	Weight	Code-No.	RRP*	GTIN
"Panini-MDI" 1R	Ribbed	18.3 kg	A150974	398.- €	4015613737881
"Panini-MDI" 1G	Smooth	18.1 kg	A150979	398.- €	4015613737904
"Panini-MDI" 1GR	Ribbed at top, smooth at the bottom	18.3 kg	A150976	398.- €	4015613737911

Contact grill "Panini" 1RDIG

A150684

RRP* 495.- €

GTIN 4015613624679



- Simply practical – 6 programs to choose from to allow times to be down to the second. An acoustic signal indicates the end of the grilling time.
- Material grill plates Cast iron
Enamelled
 - Number of grill units 1
 - Design grill surface Ribbed
 - Size grill plates top W 340 x D 220 mm
 - Size grill plates bottom W 360 x D 230 mm
 - Temperature control Thermostatic
 - Temperature range 50 °C to 300 °C
 - Grease collection tank Yes
 - Digital display Yes
 - Timer Yes
 - Programming Time (6 programs to choose from)
 - Properties Signal tone after expiry of the time
 - Power load 2,2 kW | 230 V | 50/60 Hz
 - Size W 410 x D 400 x H 200 mm
 - Weight 18 kg

Griddle plates



Griddle plate GDP 260E-G

A370037

RRP* 329.- €

GTIN 4015613690087



- Material roasting surface
- Roasting surface design



- Size heating surface
- Number of heating zones



- Temperature range
- Properties

- Power load
- Size
- Weight

Steel
Smooth
W 260 x D 230 mm
1
50 °C to 300 °C
Grease collection tank
Backsplash welded on
1,2 kW | 230 V | 50/60 Hz
W 330 x D 282 x H 180 mm
8.8 kg

Griddle plate GDP 320E-G



- Material roasting surface
- Size heating surface



- Number of heating zones
- Temperature range



- Properties

- Power load
- Size

Steel
W 320 x D 480 mm
1
50 °C to 300 °C
Grease collection tank
Backsplash welded on
3 kW | 230 V | 50 Hz
W 325 x D 580 x H 310 mm

Roasting surface design

Weight

Code-No.

RRP*

GTIN

GDP 320E-G

Smooth

22 kg

A370031

519.- €

4015613370545

GDP 320E-R

Ribbed

21.2 kg

370035

579.- €

4015613610894

Component parts

Grill attachment GDP 320/650E

- Material: Stainless steel
- Material roasting surface: Non-stick film, replaceable
- Roasting surface design: Smooth
- Size heating surface: W 325 x D 480 mm
- Temperature range: 50 °C to 220 °C
- Total height with griddle plate: Closed 490 mm, open 810 mm
- Power load: 3 kW | 230 V | 50 Hz
- Size: W 325 x D 480 x H 665 mm
- Weight: 18 kg
- GTIN: 4015613633282

370100

RRP* 739.- €




Non-stick foil GDP 320/650E

- Size: W 315 x D 390 x H 1 mm
- Weight: 0.04 kg
- GTIN: 4015613639802

370101

RRP* 35.- €





Griddle plate GDP 650E-GR



- Material roasting surface
- Heating zones can be controlled separately
- Temperature range
- Properties
- Equipment connection

Steel
Yes
50 °C to 300 °C
Grease collection tank
Backsplash welded on
3 NAC



	Roasting surface design	Size heating surface	Number of heating zones	Power load	Size	Weight	Code-No.	RRP*	GTIN
GDP 650E-G	Smooth	W 650 mm D 480 mm	2	6 kW 400 V 50 Hz	W 660 mm D 580 mm H 310 mm	41 kg	A370032	789.- €	4015613370552
GDP 650E-GR	1/2 smooth, 1/2 ribbed	W 650 mm D 480 mm	2	6 kW 400 V 50 Hz	W 660 mm D 580 mm H 310 mm	40 kg	370036	879.- €	4015613610931
GDP 980E-G	Smooth	W 980 mm D 480 mm	3	9 kW 400 V 50 Hz	W 990 mm D 580 mm H 310 mm	68.6 kg	A370039	1,259.- €	4015613676548
GDP 980E-GR	2/3 smooth, 1/3 ribbed	W 980 mm D 480 mm	3	9 kW 400 V 50/60 Hz	W 990 mm D 580 mm H 310 mm	70 kg	A370139	1,379.- €	4015613726465

Griddle plate GDP 320G-G



- Material roasting surface
- Roasting surface design
- Temperature range
- Ignition type
- Including
- Gas type

Steel
Smooth
50 °C to 270 °C
Piezo ignition
1 cleaning scraper
Natural gas H
Propane nozzles are enclosed



	Size heating surface	Number of heating zones	Power	Size	Weight	Code-No.	RRP*	GTIN
GDP 320G-G	W 320 mm D 480 mm	1	4 kW	W 325 mm D 580 mm H 310 mm	24 kg	A3700331	659.- €	4015613390932
GDP 650G-G	W 650 mm D 480 mm	2	8 kW	W 660 mm D 580 mm H 310 mm	44.5 kg	A3700341	1,119.- €	4015613390949

Griddle plate GPL 320E-G

A370131

RRP* 749.- €

GTIN 4015613724256



- Material roasting surface
- Roasting surface design
- Size heating surface
- Temperature range
- Number of heating zones
- Power load
- Size
- Weight

Special steel, hard chrome-plated
Smooth
W 320 x D 480 mm
50 °C to 300 °C
1
3 kW | 230 V | 50/60 Hz
W 330 x D 625 x H 450 mm
24 kg

Salamander griddle 6640

100533

RRP* 898.- €

GTIN 4015613733142



This space-saving grill/broiler combination has a powerful griddle plate with 2 heating zones that can be switched on and off separately. The salamander's heat supply can be regulated perfectly with the height-adjustable rack and stepless temperature control.

- Material roasting surface
- Roasting surface design
- Size heating surface
- Number of griddle plate heating zones
- Separate control of griddle plate heating zones
- Griddle plate temperature range
- Salamander heat source
- Number of salamander heating zones
- Salamander temperature range
- Dimensions of cooking rack
- Height-adjustable grid
- Timer

Special steel
Smooth
W 700 x D 330 mm
2
Yes
50 °C to 300 °C
Radiant heaters
1
To 190 °C
W 560 x D 400 mm | GN-compatible, 1/1 GN
Yes
6 times can be saved
30 seconds to 100 minutes

- Grease collection tank
- Including
- Power load
- Equipment connection
- Size
- Weight

For griddle plate
For salamander
1 grille
6,64 kW | 400 V | 50/60 Hz
3 NAC
W 760 x D 590 x H 465 mm
51.4 kg



- ▶ Griddle plate with 2 heating zones
- ▶ Can be controlled separately



- ▶ Salamander with 1 heating zone
- ▶ Radiant heating element

Multi-fryer 300

370205

RRP* 869.- €

GTIN 4015613653488



- Material crucible
- Size crucible
- Temperature range
- Number of heating zones
- Grease release tap
- Properties

Steel
W 325 x D 535 x H 60 mm
50 °C to 300 °C
1
Yes
Drain cock with bayonet catch
All-round splash-water, welded
1 plug
3 kW | 230 V | 50-60 Hz
W 330 x D 580 x H 300 mm
23.8 kg

- Including
- Power load
- Size
- Weight

Water grill 40

370037

RRP* 1,198.- €

GTIN 4015613642024



- Design grill surface
- Size grill plates
- Temperature control
- Heat-up time
- Properties
- Including
- Power load
- Equipment connection
- Size
- Weight

Grille
W 280 x D 445 mm
3 levels
approx. 2.5 minutes at a higher level
Water tray 1/1 GN
1 cleaning scraper
4,08 kW | 400 V | 50 Hz
3 NAC
W 330 x D 630 x H 330 mm
13.5 kg

Lava rock grill, gas 40, W330, TU



- Type of grid
- Size grill plates
- Height-adjustable grid
- Ignition type
- Gas type

V-grille (for meat)
W 312 x D 483 mm
Yes
Piezo ignition
Natural gas H
Propane nozzles are enclosed
Lava stones for first filling

• Including

	Number of heating zones	Filling quantity lava stones	Power	Size	Weight	Code-No.	RRP*	GTIN
Lava rock grill, gas 40, W330, TU	1	1 kg	4 kW	W 330 mm D 545 mm H 285 mm	21.4 kg	2006301	789.- €	4015613404608
Lava rock grill, gas 70, W660, TU	2	2 kg	8 kW	W 660 mm D 570 mm H 282 mm	40.6 kg	2006601	1,398.- €	4015613404622

Lava rock 7kg

- Size: W 310 x D 310 x H 95 mm
- Weight: 7 kg
- GTIN: 4015613182049



100611

RRP* 57.- €



Chicken grill P6



- Interior lighting
- Including

Yes
Skewers with clips



	Capacity	Number of skewers	Including	Power load	Equipment connection	Size	Weight	Code-No.	RRP*	GTIN
P6	6 chicken	2	2 skewer	2,8 kW 230 V 50 Hz	Pluggable	W 700 mm D 360 mm H 530 mm	31 kg	215035	2,349.- €	4015613417035
P8N	8 chicken	2	2 skewers	3,5 kW 230 V 50 Hz	Pluggable	W 880 mm D 430 mm H 530 mm	41 kg	215036	2,898.- €	4015613505381
P12N	12 chicken	3	3 skewers	5 kW 400 V 50 Hz	3 NAC	W 880 mm D 430 mm H 710 mm	55.6 kg	215037	3,498.- €	4015613505398

Component parts

Spit with clamps P6

- Size: W 60 x D 540 x H 50 mm
- Weight: 0.55 kg
- GTIN: 4015613586854



215093

RRP* 109.- €

Spit basket P6

- Size: W 540 x D 145 x H 155 mm
- Weight: 1.1 kg
- GTIN: 4015613586878



215095

RRP* 239.- €

Basket flat P6

- Size: W 540 x D 155 x H 50 mm
- Weight: 1.25 kg
- GTIN: 4015613586892



215096

RRP* 209.- €

Spit with clamps P8/P12

- Size: W 715 x D 60 x H 50 mm
- Weight: 0.73 kg
- GTIN: 4015613586861

215094

RRP* 135.- €

Spit basket P8/P12

- Size: W 715 x D 155 x H 50 mm
- Weight: 1 kg
- GTIN: 4015613282893

215078

RRP* 279.- €

Basket flat P8/P12

- Size: W 155 x D 715 x H 50 mm
- Weight: 2 kg
- GTIN: 4015613282923

215081

RRP* 229.- €

Table-top grills



Gas table-top grill TB1000PF



Easy assembly, easy to handle – practical tabletop unit for gas grilling and roasting outdoors.



- Number of burners 3
- Gas type Liquid gas
- Control pressure 50 mbar
- Ignition type Piezo ignition
- Connection 1/4"
- Consumption 728 g / h
- Including 3 gas nozzle sets 0.8 mm (30 mbar, 37 mbar, 50 mbar)
- Important information Only operate with liquid gas
Only suitable for outdoor use
- Power 10 kW



- ▶ Grill pan made of steel, enameled
- ▶ Dimensions: W 705 x D 540 x H 43 mm



- ▶ Cooking grille in steel
- ▶ Dimensions: W 600 x D 475 mm

	Design	Size	Weight	Code-No.	RRP*	GTIN
TB1000PF	Grill pan	W 705 x D 560 x H 275 mm	13.9 kg	1061933	289.- €	4015613685182
TB1000R	Grid	W 685 x D 540 x H 275 mm	13.7 kg	1061633	309.- €	4015613685199

Component parts

Grill mesh set TB1000R

- Material: Stainless steel
- Set comprises: 1 grid, 1 Flame cover, 1 drip tray
- Size: W 635 x D 520 x H 40 mm
- Weight: 6.9 kg
- GTIN: 4015613806594



106219

RRP* 139.- €

Grill pan TB1000PF

- Material: Steel, Enamelled
- Size: W 760 x D 550 x H 78 mm
- Weight: 7.7 kg
- GTIN: 4015613699882



106217

RRP* 85.- €

Gas connection kit

- Set comprises: 1 Low-pressure controller, 1 hose, 1 hose rupture guard
- Important information: Only suitable for outdoor use
- Size: W 64 x D 180 x H 35 mm
- Weight: 1.5 kg
- GTIN: 4015613419015



825152

RRP* 98.- €

Combi table-top grill TB1100PF



- Gas type
- Control pressure
- Ignition type
- Overheating protection
- Including

• Important information

Liquid gas
50 mbar
Piezo ignition
Yes
1 hose
1 hose rupture guard
1 commercial pressure controller
Only operate with liquid gas



TB1100PF

- ▶ Grill pan steel plate
- ▶ Size: W 700 x D 540 x H 70 mm



TB1100R

- ▶ Grid nickel-plated
- ▶ Size : W 594 x D 468 mm



TB1470R

- ▶ Grid nickel-plated
- ▶ Size: W 760 x D 470 mm

	Design	Number of burners	Consumption	Power	Size	Weight	Code-No.	RRP*	GTIN
TB1100PF	Grill pan	3	850 g / h	11 kW	W 650 mm D 570 mm H 270 mm	18.1 kg	1062203	498.- €	4015613527536
TB1100R	Grid	3	850 g / h	11 kW	W 650 mm D 570 mm H 270 mm	17.5 kg	1062303	598.- €	4015613527543
TB1470R	Grid	4	1140 g / h	14,7 kW	W 850 mm D 555 mm H 270 mm	23 kg	1062503	749.- €	4015613660349

Component parts

Grid-Set TB1100

- Material: Steel, Stainless steel, Chrome-plated
- Set comprises: 1 grid, steel, chrome-plated, 1 flame cover, stainless steel, 1 grease collection tray, stainless steel
- Size: W 655 x D 525 x H 55 mm
- Weight: 10 kg
- GTIN: 4015613534794

106206

RRP* 189.- €

Grill pan TB1100

- Material: Steel plate
- Size: W 700 x D 540 x H 70 mm
- Weight: 9.5 kg
- GTIN: 4015613527567



106204

RRP* 95.- €

Pan for table-top grill, large

- Material: Steel plate
- Size: W 870 x D 525 x H 65 mm
- Weight: 11.8 kg
- GTIN: 4015613660332



106211

RRP* 125.- €

Base unit TB1100

- Material: Stainless steel
- Size: W 530 x D 670 x H 800 mm
- Weight: 5.6 kg
- GTIN: 4015613527581



106202

RRP* 139.- €

Base unit f. table-top grill

- Material: Stainless steel
- Size: W 815 x D 525 x H 805 mm
- Weight: 6 kg
- GTIN: 4015613647395



106210

RRP* 169.- €

Paella gas burner 2K300



- Material
- Ignition guard
- Gas type

Steel
Yes
Liquid gas



► Use only in combination with Paella tripod



Paella gas burner 3K500

Paella gas burner 2K300

- Number of heating circuits 2
- Heating circuits can be regulated separately No
- Burner diameter 300 mm
- Suitable for pans Ø 360 - 420 mm
- Power 10,37 kW
- Important information Operation only with matching underframe (Paella tripod 2K300 or 2K300 / 3K500-T)
Only approved for Germany
- Size W 330 x D 605 x H 135 mm
- Weight 1.7 kg
- GTIN 4015613710990

A153440

RRP* 105.- €

Paella gas burner 3K500

- Number of heating circuits 3
- Heating circuits can be regulated separately Yes
- Burner diameter 500 mm
- Suitable for pans Ø 420 - 800 mm
- Power 22,66 kW
- Important information Operation only with matching underframe (Paella tripod 3K500 or 2K300 / 3K500-T)
Only approved for Germany
- Size W 505 x D 775 x H 120 mm
- Weight 4.1 kg
- GTIN 4015613711003

A153460

RRP* 225.- €

Component parts

Paella tripod 2K300

- Material: Steel, Painted
- Size: W 25 x D 25 x H 750 mm
- Weight: 1.38 kg
- GTIN: 4015613727790



A153145

RRP* 23.- €

Paella tripod 3K500

- Material: Steel, Painted
- Size: W 25 x D 25 x H 750 mm
- Weight: 1.9 kg
- GTIN: 4015613724508



A153144

RRP* 39.- €

Paella tripod 2K300/3K500-T

- Material: Steel, Painted
- Size: W 25 x D 25 x H 145 mm
- Weight: 0.31 kg
- GTIN: 4015613724515



A153143

RRP* 18.50 €

Paella pan STP340



- Material
- Roasting surface design
- Handle properties

Steel
Polished
Steel, polished
Structured
Heat resistant
Painted red

	Diameter	Height inside	Diameter surface	Size	Weight	Code-No.	RRP*	GTIN
STP340	340 mm	44 mm	280 mm	W 450 x D 340 x H 45 mm	0.76 kg	A153234	11.50 €	4015613696911
STP380	380 mm	44 mm	330 mm	W 485 x D 385 x H 45 mm	1.1 kg	A153238	13.50 €	4015613696928
STP420	420 mm	47 mm	370 mm	W 530 x D 430 x H 48 mm	1.4 kg	A153242	16.- €	4015613696935
STP460	460 mm	49 mm	405 mm	W 655 x D 465 x H 50 mm	1.9 kg	A153246	19.- €	4015613696942
STP550	550 mm	56 mm	480 mm	W 730 x D 550 x H 58 mm	3.27 kg	A153255	32.- €	4015613696959
STP600	600 mm	52 mm	535 mm	W 780 x D 600 x H 55 mm	4 kg	A153260	38.- €	4015613696966
STP650	650 mm	56 mm	585 mm	W 835 x D 660 x H 58 mm	5.03 kg	A153265	45.- €	4015613696973
STP700	700 mm	62 mm	640 mm	W 890 x D 710 x H 65 mm	6.68 kg	A153270	65.- €	4015613696980
STP800	800 mm	70 mm	720 mm	W 1,005 x D 810 x H 73 mm	11.4 kg	A153280	89.- €	4015613696997

Gas cooker 1K221-T

A150623

RRP* 56.- €

GTIN 4015613758633



- Material Steel
- Output hob(s) max. 2,2 kW
- Gas consumption at maximum setting 160 g / h
- Gas burner Single burner
- Ignition type Piezo ignition
- Ignition guard Yes
- Diameter cooking crockery 150 - 270 mm
- Important information Can only be used outdoors
- Gas type Butane
- Power 2,2 kW
- Size W 340 x D 285 x H 120 mm
- Weight 1.76 kg

Gas cartridge BG227

- Gas type: Butane
- Content: 227 g
- Size: W 67 x D 67 x H 185 mm
- Weight: 0.23 kg
- Order quantity unit: 1 box (7 sets à pack of 4)
- GTIN: 4015613719054



A150625

RRP* 95.- €



- ▶ Safety in focus with the new flame control
- ▶ 2-phase ignition protection system
- ▶ Burner is thermo-electrically secured

Gas cooker 1K650



- Ignition guard Yes
- Ignition type Manual ignition
- Pilot flame Yes
- Control pressure 50 mbar
- Gas type Propane
- Natural gas nozzles are enclosed



- ▶ Output hob front max.: 4,5 kW
- ▶ Output hob rear max.: 6,5 kW



- ▶ Output hob right max.: 4,5 kW
- ▶ Output hob left max.: 6,5 kW

	Number of hobs	Output hob(s) max.	Gas consumption at maximum setting	Power	Size	Weight	Code-No.	RRP*	GTIN
1K650	1	6,5 kW	519 g / h	6,5 kW	W 350 mm D 350 mm H 170 mm	10.8 kg	1059503	939.- €	4015613467795
2K1100-H	2	11 kW	876 g / h	11 kW	W 350 mm D 660 mm H 170 mm	20.2 kg	1057503	1,449.- €	4015613467818
2K1100-N	2	11 kW	876 g / h	11 kW	W 660 mm D 350 mm H 170 mm	20.2 kg	1058503	1,449.- €	4015613467801

Component parts

Wok attachment f. table top gas c.

- Material: Stainless steel
- Diameter wok insert: 265 mm
- Size: W 265 x D 265 x H 62 mm
- Weight: 0.85 kg
- GTIN: 4015613467825



105999

RRP* 82.- €

Countertop electric hob 1K1500

150320

RRP* 45.- €

GTIN 4015613653631



- Output hob(s) max. 1,5 kW
- Diameter hob(s) 185 mm
- Overheating protection Yes
- Power load 1,5 kW | 230 V | 50 Hz
- Size W 305 x D 245 x H 85 mm
- Weight 2.1 kg

Countertop electric hob 2K2500

150310

RRP* 62.- €

GTIN 4015613504117



- Output hob left max. 1,5 kW
- Output hob right max. 1 kW
- Diameter hob left 190 mm
- Diameter hob right 155 mm
- Overheating protection Yes
- Power load 2,5 kW | 230 V | 50 Hz
- Size W 535 x D 225 x H 90 mm
- Weight 4 kg

Countertop electric hob 1K2000

105321

RRP* 898.- €

GTIN 4015613125954



- Output hob(s) max. 2 kW
- Diameter hob(s) 220 mm
- Number of output levels 6
- Overheating protection Yes
- Power load 2 kW | 230 V | 50/60 Hz
- Size W 375 x D 365 x H 185 mm
- Weight 7.4 kg

Countertop electric hob 1K2300 GL



- Number of hobs 1
- Material hob SCHOTT CERAN®
- Number of output levels 10
- Overheating protection Yes

	Output hob(s) max.	Diameter hob(s)	Power load	Size	Weight	Code-No.	RRP*	GTIN
1K2300 GL	2,3 kW	210 mm	2,3 kW 230 V 50/60 Hz	W 340 mm D 420 mm H 100 mm	6.1 kg	104904	709.- €	4015613390352
1K3000 GL	3 kW	230 mm	3 kW 230 V 50/60 Hz	W 400 mm D 455 mm H 120 mm	8 kg	104906	949.- €	4015613432540

Countertop electric hob 2K6000 GLN



- Material hob SCHOTT CERAN®
- Number of hobs 2
- Output hob(s) max. 3 kW
- Diameter hob(s) 230 mm
- Number of output levels 10
- Overheating protection Yes
- Power load 6 kW | 400 V | 50/60 Hz
- Equipment connection 3 NAC

	Arrangement of the hobs	Size	Weight	Code-No.	RRP*	GTIN
2K6000 GLN	Next to each other	W 700 x D 455 x H 120 mm	14.7 kg	104907	2,098.- €	4015613432557
2K6000 GLH	Behind each other	W 400 x D 655 x H 120 mm	13.8 kg	104913	2,098.- €	4015613431161

Induction cooker



Induction cooker IK 20

105820

RRP* 85,- €

GTIN 4015613504834



2,0 kW



- Material hob: Glass
- Output hob(s) max.: 2000 W
- Diameter hob(s): 210 mm
- Number of output levels: 10
- Temperature range: 60 °C to 240 °C
- Intervals temperature setting: 20 °C
- Overheating protection: Yes
- Time adjustment: 0 to 180 minutes
- Intervals time setting: 5 minutes
- Power load: 2 kW | 230 V | 50/60 Hz
- Size: W 285 x D 340 x H 60 mm
- Weight: 2.5 kg

Induction cooker IK 20TC

105848

RRP* 159,- €

GTIN 4015613633381



STAINLESS STEEL

2,0 kW



Easy operation for efficient working - time, output and temperature can be set via the slide function.

- Material hob: Glass
- Output hob(s) max.: 2000 W
- Diameter hob(s): 228 mm
- Number of output levels: 8
- Temperature range: 60 °C to 240 °C
- Overheating protection: Yes
- Time adjustment: 5 to 180 minutes
- Power load: 2 kW | 230 V | 50 Hz
- Size: W 330 x D 400 x H 63 mm
- Weight: 3.4 kg



- ▶ Slide function
- ▶ Easy regulation of time, output and temperature

Induction cooker IK 27TC

105927

RRP* 219,- €

GTIN 4015613666006



STAINLESS STEEL

2,7 kW



- Material hob: Glass
- Output hob(s) max.: 2700 W
- Diameter hob(s): 260 mm
- Number of output levels: 10
- Temperature range: 60 °C to 240 °C
- Intervals temperature setting: 20 °C
- Overheating protection: Yes
- Time adjustment: 1 to 180 minutes
- Intervals time setting: 1 minute / 10 minutes
- Power load: 2,7 kW | 230 V | 50/60 Hz
- Size: W 340 x D 425 x H 75 mm
- Weight: 4.8 kg



- ▶ Touch control panel with digital display

Built-in induction cooker IK 30S-EB

105936S

RRP* 255.- €

GTIN 4015613607061



- Material hob SCHOTT CERAN®
- Output hob front max. 1300 W
- Output hob rear max. 1800 W
- Diameter hob front 180 mm
- Diameter hob rear 180 mm
- Number of output levels 8
- Overheating protection Yes
- Time adjustment 0 to 99 minutes
- Intervals time setting 1 minute(s)
- Can be installed Yes
- Properties Can also be used as a table-top unit
- Power load 3 kW | 230 V | 50 Hz
- Size W 290 x D 510 x H 83 mm
- Weight 4.5 kg



► Can be fitted



► Can also be used as a table-top unit

Induction cooker IK 30TC-1



Compact and high-performance – The induction cooker convinces with a 3000 W hob, a touch panel and especially with the integrated grease filter.

- Output hob(s) max. 3000 W
- Diameter hob(s) 230 mm
- Number of output levels 10
- Temperature range 60 °C to 240 °C
- Intervals temperature setting 20 °C
- Overheating protection Yes
- Time adjustment 1 to 180 minutes
- Intervals time setting 1 minute / 10 minutes
- Power load 3 kW | 230 V | 50 Hz
- Size W 330 x D 420 x H 105 mm
- Weight 5.4 kg

	Material hob	Code-No.	RRP*	GTIN
IK 30TC-1	Glass	105991	275.- €	4015613698946
IK 30TCS-1	SCHOTT CERAN®	105991S	315.- €	4015613714882

Induction cooker IK 35TC-SW

105926

RRP* 485.- €

GTIN 4015613728650



- Material Steel
- Material hob Coated
- Material hob Glass
- Output hob(s) max. 3500 W
- Diameter hob(s) 235 mm
- Number of output levels 10
- Temperature range 60 °C to 240 °C
- Intervals temperature setting 20 °C
- Overheating protection Yes
- Time adjustment 1 to 180 minutes
- Intervals time setting 1 minute / 10 minutes
- Power load 3,5 kW | 230 V | 50/60 Hz
- Size W 380 x D 505 x H 155 mm
- Weight 8.08 kg

Induction cooker IK 35TC



- Output hob(s) max. 3500 W
- Diameter hob(s) 228 mm
- Number of output levels 10
- Temperature range 60 °C to 240 °C
- Intervals temperature setting 20 °C
- Overheating protection Yes
- Time adjustment 0 to 180 minutes
- Intervals time setting 1 minute / 10 minutes
- Power load 3,5 kW | 230 V | 50/60 Hz
- Size W 340 x D 445 x H 117 mm
- Weight 7.5 kg



	Material hob	Code-No.	RRP*	GTIN
IK 35TC	Glass	105843	298.- €	4015613633329
IK 35TCS	SCHOTT CERAN®	105843S	329.- €	4015613638300

Induction cooker IK 35TCKTF

105859

RRP* 325.- €

GTIN 4015613746791



High-standard, space-saving cooking whilst on the move – thanks to the core temperature sensor, meals such as steaks can be prepared to perfection with the 3500 W induction cooker. Thanks to accurate settings for power, temperature, and time, every single dish will turn out well.



- Material hob Glass
- Output hob(s) max. 3500 W
- Diameter hob(s) 240 mm
- Number of output levels 17
- Temperature range 60 °C to 240 °C
- Intervals temperature setting 20 °C
- Overheating protection Yes
- Time adjustment 1 to 180 minutes
- Intervals time setting 1 minute(s)
- Core temperature sensor yes
- Properties Cable length of 50 cm
Grease filter
Core temperature sensor
- Power load 3,5 kW | 230 V | 50 Hz
- Size W 340 x D 430 x H 120 mm
- Weight 7.3 kg



- ▶ Induction cooker with core temperature sensor
- ▶ Precise preparation of meals

Induction cooker IK 35TC, XL

105821

RRP* 415.- €

GTIN 4015613680255



IK 35TC XL – High-performance induction cooker with extra large hob for a pot diameter of up to 30 cm



- Material hob Glass
- Output hob(s) max. 3500 W
- Diameter hob(s) 300 mm
- Number of output levels 10
- Temperature range 60 °C to 240 °C
- Intervals temperature setting 20 °C
- Overheating protection Yes
- Time adjustment 1 to 180 minutes
- Intervals time setting 1 minute / 10 minutes
- Power load 3,58 kW | 230 V | 50/60 Hz
- Size W 440 x D 540 x H 125 mm
- Weight 9.1 kg

Induction cooker IK 35SK 3,5kW

105837

RRP* 319.- €

GTIN 4015613520643



- Material hob
- Output hob(s) max.
- Diameter hob(s)
- Temperature range
- Intervals temperature setting
- Overheating protection
- Power load
- Size
- Weight

SCHOTT CERAN®
3500 W
228 mm
60 °C to 240 °C
20 °C
Yes
3,5 kW | 230 V | 50 Hz
W 340 x D 445 x H 115 mm
7.2 kg

Built-in induction cooker IK 35-EB

105829

RRP* 335.- €

GTIN 4015613682853



- Material hob
- Output hob(s) max.
- Diameter hob(s)
- Number of output levels
- Temperature range
- Intervals temperature setting
- Overheating protection
- Can be installed
- Properties
- Power load
- Size
- Weight

Glass
3500 W
240 mm
10
60 °C to 240 °C
20 °C
Yes
Yes
Separate control panel, cable length 0.8 m
3,5 kW | 230 V | 50/60 Hz
W 370 x D 390 x H 118 mm
6.5 kg

Induction cooker IK 35dpS

105854

RRP* 269.- €

GTIN 4015613725024



- Material hob
- Output hob left max.
- Output hob right max.
- Diameter hob left
- Diameter hob right
- Number of output levels
- Temperature range
- Intervals temperature setting
- Overheating protection
- Power load
- Size
- Weight

SCHOTT CERAN®
2000 W
1500 W
210 mm
210 mm
10
60 °C to 240 °C
20 °C
Yes
3,5 kW | 230 V | 50 Hz
W 605 x D 360 x H 60 mm
5.34 kg

Induction cooker IK 3342

105858

RRP* 359.- €

GTIN 4015613725031



Induction cooker with 3 hobs for individual use. Depending on the type of food preparation, 3400 Watt can be distributed over 3 or 2 hobs.

- Material hob
- Output hob front left max.
- Output hob rear left max.
- Output all hobs left max.
- Output hob right max.
- Arrangement of the hobs
- Diameter hob front left
- Diameter hob rear left
- Diameter hob right
- Number of output levels
- Temperature range
- Intervals temperature setting
- Overheating protection
- Time adjustment
- Intervals time setting
- Power load
- Size
- Weight

Glass
2000 W
1000 W
2000 W
1400 W
2 left, 1 right
207 mm
106 mm
207 mm
10 right, 10 front left, 5 rear left
60 °C to 240 °C
20 °C
Yes
1 to 180 minutes
1 minute(s)
3,4 kW | 230 V | 50/60 Hz
W 510 x D 485 x H 65 mm
6.11 kg



Induction hob IKF 72-2Z

105862

RRP* 849.- €

GTIN 4015613746807



- ▶ More cooking flexibility
- ▶ 4 hobs or 2 induction zone surfaces



7,2 kW

You simply can't get more flexible – 7.2 kW can be distributed over 4 hobs or 2 induction zone surfaces as you choose. This allows the induction surface to be fully utilised with a wide range of pot sizes and shapes.

- Material Aluminium
Plastic
- Design of cooking zones 4 hobs or 2 surface induction zones
- Material hob SCHOTT CERAN®
- Output hob(s) max. 1.8 kW / 3 kW
- Diameter hob 220 mm
- Output of surface induction zones 3 kW / 4 kW
- Dimensions of surface induction zones 220 x 400 mm
- Number of output levels 9
- Overheating protection Yes
- Automatic turn-off Yes
- Time adjustment 1 to 99 minutes
- Intervals time setting 1 minute(s)
- Installation dimensions 560 x 490 mm
- Power load 7,2 kW | 400 V | 50/60 Hz
- Equipment connection 2 NAC
- Size W 590 x D 520 x H 60 mm
- Weight 13.5 kg

Induction stove 1 CZ, 2,5kW, TU

A105942

RRP* 1,629.- €

GTIN 4015613370156



CNS 18/10

2,5 kW



- Material hob SCHOTT CERAN®
- Output hob(s) max. 2500 W
- Diameter hob(s) 230 mm
- Number of output levels Stepless
- Overheating protection Yes
- Power load 2,5 kW | 230 V | 50/60 Hz
- Size W 340 x D 420 x H 100 mm
- Weight 7.5 kg

Table top induction stove ITH 35S-220



CNS 18/10

3,5 kW



- Material hob SCHOTT CERAN®
- Number of output levels 9
- Overheating protection Yes
- Power load 3,5 kW | 230 V | 50 Hz



- ▶ Output per hob.: 1.8 kW
- ▶ Additional power can be turned on for the front hob up to 3.5 kW
- ▶ Output of the rear hob: 1.8 kW
- ▶ Total output max.: 3.5 kW

	Output hob(s) max.	Number of hobs	Size	Weight	Code-No.	RRP*	GTIN
ITH 35S-220	3500 W	1	W 340 x D 400 x H 110 mm	8.1 kg	105984	1,798.- €	4015613676623
ITH 35ZS-210	1800 W	2	W 340 x D 590 x H 110 mm	11.1 kg	105985	2,298.- €	4015613676630

Induction cooker IK 50TC

105922

RRP* 579.- €

GTIN 4015613728636



STAINLESS STEEL

5 kW

- Material hob Glass
- Output hob(s) max. 5000 W
- Diameter hob(s) 280 mm
- Number of output levels 10
- Overheating protection Yes
- Power load 5 kW | 400 V | 50 Hz
- Equipment connection 3 NAC
- Size W 400 x D 535 x H 183 mm
- Weight 10.02 kg

Induction stove ITH 30-265



- Material hob Glass
- Number of hobs 1
- Number of output levels 20
- Overheating protection Yes
- Size W 400 x D 455 x H 160 mm

	Output hob(s) max.	Diameter hob(s)	Power load	Equipment connection	Weight	Code-No.	RRP*	GTIN
ITH 30-265	3000 W	265 mm	3 kW 230 V 50/60 Hz	Pluggable	9.1 kg	105993	2,049.- €	4015613712673
ITH 35-265	3500 W	265 mm	3,5 kW 230 V 50/60 Hz	Pluggable	8.9 kg	105994	2,349.- €	4015613712680
ITH 50-230	5000 W	230 mm	5 kW 400 V 50/60 Hz	3 NAC	12.3 kg	105995	3,898.- €	4015613712697

Induction cooker IK 70DP

105737

RRP* 1,349.- €

GTIN 4015613752143



For lightly simmering or hot frying - with powerful 7000 watts, any food can be perfectly prepared. Thanks to the power switch, the front hob of the two can be regulated up to 5000 watts.

- Material hob Glass
- Output when activated, hob front max. 5000 W
- Output when activated, hob rear max. 2000 W
- Output hob front max. 3500 W
- Output hob rear max. 3500 W
- Diameter hob front 245 mm
- Diameter hob rear 245 mm
- Number of output levels 10 + 1
- Overheating protection Yes
- Power load 7 kW | 400 V | 50 Hz
- Equipment connection 3 NAC
- Size W 408 x D 700 x H 145 mm
- Weight 16.2 kg

Induction cooker IK 70dpZ-EB

105893

RRP* 998.- €

GTIN 4015613745718



You can't get more flexible than this: This induction cooker with its removable control panel is suitable for use as a table-top appliance or for being built into a buffet counter. Its 7000 W of power can be distributed over the two hobs as required – the left-hand hob, with up to 5000 W, is ideal for fast poaching and hot roasting.

- Material hob Glass
- Power with power switching, left hob 5000 W
- Max. output of right hob with power switching 2000 W
- Output hob left max. 3500 W
- Output hob right max. 3500 W
- Diameter hob left 235 mm
- Diameter hob right 235 mm
- Number of output levels 11 / 10
- Temperature range 60 °C to 240 °C
- Intervals temperature setting 20 °C
- Overheating protection Yes
- Properties Separate control panel, cable length 0.85 m
- Power load 7 kW | 400 V | 50/60 Hz
- Equipment connection 3 NAC
- Size W 715 x D 485 x H 140 mm
- Weight 15.2 kg



Induction stove ITH 80-320

105978

RRP* 2,198.- €

GTIN 4015613729695



Great power, a great hob. With a pot size of up to 320 mm and a powerful output of 8 kW, even large quantities of food can be prepared on this portable table-top stove.



- Material hob Glass
- Output hob(s) max. 8000 W
- Diameter hob(s) 320 mm
- Number of output levels 6
- Overheating protection Yes
- Power load 8 kW | 400 V | 50 Hz
- Equipment connection 3 NAC
- Size W 500 x D 540 x H 245 mm
- Weight 20.6 kg

Induction woks



Induction wok IW35

105986

RRP* 379.- €

GTIN 4015613680217



- Material hob Glass
- Output hob(s) max. 3,5 kW
- Diameter hob 260 mm
- Number of output levels 10
- Temperature range 60 °C to 240 °C
- Intervals temperature setting 20 °C
- Overheating protection Yes
- Time adjustment 1 to 180 minutes
- Intervals time setting 1 minute(s)
- Power load 3,5 kW | 230 V | 50/60 Hz
- Size W 340 x D 440 x H 125 mm
- Weight 7.5 kg

Induction wok IW 35 PRO-2

105732

RRP* 1,198.- €

GTIN 4015613706498



The portable induction wok with 3500 watts and 10 power levels offers full flexibility. Visually, it impresses with the high-quality SCHOTT CERAN® hob and the touch control panel with digital display.

- Material hob SCHOTT CERAN®
- Output hob(s) max. 3,5 kW
- Diameter hob 260 mm
- Number of output levels 10
- Temperature range 60 °C to 240 °C
- Intervals temperature setting 20 °C
- Overheating protection Yes
- Time adjustment 1 to 180 minutes
- Intervals time setting 1 minute(s)
- Properties 2 fans with grease filters
- Power load 3,5 kW | 230 V | 50/60 Hz
- Size W 355 x D 440 x H 165 mm
- Weight 8.2 kg

Built-in induction wok IW35-EB

105997

RRP* 375.- €

GTIN 4015613715766



The integrated induction wok can be built into tables and worktops, providing an optimum working height. The separate control panel allows progressive control between 60 and 240 °C. Alternatively, 10 power levels are available to choose.



- Material hob: Glass ceramic
- Output hob(s) max.: 3,5 kW
- Diameter hob: 260 mm
- Number of output levels: 10
- Temperature range: 60 °C to 240 °C
- Intervals temperature setting: 20 °C
- Overheating protection: Yes
- Properties: 2 fans
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Size: W 370 x D 390 x H 135 mm
- Weight: 7.5 kg

Induction wok 3kW, TU

105840

RRP* 2,149.- €

GTIN 4015613468235



- Material hob: SCHOTT CERAN®
- Output hob(s) max.: 3 kW
- Diameter hob: 300 mm
- Number of output levels: Stepless
- Overheating protection: Yes
- Power load: 3 kW | 230 V | 50/60 Hz
- Size: W 330 x D 380 x H 180 mm
- Weight: 8.5 kg

Induction wok 35/293-FL

105876

RRP* 2,729.- €

GTIN 4015613712710



Extra flat design for a very comfortable working height – The induction wok also impresses with the following features: High-performance 3500 Watt induction coil, cooking zone in EuroKeraglass ceramic, 2 fans and simple operation.

- Material hob: EuroKera glass ceramic
- Output hob(s) max.: 3,5 kW
- Diameter hob: 293 mm
- Number of output levels: 20
- Overheating protection: Yes
- Properties: 2 fans
- Power load: Worktop surface behind the hob: Stainless steel, dimensions: W 400 x D 250 mm
- Size: 3,5 kW | 230 V | 50/60 Hz
- Weight: W 400 x D 655 x H 150 mm
- Weight: 10 kg

Induction wok IW 50

105929

RRP* 645.- €

GTIN 4015613729688



Portable and powerful – it's easy to operate the 5 kW induction wok using the touchscreen power regulation function.

- Material hob: Glass
- Output hob(s) max.: 5 kW
- Diameter hob: 280 mm
- Overheating protection: Yes
- Power load: 5 kW | 400 V | 50 Hz
- Equipment connection: 3 NAC
- Size: W 400 x D 525 x H 195 mm
- Weight: 10.7 kg

Induction wok 30/293



- Material hob
- Diameter hob
- Number of output levels
- Overheating protection
- Properties
- Size



EuroKera glass ceramic
293 mm
20
Yes
2 fans
W 400 x D 455 x H 180 mm

	Output hob(s) max.	Power load	Equipment connection	Weight	Code-No.	RRP*	GTIN
30/293	3 kW	3 kW 230 V 50/60 Hz	Pluggable	9 kg	105871	2,329.- €	4015613712635
35/293	3,5 kW	3,5 kW 230 V 50/60 Hz	Pluggable	9 kg	105872	2,549.- €	4015613712642
50/293	5 kW	5 kW 400 V 50/60 Hz	3 NAC	12.6 kg	105873	4,198.- €	4015613712659
70/293	7 kW	7 kW 400 V 50/60 Hz	3 NAC	12.6 kg	105874	4,398.- €	4015613712666

Component parts

Wok pan steel, 360mm

- Material: Steel
- Content: 5 litre(s)
- Diameter: 360 mm
- Size: W 560 x D 360 x H 95 mm
- Weight: 1.5 kg
- GTIN: 4015613371313



A105960

RRP* 139.- €

Wok pan W360R

- Material: Stainless steel
- Content: 6 litre(s)
- Diameter: 360 mm
- Height pan without lid: 110 mm
- Size: W 640 x D 360 x H 220 mm
- Weight: 2.9 kg
- GTIN: 4015613525075



105981

RRP* 139.- €

Wok pan W385R

- Material: Stainless steel
- Content: 6 litre(s)
- Diameter: 385 mm
- Height pan without lid: 160 mm
- Size: W 645 x D 385 x H 160 mm
- Weight: 1.7 kg
- GTIN: 4015613668451



A105971

RRP* 81.- €

Induction wok IW 80

105890

RRP* 2,198.- €

GTIN 4015613729701



The induction wok is a first-class table-top appliance – the 37 mm hob can be operated at 6 power levels with an output of up to 8 kW. The intuitive knob control ensures a relaxed cooking experience.



- Material hob
- Output hob(s) max.
- Diameter hob
- Number of output levels
- Overheating protection
- Power load
- Equipment connection
- Size
- Weight

Glass
8 kW
370 mm
6
Yes
8 kW | 400 V | 50 Hz
3 NAC
W 510 x D 600 x H 330 mm
22.2 kg

Wok pan W510F

- Material: Stainless steel
- Content: 22 litre(s)
- Diameter: 510 mm
- Height pan without lid: 195 mm
- Size: W 618 x D 514 x H 205 mm
- Weight: 3.2 kg
- GTIN: 4015613755274



105731

RRP* 69.- €



Multi pans



Multi pan 41 cm



The electric multi-pan offers a variety of applications with high flexibility and easy operation. The easy-to-remove cast aluminium pan with non-stick coating comes with a matching glass lid.



• Material

Aluminium

• Design inside

Plastic

• Including

Non-stick coat

1 glass lid



► Including stainless steel lid with a glass window

	Inside diameter	Height inside	Content	Power load	Size	Weight	Code-No.	RRP*	GTIN
Multi pan 37 cm	360 mm	80 mm	7 litre(s)	1,5 kW 230 V 50 Hz	W 500 mm D 470 mm H 190 mm	3.5 kg	150121	59.- €	4015613655574
Multi pan 41 cm	380 mm	40 mm	4 litre(s)	1,5 kW 230 V 50 Hz	W 510 mm D 495 mm H 165 mm	3.3 kg	A150114G	48.- €	4015613418629
Multi pan "Grande" 41 cm	380 mm	80 mm	8 litre(s)	1,5 kW 230 V 50 Hz	W 510 mm D 495 mm H 200 mm	3.7 kg	A150118G	56.- €	4015613419688
Multi pan 55cm	515 mm	50 mm	10 litre(s)	1,6 kW 230 V 50 Hz	W 615 mm D 555 mm H 180 mm	4.8 kg	A150155	109.- €	4015613363752

Multi pan 40x30

150340

RRP* 56.- €

GTIN 4015613505169



• Material

Aluminium



• Design inside

Plastic

• Inside corners rounded

Non-stick coat

• Content

Yes

• Size inside

7,5 litre(s)

• Control unit

W 370 x D 285 x H 80 mm

• Including

Electronic

• Power load

Knob

• Size

1 glass lid

• Weight

1,5 kW | 230 V | 50 Hz

W 490 x D 310 x H 195 mm

3.2 kg

Sausage warmer 1KA10



- Size basin
- Temperature range
- Including

W 240 x D 300 x H 150 mm
30 °C to 90 °C
Lid, hinged, detachable



▶ Basins can be controlled separately

	Number of tanks	Drain cock	Power load	Size	Weight	Code-No.	RRP*	GTIN
1KA10	1	No	1 kW 230 V 50/60 Hz	W 270 x D 350 x H 240 mm	5.6 kg	A120465	209.- €	4015613659497
2KA20	2	Yes	2 kW 230 V 50/60 Hz	W 535 x D 370 x H 240 mm	11.2 kg	A120466	439.- €	4015613659503

Sausage warmer 1KA10-FM

A120467

RRP* 229.- €

GTIN 4015613718705



- Size basin
- Temperature range
- Properties
- Power load
- Size
- Weight

W 240 x D 300 x H 150 mm
30 °C to 90 °C
Rack for sausages, removable
Fixed lid, folding
Cover easily removed using knurled screws
1 kW | 230 V | 50/60 Hz
W 270 x D 360 x H 240 mm
6 kg

Sausage roller grill 7181

104922

RRP* 429.- €

GTIN 4015613731704



- Design grill surface
- Number of rollers
- Roll length
- Number of heating zones
- Heating zones can be controlled separately
- Division heating zones
- Capacity sausages
- Temperature range
- Properties

Rotating rollers
7
460 mm
2
yes
Front 4 casters, rear 3 casters
18
20 °C to 110 °C
The temperature and rollers can be controlled separately
Addition warming option with the supplied grate
0,59 kW | 230 V | 50 Hz
W 600 x D 320 x H 230 mm
13.3 kg

Cover hood for roller grill 7181

- Material: Plastic
- Dimensions of opening: W 418 x H 162 mm
- Properties: Flap can be locked into position
- Size: W 590 x D 315 x H 200 mm
- Weight: 1.6 kg
- GTIN: 4015613757940



104923

RRP* 172.- €

Hot-dog machine

A120401

RRP* 389.- €

GTIN 4015613370521



- Diameter glass cylinder
- Height glass cylinder
- Temperature range
- Properties
- Power load
- Size
- Weight

195 mm
245 mm
30 °C to 90 °C
Water tank: Stainless steel, capacity: 1,25 litres
1 kW | 230 V | 50 Hz
W 260 x D 295 x H 360 mm
6.9 kg

Hot-dog machine, edged



- Diameter glass cylinder
- Height glass cylinder
- Temperature range
- Properties
- Power load

200 mm
240 mm
30 °C to 100 °C
Water tank: Stainless steel, capacity: 1,25 litres
0,8 kW | 230 V | 50 Hz



	Size	Weight	Code-No.	RRP*	GTIN
Hot-dog machine, edged	W 280 x D 280 x H 355 mm	5.2 kg	A120406	289.- €	4015613432595
Hot-dog machine, round	W 295 x D 295 x H 415 mm	4.8 kg	A120407	269.- €	4015613432601

Hot-dog machine, 4 toast sticks

A120408

RRP* 369.- €

GTIN 4015613443065



- Diameter glass cylinder
- Height glass cylinder
- Temperature range
- With toasting bars
- Power load
- Size
- Weight

200 mm
240 mm
40 °C to 100 °C
Yes
0,96 kW | 230 V | 50 Hz
W 500 x D 285 x H 390 mm
7.6 kg

Hot dog spit toaster T4

A120409

RRP* 172.- €

GTIN 4015613610603



- Number of toast bars
- Temperature range to
- Power load
- Size
- Weight

4
80 °C
0,19 kW | 230 V | 50 Hz
W 240 x D 280 x H 310 mm
2.8 kg

Component parts

Glass hot dog cylinder protector 200

- Material: Silicone
- Designed for: Glass hot dog cylinders Ø 200 mm
- Size: W 200 x D 200 x H 14 mm
- Weight: 0.03 kg
- GTIN: 4015613794105



► For protecting glass hot dog cylinders from breaking



A120430

RRP* 8.- €

Sausage slicer 10M1750M

120579

RRP* 175.- €

GTIN 4015613505152



- Disk thickness
- Knife type
- Max. no. of sausage segments
- Width inside
- Operation
- Properties
- Size
- Weight

17.5 mm
10 permanently mounted blades
11
210 mm
Manual
4 setting feet with suction pads
W 300 x D 115 x H 210 mm
2.3 kg

Sausage slicer DRM3500E

120599

RRP* 298.- €

GTIN 4015613756851



Electric currywurst cutter with practical triangular knife and removeable funnel for improved hygiene. The slice thickness is infinitely variable.



- Disk thickness 14 - 35 mm
- Disk thickness can be regulated Yes



- Knife type Triangular knife
- Diameter filling shaft 41,5 mm
- Automatic activation function No
- Safety switch Yes
- Overheating protection Yes
- Properties Removeable funnel, dishwasher-safe
- Power load 0,043 kW | 230 V | 50 Hz
- Size W 165 x D 245 x H 285 mm
- Weight 4 kg

Sausage slicer DSM3500E

120578

RRP* 289.- €

GTIN 4015613505138



- Disk thickness 5 - 35 mm
- Disk thickness can be regulated Yes



- Knife type Double sickle knife
- Diameter filling shaft 47 mm



- Automatic activation function Yes
- Power load 0,135 kW | 230 V | 50 Hz
- Size W 185 x D 210 x H 325 mm
- Weight 6.9 kg

Substitute double sickle knife

- Size: W 70 x D 170 x H 2 mm
- Weight: 0.07 kg
- GTIN: 4015613658063



120582

RRP* 39.- €

Pump station, 1 pump 3,3L



Suitable for ketchup, mayonnaise, mustard, etc.



- Material pump Polycarbonate
- Material inner container Polyethylene
- Dosing regulation Yes
- Outlet can be swiveled 180°
- Including 3 portioning inserts per pump (diameter: 3.9 mm, 6.5 mm, 10 mm)



	Number of pumps	Content	Size	Weight	Code-No.	RRP*	GTIN
1 pump 3,3L	1	3.3 litres	W 139 x D 224 x H 456 mm	2.3 kg	100321	549.- €	4015613481272
2 pumps 2x3,3L	2	2 x 3.3 litres	W 276 x D 224 x H 456 mm	4.1 kg	100322	898.- €	4015613481289
3 pumps 3x3,3L	3	3 x 3.3 litres	W 394 x D 224 x H 456 mm	5.3 kg	100323	1,198.- €	4015613481296
4 pumps 4x3,3L	4	4 x 3.3 litres	W 511 x D 224 x H 456 mm	7.9 kg	100324	1,549.- €	4015613481302

Rice cookers



Rice cooker 1,8L SD

150528

RRP* 55.- €

GTIN 4015613672199



- Content
- Production quantity rice

1,8 litre(s)
2 - 10 portions



- Inner pot
- Functions

Non-stick coating



- Functions

Cooking

- Including

Steam

Keeping warm

1 measuring beaker

1 rice spoon

1 steam insert

- Power load

0,7 kW | 230 V | 50/60 Hz

- Size

W 290 x D 262 x H 293 mm

- Weight

2.7 kg

Rice cooker 8L W



- Inner pot

Non-stick coating

Heat resistant

Can be removed



- Functions

Cooking



- Properties

Keeping warm

- Including

Silicone mat as smolder protection

1 measuring beaker

1 rice spoon

1 Silicone mat

	Content	Production quantity rice	Power load	Size	Weight	Code-No.	RRP*	GTIN
8L W	8 litre(s)	25 - 40 portions	1,95 kW 230 V 50/60 Hz	W 440 mm D 340 mm H 360 mm	6.5 kg	150533	185.- €	4015613758749
12L W	12 litre(s)	40 - 60 portions	2,65 kW 230 V 50/60 Hz	W 500 mm D 440 mm H 370 mm	9.8 kg	150538	215.- €	4015613746814

Rice cooker 8L

A150513

RRP* 245.- €

GTIN 4015613405698



- Content
- Production quantity rice

8 litre(s)

25 - 40 portions



- Inner pot

Non-stick coating

Heat resistant



- Functions

Cooking

- Properties

Keeping warm

- Including

Extra large handles

Silicone mat as smolder protection

1 measuring beaker

1 rice spoon

1 stirring spoon

1 Silicone mat

- Power load

1,95 kW | 230 V | 50/60 Hz

- Size

W 385 x D 480 x H 345 mm

- Weight

10 kg

Rice cooker 12L

150529

RRP* 395.- €

GTIN 4015613666396



- Content
- Production quantity rice
- Inner pot

12 litre(s)
40 - 60 portions
Non-stick coating
Heat resistant
Cooking
Keeping warm
Silicone mat as smolder protection
1 measuring beaker
1 rice spoon
1 stirring spoon
1 Silicone mat



- Functions
- Properties
- Including



- Power load
- Size
- Weight

Gas rice cooker 10L

1505393

RRP* 489.- €

GTIN 4015613752860



- Material

Aluminium
Enamelled
Stainless steel

- Content
- Production quantity rice
- Inner pot

10 litre(s)
50 portions
Aluminium
Can be removed
Heat resistant
Cooking
Keeping warm
Liquid gas
50 mbar
Single burner
Yes
Piezo ignition
Yes
Yes
1 measuring beaker
1 stirring spoon
Only use in a well-ventilated room or outside
Delivery without gas connecting set
5,6 kW
W 600 x D 490 x H 452 mm
14.8 kg

- Functions

- Gas type
- Control pressure
- Gas burner
- Pilot flame
- Ignition type
- Ignition guard
- Gas stop valve
- Including

- Important information

- Power
- Size
- Weight

Gas connection set GW-AI

- Can be used in: Inner and outer area
- Size: W 64 x D 61 x H 27 mm
- Weight: 1.3 kg
- GTIN: 4015613586557



500180

RRP* 149.- €

Rice warmer, surround heating

A150512

RRP* 239.- €

GTIN 4015613396286



- Filling quantity rice - boiled
- Inner pot

8,5 kg
Non-stick coating
Heat resistant
Extra large handles
1 rice spoon
1 stirring spoon
0,11 kW | 230 V | 50/60 Hz
W 395 x D 465 x H 395 mm
7.8 kg



- Properties
- Including



- Power load
- Size
- Weight

Toasters



Toaster TS20Sli

100282

RRP* 66.- €

GTIN 4015613680262



• Material

Plastic



• Slit size

270 x 38 mm



• Number of browning levels

6



• Functions

Toasting

Defrosting

• Properties

Product discharged via toast chute

Cancellation button

• Power load

1,3 kW | 230 V | 50 Hz

• Size

W 405 x D 152 x H 268 mm

• Weight

2.2 kg

Toaster TBRB20



• Slit size

140 x 35 mm



• Functions

Defrosting

Heating up



• Number of browning levels

One-sided toasting (bagels)



• Including

Toasting

6

Bread roll top, can be detached



Number of slits

Power load

Size

Weight

Code-No.

RRP*

GTIN

	Number of slits	Power load	Size	Weight	Code-No.	RRP*	GTIN
TBRB20	2	0,88 kW 230 V 50/60 Hz	W 195 x D 300 x H 200 mm	1.54 kg	100373	52.- €	4015613808789
TBRB40	4	1,48 kW 230 V 50/60 Hz	W 325 x D 280 x H 170 mm	2.3 kg	100374	82.- €	4015613806624

Toaster TS40



• Slit size

145 x 20 mm



• Functions

Toasting



• Time adjustment

1 to 5 minutes



• Operation

1 control lever (manual ejection)

Switch for commissioning the toast slit, group of 2

• Properties

Signal tone after expiry of the time



Number of slits

Power load

Size

Weight

Code-No.

RRP*

GTIN

	Number of slits	Power load	Size	Weight	Code-No.	RRP*	GTIN
TS40	4	1,8 kW 230 V 50 Hz	W 300 x D 250 x H 220 mm	4.2 kg	100292	172.- €	4015613739908
TS60	6	2,5 kW 230 V 50 Hz	W 405 x D 275 x H 220 mm	5.6 kg	100197	265.- €	4015613670911

Conveyor toaster Mini-XS

100273

RRP* 469.- €

GTIN 4015613719023



- Output / hour
- Belt speed
- Designed for

- Functions

- Heat-up time
- Properties

- Power load
- Size
- Weight

Approx. 90 slices of toast
 Stepless control
 Toast
 Sandwich toast
 Bagels or half bread rolls
 Upper / lower heat (toast)
 Upper heat (bread roll)
 Lower heat (bread roll)
 5 minutes
 Belt speed and type of heat supply can be controlled separately
 1 kW | 230 V | 50 Hz
 W 235 x D 655 x H 395 mm
 11.6 kg

Conveyor toaster DLT150-1



- Belt speed
- Designed for

- Functions

- Heat-up time
- Properties

Stepless control
 Bread roll
 Sandwich toast
 Toast
 Upper / lower heat (toast)
 Upper heat (bread roll)
 Standby
 15 - 20 minutes
 Belt speed and type of heat supply can be controlled separately



	Output / hour	Power load	Size	Weight	Code-No.	RRP*	GTIN
"Mini"	Approx. 75 slices of toast	1,34 kW 230 V 50 Hz	W 285 mm D 420 mm H 390 mm	13.5 kg	100211	498.- €	4015613505473
DLT150-1	Approx. 150 slices of toast	2,24 kW 230 V 50/60 Hz	W 370 mm D 420 mm H 390 mm	16.1 kg	A100205	669.- €	4015613421490

Quartz tube toaster, single



- Heat source
- Size inside
- Time setting to
- Including

Quartz radiant heater
 W 355 x D 240 x H 50 mm
 15 minute(s)
 1 toast tongs

	Number of levels	Power load	Size	Weight	Code-No.	RRP*	GTIN
single	1	1,7 kW 230 V 50/60 Hz	W 400 x D 370 x H 285 mm	7.8 kg	A151300	215.- €	4015613388601
double	2	3 kW 230 V 50/60 Hz	W 400 x D 370 x H 405 mm	10.3 kg	A151600	269.- €	4015613385549

Toast tongs 100

- Material: Stainless steel
- Size: W 101 x D 340 x H 70 mm
- Weight: 0.24 kg
- GTIN: 4015613753119



A151301

RRP* 13.50 €



▶ Height inside, each: 50 mm

Crêpe makers | Waffle makers



Crêpe maker 1CP400



- Material crêpe trays
- Diameter crêpe trays
- Design crêpe trays
- Temperature range
- Including

Cast iron, teflon-coated
400 mm
Permanently mounted
50 °C to 300 °C
1 dough distributor



- ▶ Can be switched and regulated separately
- ▶ 2 separate sockets required

	Number of crêpe plates	Power load	Size	Weight	Code-No.	RRP*	GTIN
1CP400	1	3 kW 230 V 50/60 Hz	W 450 x D 510 x H 245 mm	21 kg	104458	459.- €	4015613735931
2CP400	2	6 kW 2 x 230 V 50/60 Hz	W 860 x D 510 x H 245 mm	40 kg	104457	798.- €	4015613731742

Crêpe maker 1CP400G



- Material crêpe trays
- Diameter crêpe trays
- Design crêpe trays
- Temperature range
- Temperature control
- Gas burner
- Ignition type
- Gas type
- Control pressure
- Not included in delivery

Cast iron, enamelled
400 mm
Permanently mounted
150 °C to 300 °C
2 levels
Single circuit star burner
Electronic ignition with battery
Natural gas H
Liquid gas nozzles are enclosed
20 mbar
1 battery, AA
Gas connection set



- ▶ Crêpe trays can be controlled separately

	Number of crêpe plates	Power	Size	Weight	Code-No.	RRP*	GTIN
1CP400G	1	3 kW	W 450 x D 500 x H 250 mm	17 kg	1043613	479.- €	4015613746883
2CP400G	2	6 kW	W 850 x D 520 x H 230 mm	30.4 kg	1043623	859.- €	4015613746890

Component parts

Dough turner C100

- Size: W 55 x D 430 x H 10 mm
- Weight: 0.05 kg
- GTIN: 4015613773094



104500

RRP* 9.50 €

Dough distributor C100

- Size: W 280 x D 320 x H 45 mm
- Weight: 0.08 kg
- GTIN: 4015613773100



104501

RRP* 13.- €

Gas connection set GW-AI

- Can be used in: Inner and outer area
- Size: W 64 x D 61 x H 27 mm
- Weight: 1.3 kg
- GTIN: 4015613586557



500180

RRP* 149.- €

Waffle maker 1HW211



- Material baking trays
- Design baking tray(s)
- Temperature range

Cast iron, enamelled
Permanently mounted
50 °C to 300 °C



- ▶ Baking units can be controlled separately
- ▶ 2 separate sockets required



- ▶ Baking units can be controlled separately
- ▶ 2 separate sockets required

	Number of baking units	Waffle form	Waffle size	Power load	Size	Weight	Code-No.	RRP*	GTIN
1HW211	1	Heart waffle	Ø 210 mm, height 16 mm	2,2 kW 230 V 50/60 Hz	W 285 mm D 470 mm H 220 mm	15.35 kg	370174	519.- €	4015613735771
2HW211	2	Heart waffle	Ø 210 mm, height 16 mm	4,4 kW 2 x 230 V 50/60 Hz	W 600 mm D 470 mm H 230 mm	32.5 kg	370191	939.- €	4015613731728
1BW160-101	1	Brussels waffle	160 x 100 mm, height 32 mm	2,2 kW 230 V 50/60 Hz	W 285 mm D 470 mm H 245 mm	21.75 kg	370175	519.- €	4015613735832
2BW160-101	2	Brussels waffle	160 x 100 mm, height 32 mm	4,4 kW 2 x 230 V 50/60 Hz	W 600 mm D 470 mm H 250 mm	44.5 kg	370193	939.- €	4015613731735

Waffle maker MDI 1HW211



- Material baking trays
- Design baking tray(s)
- Control unit
- Temperature range
- Temperature control

Cast iron
Enamelled
Permanently mounted
MDI knob
50 °C to 300 °C
Electronic
In 1 °C steps
Yes
Yes
Audible signal when the time expires
(0 - 9:30 minutes)
Memory function



- ▶ Baking units can be controlled separately
- ▶ 2 separate sockets required



- ▶ Baking units can be controlled separately
- ▶ 2 separate sockets required

	Number of baking units	Waffle form	Waffle size	Power load	Size	Weight	Code-No.	RRP*	GTIN
1HW211	1	Heart waffle	Ø 210 mm, height 16 mm	2,2 kW 230 V 50/60 Hz	W 285 mm D 470 mm H 225 mm	17 kg	370197	579.- €	4015613747750
2HW211	2	Heart waffle	Ø 210 mm, height 16 mm	4,4 kW 2 x 230 V 50/60 Hz	W 600 mm D 450 mm H 225 mm	33.8 kg	370198	1,069.- €	4015613747767
MDI 1BW160-101	1	Brussels waffle	160 x 100 mm, height 32 mm	2,2 kW 230 V 50/60 Hz	W 285 mm D 460 mm H 245 mm	23.35 kg	370195	579.- €	4015613747729
MDI 2BW160-101	2	Brussels waffle	160 x 100 mm, height 32 mm	4,4 kW 2 x 230 V 50/60 Hz	W 600 mm D 460 mm H 245 mm	47.15 kg	370196	1,069.- €	4015613747743



Waffle maker MDI 1HW-AL



- Material baking trays



- Number of baking units

- Design baking tray(s)



- Control unit

- Temperature range

- Temperature control

- Digital display

- Timer

- Properties

Aluminium

Coated

1

Permanently mounted

MDI knob

50 °C to 300 °C

Electronic

In 1 °C steps

Yes

Yes

Audible signal when the time expires

(0 - 9:30 minutes)

Memory function

	Waffle form	Waffle size	Power load	Size	Weight	Code-No.	RRP*	GTIN
MDI 1HW-AL	Heart waffle	Ø 210 mm, height 16 mm	1,8 kW 230 V 50/60 Hz	W 300 mm D 450 mm H 250 mm	10.9 kg	370270	455.- €	4015613758213
MDI 1BW-AL	Brussels waffle	160 x 100 mm, height 32 mm	1,8 kW 230 V 50/60 Hz	W 300 mm D 450 mm H 250 mm	10.4 kg	370271	455.- €	4015613758220
MDI Lolly 400	Triangular lolly	52 x 20 mm, height 220 mm	1,8 kW 230 V 50/60 Hz	W 300 mm D 450 mm H 250 mm	12 kg	370273	455.- €	4015613758244
MDI Donut 900	Donuts	Ø 50 mm, height 20 mm	1,8 kW 230 V 50/60 Hz	W 300 mm D 450 mm H 250 mm	9.4 kg	370274	455.- €	4015613758251
MDI Lolly 600	Round lolly	40 x 30 mm, height 140 mm	1,8 kW 230 V 50/60 Hz	W 365 mm D 380 mm H 250 mm	10.36 kg	370275	455.- €	4015613758268
MDI Cone 2120	Round (can be shaped into cones, bowls and rolls)	Ø 212 mm	1 kW 230 V 50/60 Hz	W 255 mm D 460 mm H 250 mm	7.7 kg	370276	455.- €	4015613771052



MDI 1HW-AL



MDI 1BW-AL



MDI Lolly 400

- ▶ 1 baking unit with 4 lolly waffles
- ▶ Delivered without sticks



MDI Donut 900

- ▶ 1 baking unit with 9 donuts



MDI Lolly 600

- ▶ 1 baking unit with 6 lolly waffles
- ▶ Delivered without sticks



MDI Cone 2120

- ▶ Including: 1 wafer cone shaper

Waffle maker "Deluxe II"

370165

RRP* 529,- €

GTIN 4015613655369



- Material baking trays



- Waffle form

- Waffle size



- Design baking tray(s)

- Baking trays can be rotated

- Turning the baking trays

- Temperature range

- Including

- Power load

- Size

- Weight

Cast aluminium

Non-stick coating

Brussels waffle

165 x 100 mm, height 25 mm

Permanently mounted

Yes

180 ° right/left turn

50 °C to 300 °C

2 drip trays, W 215 x D 285 x H 18 mm

1,5 kW | 230 V | 50/60 Hz

W 525 x D 340 x H 250 mm

13.55 kg



► Thanks to the 180° rotation, the dough is distributed perfectly



► Easy cleaning
► 2 detachable drip trays below the baking plates

Waffle maker "Deluxe" 1BW170D

370164

RRP* 609,- €

GTIN 4015613581163



- Material baking trays

- Number of baking units



- Waffle form

- Waffle size



- Design baking tray(s)

- Baking trays can be rotated

- Turning the baking trays

- Temperature range

- Programming

- Digital display

- Including

- Power load

- Size

- Weight

Die-cast aluminum, coated

1

Brussels waffle

Ø 170 mm, height 35 mm

Permanently mounted

Yes

180 ° right/left turn

125 °C to 230 °C

Baking time

Temperature

Yes

1 collection tray, W 250 x D 280 mm

1 kW | 230 V | 50/60 Hz

W 260 x D 505 x H 320 mm

10.5 kg



► The 180° left/right rotation of the baking plate guarantees an even dispersion of waffle dough and optimum browning

Component parts

Waffle cone shaper MDI Cone 2120

- Material: Wood
- Designed for: Shaping wafer cones
- Suitable for: Waffle iron MDI Cone 2120
- Size: W 250 x D 60 x H 60 mm
- Weight: 0.14 kg
- GTIN: 4015613793580



370278

RRP* 3,- €

Serving scoop 800ml

- Material: Stainless steel
- Filling quantity: 800 ml
- Dosing opening: Ø 8 mm
- Including: Stand
- Size: W 140 x D 260 x H 240 mm
- Weight: 0.45 kg
- GTIN: 4015613711553



101929

RRP* 25,- €

Microwave ovens



Microwave 23L, 900W

610836

RRP* 209.- €

GTIN 4015613518992



• Microwave output

900 W

• Number of magnetrons

1

• Number of output levels

6



• Functions

Defrosting

Heating



• Content

23 litre(s)

• Time setting to

30 minute(s)



• With rotary plate

Yes

• Interior lighting

Yes

• Power load

1,4 kW | 230 V | 50 Hz

• Size

W 483 x D 425 x H 281 mm

• Weight

12.6 kg

Microwave 9231D-GR

610856

RRP* 235.- €

GTIN 4015613762418



The supplied grill frame, whether used with the grill function alone or combined with the microwave function, ensures a really great result, with up to 1000 watts. Naturally, this appliance also masters basic functions such as microwaving, defrosting, and heating food up.



• Microwave output

900 W

• Grill output

1000 W

• Number of magnetrons

1

• Number of output levels

9



• Functions

Defrosting

Heating

Grill (can be combined)

• Content

23 litre(s)

• Time setting to

30 minute(s)

• With rotary plate

Yes

• Interior lighting

Yes

• Including

1 grill frame, Ø 189 mm, height 79 mm

• Power load

1,4 kW | 230 V | 50 Hz

• Size

W 480 x D 390 x H 280 mm

• Weight

12.8 kg



Microwave 25L, 1000W



- Microwave output
- Number of magnetrons

1000 W

1



- Functions

Defrosting

Heating

25 litre(s)



- Content
- Interior lighting

Yes



- Power load

1,5 kW | 230 V | 50 Hz

- Size

W 520 x D 465 x H 312 mm

- Weight

17.4 kg



▶ Settable programs: 20

	Number of output levels	Time setting to	Code-No.	RRP*	GTIN
Microwave 25L, 1000W	6	60 minute(s)	610182	559.- €	4015613487762
Microwave DIG, 25L, 1000W	3	99 minute(s)	610181	569.- €	4015613440101

Microwave 14251M-HLGR

610847

RRP* 289.- €

GTIN 4015613800530



With additional convection and grill functions, this microwave offers a wide spectrum of methods for preparing meals. You can set the time and power to meet your precise needs depending on the function used.



- Material

Steel plate



- Material cooking chamber

Stainless steel

- Microwave output

1400 W

- Grill output

1950 W

- Hot air output

1950 W

- Number of magnetrons

1

- Number of output levels

6

- Functions

Defrosting

Heating

Grill (can be combined)

Hot air (can be combined)

- Content

25 litre(s)

- Settable programs

8

- Time setting to

95 minute(s)

- With rotary plate

Yes

- Interior lighting

Yes

- Including

1 grill pan, Ø 280 mm, height 52 mm

- Power load

1,95 kW | 230 V | 50 Hz

- Size

W 485 x D 440 x H 282 mm

- Weight

16.4 kg





Stackable 1800 W microwave, 2 magnetrons, timer and 30 settable programmes. The 18-litre cooking space is equipped with a top-quality ceramic baseplate.

- Microwave output 1800 W
- Number of magnetrons 2
- Number of output levels 10
- Functions
 - Defrosting
 - Heating
- Content 18 litre(s)
- Settable programs 30
- Time setting to 60 minute(s)
- Interior lighting Yes
- Properties Tactile buttons
USB flash memory option
- Power load 2,8 kW | 230 V | 50 Hz
- Size W 420 x D 540 x H 338 mm
- Weight 18 kg

Microwave MJ26A6093



- Microwave output 1850 W
- Number of magnetrons 2
- Number of output levels 5
- Functions
 - 2 defrosting functions
 - Heating
- Content 26 litre(s)
- Gastronorm 2/3 GN
- Interior lighting Yes
- Including 1 affixing metal sheet to stacking the microwaves
- Power load 2,6 kW | 230 V | 50 Hz
- Size W 464 x D 557 x H 368 mm
- Weight 32 kg



	Settable programs	Timer	Code-No.	RRP*	GTIN
MJ26A6093	50	Digital + 20 second button X2 button for double quantity and cooking time	610195	1,429.- €	8806092114708
MJ26A6091	-	Manual + 20 second button	610196	1,429.- €	8806092114685

Component parts

Wall-mounting shelf 520x400mm, SS

- Material: CNS 18/10
- Size utility space: W 520 x D 400 mm
- Load-bearing capacity max.: 40 kg
- Size: W 520 x D 400 x H 150 mm
- Weight: 3.4 kg
- GTIN: 4015613431963



174520

RRP* 83.- €

Wall-mounting shelf 600x600mm, SS

- Material: CNS 18/10
- Size utility space: W 600 x D 600 mm
- Load-bearing capacity max.: 50 kg
- Size: W 600 x D 600 x H 155 mm
- Weight: 5.4 kg
- GTIN: 4015613434988



174600

RRP* 118.- €



WARMING TECHNOLOGY | BUFFET

The art of keeping food warm often decides the quality of a buffet. That's why it depends on the right warming technology. Our varied selection of products has everything from chafing dishes to bain maries.



Bain Marie 111-150



- Number of tanks
- Basin size, GN format
- Depth GN container max.
- Power load
- Size

1
1 x 1/1 GN
150 mm
1,2 kW | 230 V | 50 Hz
W 338 x D 540 x H 248 mm



	Including	Weight	Code-No.	RRP*	GTIN
Bain Marie 111-150	–	8 kg	200230	169.- €	4015613423647
Bain Marie 212-150	2 GN containers 1/2 GN	10.3 kg	200232	205.- €	4015613423654
Bain Marie 313-150	3 GN containers 1/3 GN	10.6 kg	200233	225.- €	4015613423678

Bain Marie, 1/1GN, 150mm, w. faucet



- Number of tanks
- Basin size, GN format
- Water drain tap
- Power load

1
1 x 1/1 GN
Yes
1,2 kW | 230 V | 50/60 Hz



	Depth GN container max.	Size	Weight	Code-No.	RRP*	GTIN
Bain Marie, 1/1GN, 150mm, w. faucet	150 mm	W 340 x D 590 x H 240 mm	7.5 kg	200240	179.- €	4015613468969
Bain Marie, 1/1GN, 200mm, w. faucet	200 mm	W 355 x D 600 x H 295 mm	9.5 kg	200207	249.- €	4015613379678

Egg boiler EH6

115129

RRP* 269.- €

GTIN 4015613675770



- Beaker capacity
- Temperature range
- Safety thermostat
- Hardness setting:
- Heating element in stainless steel
- Power load
- Size
- Weight

4 litre(s)
30 °C to 110 °C
Yes
Manual
Yes
2,6 kW | 230 V | 50/60 Hz
W 365 x D 220 x H 290 mm
4.3 kg



Bain Marie Hotpot, 1x pot, 3,5l



- Temperature range
- Pots

35 °C to 95 °C
can be controlled separately



	Number of pots	Content	Power load	Size	Weight	Code-No.	RRP*	GTIN
Bain Marie Hotpot, 1x pot, 3,5l	1	3,5 litre(s)	0,15 kW 230 V 50/60 Hz	W 210 mm D 210 mm H 320 mm	3.5 kg	605035	298.- €	4015613520612
Bain Marie Hotpot, 1x pot, 6,5l	1	6,5 litre(s)	0,2 kW 230 V 50/60 Hz	W 255 mm D 280 mm H 330 mm	4.5 kg	605065	319.- €	4015613520629
Bain Marie Hotpot, 2x pot, 3,5l	2	3,5 litre(s)	0,3 kW 230 V 50/60 Hz	W 415 mm D 240 mm H 320 mm	6.19 kg	606035	429.- €	4015613520650
Bain Marie Hotpot, 2x pot, 6,5l	2	6,5 litre(s)	0,4 kW 230 V 50/60 Hz	W 505 mm D 280 mm H 320 mm	7.9 kg	606065	479.- €	4015613520636
Bain Marie Hotpot, 3x pot, 3,5l	3	3,5 litre(s)	0,45 kW 230 V 50/60 Hz	W 610 mm D 240 mm H 320 mm	9 kg	607035	559.- €	4015613520667

Bain Marie Hotpot, 4x pot, 3,5l

608035

RRP* 639.- €

GTIN 4015613520674



- Number of pots
- Content, each
- Temperature range
- Power load
- Size
- Weight

4
can be controlled separately
3.5 litres
35 °C to 95 °C
0,6 kW | 230 V | 50/60 Hz
W 415 x D 415 x H 320 mm
10.7 kg

Component parts

Insert pot 3,5 litres for hotpot

- Material: CNS 18/10
- Content: 3,5 litre(s)
- Size: W 190 x D 190 x H 215 mm
- Weight: 0.54 kg
- GTIN: 4015613520698

609035

RRP* 45.- €

Insert pot 6,5 litres for hotpot

- Material: CNS 18/10
- Content: 6,5 litre(s)
- Size: W 240 x D 240 x H 210 mm
- Weight: 0.76 kg
- GTIN: 4015613520704

609065

RRP* 49.- €



Lid for hotpot 3,5L

- Material: CNS 18/10
- Diameter: 186 mm
- Size: W 190 x D 190 x H 25 mm
- Weight: 0.15 kg
- GTIN: 4015613520711

609135

RRP* 13.- €

Lid for hotpot 6,5L

- Material: CNS 18/10
- Diameter: 237 mm
- Size: W 240 x D 240 x H 25 mm
- Weight: 0.24 kg
- GTIN: 4015613520728

609165

RRP* 23.- €



Soup kettles



Soup kettle 5,4L

100062

RRP* 93.- €

GTIN 4015613634821



• Material

Steel plate

Painted



• Inner pot

Stainless steel

Stainless steel

Can be removed



• Content

5,4 litre(s)

• Temperature range

35 °C to 95 °C

• Heating type

Indirect

• Including

8 soup labels, magnetic adhesion

• Power load

0,3 kW | 230 V | 50/60 Hz

• Size

W 255 x D 267 x H 385 mm

• Weight

3.1 kg

Soup kettle Club, 8,5L, black

100067

RRP* 95.- €

GTIN 4015613442587



• Material

Steel plate

Painted



• Inner pot

Stainless steel

Stainless steel

Can be removed



• Content

8,5 litre(s)

• Temperature range

30 °C to 95 °C

• Heating type

Indirect

• Including

8 soup labels, magnetic adhesion

• Power load

0,4 kW | 230 V | 50 Hz

• Size

W 295 x D 295 x H 385 mm

• Weight

3.4 kg

Party kettle 9L



• Inner pot

Stainless steel

Can be removed



• Content

9 litre(s)

• Temperature range

30 °C to 95 °C

• Heating type

Indirect

• Including

8 soup labels, magnetic adhesion

• Power load

0,4 kW | 230 V | 50/60 Hz

• Size

W 345 x D 345 x H 360 mm

• Weight

4.5 kg



Material

Code-No.

RRP*

GTIN

	Material	Code-No.	RRP*	GTIN
Party kettle 9L	Steel plate, painted	100054	105.- €	4015613353432
Soup kettle De Luxe 9L	Stainless steel	100058	149.- €	4015613367736

Soup kettle Economic, 9L, black

100061

RRP* 105.- €

GTIN 4015613421292



• Material

Steel plate

Painted

Stainless steel



• Inner pot

Stainless steel

Can be removed



• Content

9 litre(s)

• Temperature range

48 °C to 94 °C

• Heating type

Indirect

• Including

8 soup labels, magnetic adhesion

• Power load

0,4 kW | 230 V | 50/60 Hz

• Size

W 360 x D 330 x H 370 mm

• Weight

3.9 kg

Soup kettle, 10L, black

100048

RRP* 95.- €

GTIN 4015613610702



• Material

Plastic

• Inner pot

Stainless steel

Can be removed



• Content

10 litre(s)

• Temperature range

57 °C to 84 °C

• Heating type

Indirect

• Power load

0,45 kW | 230 V | 50 Hz

• Size

W 330 x D 330 x H 380 mm

• Weight

3 kg

Soup kettle Gourmet, 10L, black

100047

RRP* 159.- €

GTIN 4015613364704



• Material

Plastic

• Inner pot

Chrome-nickel steel

Can be removed



• Content

10 litre(s)

• Temperature range

50 °C to 95 °C

• Heating type

Indirect

• Including

1 soup ladle

• Power load

0,45 kW | 230 V | 50 Hz

• Size

W 390 x D 390 x H 380 mm

• Weight

5.2 kg

Party stockpot, 16L

A150510

RRP* 175.- €

GTIN 4016098101822



• Material

Steel

Enamelled



• Content

16 litre(s)

• Temperature range

30 °C to 90 °C

• Heating type

Direct, without water

• Power load

1,8 kW | 230 V | 50/60 Hz

• Size

W 465 x D 365 x H 370 mm

• Weight

4.7 kg

Foodwarmers



Chocolate warmer 1,25L

900005

RRP* 39,- €

GTIN 4015613669892



be it milk chocolate, dark chocolate or white chocolate - gentle heating of up to 1.25 litres of chocolate without burning.



• Inner pot

Ceramic

Can be removed



• Content
• Designed for

1,25 litre(s)

Milk chocolate

White chocolate

Dark chocolate



• Temperature range

40 °C to 58 °C

• Power load

0,12 kW | 230 V | 50/60 Hz

• Size

W 230 x D 220 x H 200 mm

• Weight

2 kg



Foodwarmer "Mini" 1,25L



• Material
• Inner pot

Aluminium

Ceramic

Can be removed



• Temperature control

3 levels



	Content	Temperature range	Power load	Size	Weight	Code-No.	RRP*	GTIN
Foodwarmer "Mini" 1,25L	1,25 litre(s)	65 °C to 75 °C	0,12 kW 230 V 50/60 Hz	W 230 mm D 220 mm H 200 mm	2.1 kg	A100266	36.- €	4015613610580
Foodwarmer 5,5L	5,5 litre(s)	20 °C to 96 °C	0,28 kW 230 V 50/60 Hz	W 345 mm D 345 mm H 276 mm	5.4 kg	A100155	55.- €	4015613397894
Foodwarmer 6,5L	6,5 litre(s)	20 °C to 96 °C	0,32 kW 230 V 50/60 Hz	W 410 mm D 295 mm H 240 mm	5.7 kg	A100265	59.- €	4015613405346

Chafing dishes



Chafing dish 3,8L 500 E

500835

RRP* 132.- €

GTIN 4015613390857



- Content
- Temperature range

3,8 litre(s)
10 °C to 85 °C



- Including:
- Power load

1 container Ø 300 mm



- Size
- Weight

0,5 kW | 230 V | 50 Hz

W 405 x D 330 x H 220 mm

3.7 kg



Chafing dish 1/1 1000 E

500831

RRP* 229.- €

GTIN 4015613389820



- Content
- Gastronorm
- Depth GN container max.
- Temperature range

13,5 litre(s)
1/1 GN



- Including

100 mm

10 °C to 85 °C



- Power load

1 lid holder

1 GN container

1 kW | 230 V | 50 Hz

- Size

W 623 x D 356 x H 285 mm

- Weight

8.3 kg

Chafing dish 1/1 2200 E

500830

RRP* 179.- €

GTIN 4015613370033



- Content
- Gastronorm
- Depth GN container max.
- Temperature range

13,5 litre(s)
1/1 GN



- Including

100 mm

10 °C to 85 °C



- Power load

1 lid holder

1 GN container

2,2 kW | 230 V | 50 Hz

- Size

W 636 x D 357 x H 287 mm

- Weight

6.2 kg

Hot-pot station 2x4L 2200 E

500840

RRP* 209.- €

GTIN 4015613370040



- Number of pots
- Content, each
- Temperature range
- Lid properties

2

4 litres

10 °C to 85 °C



- Including

Detachable, with handle

Spoon recess

1 lid holder

2 soup ladles



- Power load

2,2 kW | 230 V | 50 Hz

- Size

W 636 x D 357 x H 460 mm

- Weight

7 kg



Chafing dish 1/2 BP

500481

RRP* 54.- €

GTIN 4015613366708



- Gastronorm
- Depth GN container max.
- Number of fuel past containers
- Including
- Size
- Weight

1/2 GN
65 mm
1
1 GN container
W 375 x D 290 x H 320 mm
2.7 kg

Chafing dish 1/1 BP



- Gastronorm
- Number of fuel past containers
- Lid properties
- Including

1/1 GN
2
Detachable, with handle
One-sided lid holder
1 GN container

500494



500486



	Depth GN container max.	Size	Weight	Code-No.	RRP*	GTIN
Chafing dish 1/1 BP	65 mm	W 610 x D 350 x H 320 mm	4.3 kg	500482	72.- €	4015613366715
Chafing dish set 1/1 BP	65 mm	W 610 x D 355 x H 300 mm	8.6 kg	500486	125.- €	4015613439617
Chafing dish 1/1 BP XL	100 mm	W 605 x D 350 x H 305 mm	4.1 kg	500494	85.- €	4015613536903

Chafing dish 1/1 BP "Rolltop"

500458

RRP* 209.- €

GTIN 4015613412771



- Gastronorm
- Depth GN container max.
- Number of fuel past containers
- Material handle(s)
- Lid properties
- Including
- Size
- Weight

1/1 GN
65 mm
2
Plastic, wooden trim
Roll-top
1 GN container
W 620 x D 350 x H 430 mm
8 kg

Component parts

Electric heater CD 1/1 BP

- Material: Stainless steel
- Diameter: 130 mm
- Overheating protection: Yes
- Power load: 0,45 kW | 230 V | 50/60 Hz
- Size: W 130 x D 140 x H 100 mm
- Weight: 1.2 kg
- GTIN: 4015613410166



500464

RRP* 48.- €

Rolltop cover CD 1/1 E

- Material: Chrome-nickel steel
- Designed for: Electric Chafing dishes
- Size: W 525 x D 330 x H 165 mm
- Weight: 3.6 kg
- GTIN: 4015613433479



500833

RRP* 87.- €

Rolltop cover CD 1/1 BP

- Material: Chrome-nickel steel
- Designed for: Chafing dishes with fuel paste
- Size: W 535 x D 365 x H 170 mm
- Weight: 3 kg
- GTIN: 4015613412788



500459

RRP* 95.- €

Chafing fuels



Eco-Fire chafing fuel 180g DS

500663

RRP* 69.- €

GTIN 4015613815817



- | | |
|--------------------------------|-----------------------|
| • Content / can | 180 g |
| • Burning duration/can approx. | 2,2 hours |
| • Size | W 85 x D 85 x H 55 mm |
| • Weight | 0.23 kg |
| • Order quantity unit | 1 box of 48 cans |
| • Minimum order quantity | 4 boxes |

Chafing fuel Bartscher 200g DS

500060

RRP* 109.- €

GTIN 4015613467733



- | | |
|--------------------------------|-----------------------|
| • Content / can | 200 g |
| • Burning duration/can approx. | 3.5 hours |
| • Size | W 85 x D 85 x H 55 mm |
| • Weight | 0.2 kg |
| • Order quantity unit | 1 box of 72 cans |
| • Minimum order quantity | 2 boxes |



Chafing dish 6.2L Flexible

500846

RRP* 375.- €

GTIN 4015613721101



- Content 6,2 litre(s)
- Diameter inner container 390 mm
- Heating type External, via level induction or glass ceramic installed hob
- Lid properties With window
Soft-Close mechanism (hydraulic lid hinge)
Detachable, with handle
- Including 1 container, Ø 390 mm, 65 mm deep, Stainless steel
- Important information An external hob is required to use the device
- Size W 435 x D 472 x H 185 mm
- Weight 5.4 kg

Chafing dish 2/3 Flexible



- Depth GN container max. 65 mm
- Heating type External, via level induction or glass ceramic installed hob
- Lid properties With window
Soft-Close mechanism (hydraulic lid hinge)
Detachable, with handle
- Properties Heat control via external hob
Lift-up device for GN containers
- Including 1 GN container, 65 mm deep, Stainless steel
- Important information An external hob is required to use the device

	Content	Gastronorm	Size	Weight	Code-No.	RRP*	GTIN
Chafing dish 2/3 Flexible	5,2 litre(s)	2/3 GN	W 400 x D 418 x H 195 mm	5.5 kg	500847	375.- €	4015613721118
Chafing dish 1/1 Flexible	8,5 litre(s)	1/1 GN	W 580 x D 420 x H 205 mm	7 kg	500507	459.- €	4015613696003



- ▶ For an induction or glass ceramic hob
- ▶ Possible heat control via the external built-in hob



- ▶ Soft-close mechanism
- ▶ Removable lid with window



- ▶ Lift-up device
- ▶ Easy removal of GN container



- ▶ We recommend using this unit in combination with the induction warming plates
IW3-EBBF - Code-No. 105864
IW10-EBBF - Code-No. 105996
IW10-EB - Code-No. 114367
IW3 - Code-No. 105865
IW10 - Code-No. 114366
induction warming system
IWS650 - Code-No. 105866
induction cooker
IK 35-EB - Code-No. 105829

Hot displays



Hot display R4 4 x 1/3 GN



Small but fine: Space saving glass display unit for displaying and presenting hot meals.



• Depth GN container max.

40 mm

• Safety glass

Yes



• Temperature range

30 °C to 90 °C

• Heating type

Dry heated

• Water bowl for air humidification

No

• Type of door

Sliding door(s)

• Position of the door

Reverse

• Including

GN containers



	Content	Capacity GN	Power load	Size	Weight	Code-No.	RRP*	GTIN
R4 4 x 1/3 GN	46 litre(s)	4 x 1/3 GN	0,5 kW 230 V 50 Hz	W 775 mm D 420 mm H 335 mm	16.2 kg	305058	539.- €	4015613681818
R6 6 x 1/3 GN	68 litre(s)	6 x 1/3 GN	0,8 kW 230 V 50 Hz	W 1,135 mm D 420 mm H 335 mm	24.7 kg	305059	649.- €	4015613681825

Hot display unit 1/1 GN THM

A203195

RRP* 1,949.- €

GTIN 4015613779935



With the thermo hygrometer, the top-mounted display case is perfect for serving meat products at meat counters, in canteens and snack bars as well as petrol stations. Because the upper and lower heat can be controlled separately, the heat supply can be adjusted as needed.



• Material

CNS 18/10

• Temperature range

Plexiglas

• Heating type

30 °C to 70 °C

• Water bowl for air humidification

Upper / lower heat

• Type of door

Yes

• Position of the door

Lifting door

• Properties

Reverse

• Including

Upper / lower heat can be switched separately

Thermo-hygrometer

1 GN container 1/1 GN

1 water bowl for air humidification

• Power load

0,84 kW | 230 V | 50 Hz

• Size

W 610 x D 410 x H 395 mm

• Weight

20.8 kg

Hot display 5200 2ER



-  • Number of intermediate shelves 1
-  • Height-adjustable intermediate shelves No
-  • Safety glass Yes
-  • Temperature range 30 °C to 90 °C
-  • Heating type Dry heated
-  • Water bowl for air humidification Yes
-  • Type of door Lifting door



- ▶ Table top unit that can be used from both sides with practical lifting doors
- ▶ LED lighting

	Content	Front pane	Position of the door	Power load	Size	Weight	Code-No.	RRP*	GTIN
5200 2ER	45 litre(s)	Rounded	Reverse	0,8 kW 230 V 50 Hz	W 560 mm D 395 mm H 365 mm	14.8 kg	305062	459.- €	4015613698885
6200 2EK	80 litre(s)	Turned-down edges	On both sides	1 kW 230 V 50 Hz	W 700 mm D 430 mm H 365 mm	17.4 kg	305063	549.- €	4015613698892

Hot display 5900 2ER

305064

RRP* 798.- €

GTIN 4015613711263



 With the hot display unit, food can be kept warm on two levels to save space. Lamps for illuminating the shelves, as well as a mirror mounted on the back ensure an appealing presentation of the food.

-  • Content 104 litre(s)
-  • Number of intermediate shelves 1
-  • Height-adjustable intermediate shelves No
-  • Temperature range 30 °C to 70 °C
-  • Heating type Upper / lower heat
-  • Water bowl for air humidification No
-  • Lighting Lid
-  • Properties Upper storage space is heated as well by the radiant heater of the lower level
Top heat of the upper level can be controlled separately
- Power load 0,56 kW | 230 V | 50 Hz
- Size W 630 x D 465 x H 655 mm
- Weight 27.6 kg

Bartscher DeliCompact hot display unit

306057

RRP* 669.- €

GTIN 4015613535500



-  • Material Steel plate
-  • Content 52 litre(s)
-  • Number of intermediate shelves 2
-  • Height-adjustable intermediate shelves Yes
-  • Safety glass Yes
-  • Temperature range 30 °C to 110 °C
-  • Heating type Water heated
-  • Water bowl for air humidification Yes
-  • Type of door Leaf door(s)
-  • Position of the door Reverse
-  • Interior lighting Yes
-  • Including 1 shelf
1 removable water tray (1/9 GN, 65 mm deep)
1 water filling container
- Power load 1,2 kW | 230 V | 50 Hz
- Size W 390 x D 445 x H 665 mm
- Weight 24.4 kg

Hot display unit, "Bartscher Deli I"



• Material

Steel
Painted
Chrome-plated



• Number of intermediate shelves

3

• Height-adjustable intermediate shelves

Yes

• Safety glass

Yes

• Temperature range

30 °C to 90 °C

• Heating type

Dry heated

• Water bowl for air humidification

Yes

• Type of door

Sliding door(s)

• Position of the door

On both sides

• Interior lighting

Yes

	Content	Power load	Size	Weight	Code-No.	RRP*	GTIN
Bartscher Deli I	110 litre(s)	1,84 kW 230 V 50 Hz	W 660 mm D 470 mm H 640 mm	35 kg	306053	619.- €	4015613437743
Bartscher Deli II	152 litre(s)	1,84 kW 230 V 50 Hz	W 900 mm D 480 mm H 590 mm	52 kg	306054	819.- €	4015613437750
Bartscher Deli III	373 litre(s)	2,2 kW 230 V 50 Hz	W 1,200 mm D 480 mm H 790 mm	76 kg	306055	1,149.- €	4015613437767

Hot display unit "Bartscher Deli Plus I"



• Number of intermediate shelves

3

• Height-adjustable intermediate shelves

No

• Safety glass

Yes

• Temperature range

30 °C to 90 °C

• Heating type

Dry heated

• Water bowl for air humidification

Yes

• Type of door

Sliding door(s)

• Lighting

LED

Lid

Can be switched separately



	Content	Position of the door	Power load	Size	Weight	Code-No.	RRP*	GTIN
Bartscher "Deli Plus I"	120 litre(s)	Reverse	1,1 kW 230 V 50 Hz	W 690 mm D 600 mm H 670 mm	36.2 kg	305053	789.- €	4015613503035
Bartscher DeliPlus I-D	120 litre(s)	On both sides	1,1 kW 230 V 50 Hz	W 690 mm D 590 mm H 685 mm	36 kg	305055	839.- €	4015613525839
Bartscher DeliPlus II	160 litre(s)	Reverse	1,5 kW 230 V 50 Hz	W 870 mm D 585 mm H 685 mm	42.8 kg	305054	919.- €	4015613503042

Buffet trolleys, hot



Buffet trolley Kids W4110-150U



The mobile buffet solution for children – because they, too, love looking at food and like to make their own choice of perfectly heated dishes.



- Material
 - Laminated wood
 - Stainless steel
 - Plastic
- Number of tanks 1
- Basin size, GN format 4 x 1/1 GN
- Depth GN container max. 150 mm
- Temperature range 30 °C to 90 °C
- Drain cock Yes
- Germ guard Yes
- Lighting
 - Infrared heat lamps
 - Can be switched separately
- Swivel casters 5 swivel casters, 2 with brake
- Properties
 - Stainless steel sink
 - Rounded corners
- Including 4 bars: Length 528 mm, width 30 mm
- Not included in delivery GN containers
- Delivery state Permanently mounted
- Power load 2,1 kW | 230 V | 50 Hz
- Size W 1,425 x D 1,160 x H 1,200 mm
- Weight 96 kg



- ▶ Mobile buffet solution for children
- ▶ Serving height: 700 mm



- ▶ With tray slide
- ▶ Hinged
- ▶ Dimensions: W 1,460 x D 250 mm



- ▶ Colour Wenge



- ▶ Colour Anthracite

	Colour	Code-No.	RRP*	GTIN
Buffet trolley Kids W4110-150U	Elm	125631	4,249.- €	4015613758305
Buffet trolley Kids W4110-150W	Wenge	125631V1	4,249.- €	4015613773032
Buffet trolley Kids W4110-150A	Anthracite	125631V2	4,249.- €	4015613773049

Buffet trolley W3110-200U



The mobile buffet solution with a modern wooden design – this buffet cart has germ protection and LED lighting. It is designed for 3 - 4 GN containers GN 1/1 and uses the bain-marie principle to keep buffet dishes warm and to retain their quality and appeal.

- Material
 - Laminated wood
 - Stainless steel
 - Plastic
- Number of tanks: 1
- Depth GN container max.: 200 mm
- Temperature range: 30 °C to 90 °C
- Drain cock: Yes
- Germ guard: Yes
- Lighting: LED
 - Can be switched separately
- Swivel casters: 2 with brake
- Properties: Stainless steel sink
- Including: Bars: Length 528 mm, width 30 mm
- Not included in delivery: GN containers
- Delivery state: Permanently mounted



▶ 4 x 1/1 GN



▶ With tray slide
▶ Hinged



▶ Colour Wenge



▶ Colour Anthracite

	Colour	Basin size, GN format	Including	Power load	Size	Weight	Code-No.	RRP*	GTIN
W3110-200U	Elm	3 x 1/1 GN	3 bars	2,262 kW 230 V 50 Hz	W 1,170 mm D 1,250 mm H 1,510 mm	110.6 kg	125633	5,498.- €	4015613758558
W3110-200W	Wenge	3 x 1/1 GN	3 bars:	2,262 kW 230 V 50 Hz	W 1,170 mm D 1,250 mm H 1,510 mm	110.6 kg	125633V1	5,498.- €	4015613773056
W3110-200A	Anthracite	3 x 1/1 GN	3 bars	2,262 kW 230 V 50 Hz	W 1,170 mm D 1,250 mm H 1,510 mm	110.6 kg	125633V2	5,498.- €	4015613773063
W4110-200U	Elm	4 x 1/1 GN	4 bars	3,016 kW 230 V 50 Hz	W 1,495 mm D 1,250 mm H 1,520 mm	133.54 kg	125634	6,298.- €	4015613757803
W4110-200W	Wenge	4 x 1/1 GN	4 bars	3,016 kW 230 V 50 Hz	W 1,495 mm D 1,250 mm H 1,520 mm	133.54 kg	125634V1	6,298.- €	4015613773070
W4110-200A	Anthracite	4 x 1/1 GN	4 bars	3,016 kW 230 V 50 Hz	W 1,495 mm D 1,250 mm H 1,520 mm	133.54 kg	125634V2	6,298.- €	4015613773087



Buffet trolley, hot, 3x 1/1GN



"Hot food" perfectly presented.

The buffet cart is optimally equipped with integrated lighting, sneeze guard with shelf function and wheels for convenient transport.

- Material: Wood
 - Colour: Teak
 - Depth GN container max.: 150 mm
 - Temperature range: 30 °C to 90 °C
 - Drain cock: Yes
 - Germ guard: Yes
 - Lighting: On the germ guard
 - Swivel casters: 4 swivel casters, 2 with brake
 - Properties: Work surface made of Granit Rosa Porrino
Stainless steel sink
GN containers
Building kit (simple assembly)
- Not included in delivery
- Delivery state



4x 1/1GN



6x 1/1GN

► Important information:
2 separate sockets required

	Number of tanks	Basin size, GN format	Power load	Size	Weight	Code-No.	RRP*	GTIN
3x 1/1GN	1	3 x 1/1 GN	2 kW 230 V 50/60 Hz	W 1,200 mm D 880 mm H 1,370 mm	112 kg	125614	2,398.- €	4015613745381
4x 1/1GN	1	4 x 1/1 GN	3 kW 230 V 50/60 Hz	W 1,490 mm D 880 mm H 1,370 mm	136 kg	125628	2,649.- €	4015613745374
6x 1/1GN	2	6 x 1/1 GN	4 kW 230 V 50/60 Hz	W 2,150 mm D 880 mm H 1,370 mm	184 kg	125624	3,498.- €	4015613745398

Component parts

Tray slide, 1 piece, 3x 1/1 GN

- Material: Stainless steel
- Size: W 1,180 x D 380 x H 115 mm
- Weight: 3.1 kg
- GTIN: 4015613570815



125502

RRP* 349.- €

Tray slide, 1 piece, 4x 1/1 GN

- Material: Stainless steel
- Size: W 1,500 x D 310 x H 120 mm
- Weight: 4 kg
- GTIN: 4015613570846

125503

RRP* 398.- €



Tray slide, 1 piece, 6x 1/1 GN

- Material: Stainless steel
- Size: W 2,100 x D 310 x H 120 mm
- Weight: 5.9 kg
- GTIN: 4015613570860

125504

RRP* 629.- €

Food service carts



Food service cart, 2 x 1/1 GN,dry-heat.



• Heating type

Dry heated

• Number of tanks

1



• Depth GN container max.

200 mm

• Double-walled basin

Yes



• Temperature range

30 °C to 90 °C

• Swivel casters

4 swivel casters, 2 with brake



• Not included in delivery

GN containers

• Delivery state

Building kit (simple assembly)

Basin size,
GN format

Power load

Size

Weight

Code-No.

RRP*

GTIN

	Basin size, GN format	Power load	Size	Weight	Code-No.	RRP*	GTIN
Food service cart, 2 x 1/1 GN,dry-heat.	2 x 1/1 GN	1 kW 230 V 50 Hz	W 650 mm D 820 mm H 855 mm	32 kg	200254	1,219.- €	4015613505312
Food service cart, 3x1/1GN,dry-heat.	3 x 1/1 GN	2 kW 230 V 50 Hz	W 650 mm D 1,200 mm H 855 mm	41 kg	200255	1,498.- €	4015613505329

Food service cart WB2110



• Heating type

Water heated

• Depth GN container max.

200 mm



• Temperature range

30 °C to 90 °C

• Heating zones can be controlled separately

Yes



• Water drain tap

Yes

• Swivel casters

4 swivel casters, 2 with brake

• Not included in delivery

GN containers

• Delivery state

Permanently mounted



- ▶ Water heated
- ▶ Heating zones can be controlled separately



- ▶ Water drain tap

Number
of tanks

Basin size,
GN format

Power load

Size

Weight

Code-No.

RRP*

GTIN

	Number of tanks	Basin size, GN format	Power load	Size	Weight	Code-No.	RRP*	GTIN
WB2110	2	2 x 1/1 GN	1,4 kW 230 V 50-60 Hz	W 655 mm D 900 mm H 910 mm	38.8 kg	200261	1,398.- €	4015613671789
WB3110	3	3 x 1/1 GN	2,1 kW 230 V 50-60 Hz	W 655 mm D 1,300 mm H 910 mm	54 kg	200262	1,779.- €	4015613671802

Heat lamps



Heat lamp IWL250D SI



- Material: Steel, Painted
- Heat source type: Infrared lamp(s)
- Lamp holder: E27
- Connection cable model: Spiral cable, Cable length: 650 mm to 1600 mm, Pendulum stroke system, Ventilated steel reflector
- Properties: 1 infrared lamp (Philips Incandescent), colour of glass: Clear
- Including: Electric connection material
- Power load: 0,25 kW | 230 V | 50 Hz
- Size: W 230 x D 230 x H 250 mm

	Colour	Weight	Code-No.	RRP*	GTIN
Heat lamp IWL250D SI	Silver, Matt	1.04 kg	114278	125.- €	4015613715933
Heat lamp IWL250D SW	Black, Matt	1.04 kg	114273	125.- €	4015613712703
Heat lamp IWL250D CHR	Silver, High-shine	0.95 kg	114279	149.- €	4015613739274
Heat lamp IWL250D KU	Copper, High-shine	1.04 kg	114274	149.- €	4015613712727
Heat lamp IWL250D GO	Gold, High-shine	1.04 kg	114275	149.- €	4015613712734

Component parts

Infrared lamp IWL250D

- Model: Infrared, Philips Incandescent 230-250 V BR125
- Fitting: E27
- Power load: 0,25 kW | 230 V | 50 Hz
- Size: W 125 x D 125 x H 180 mm
- Weight: 0.12 kg
- GTIN: 4015613692562

114271

RRP* 18.- €



Infrared lamp IWL250D-W

- Model: Infrared, Philips Incandescent 230-250 V BR125, Glass colour: Clear
- Fitting: E27
- Power load: 0,25 kW | 230 V | 50 Hz
- Size: W 125 x D 125 x H 173 mm
- Weight: 0.1 kg
- GTIN: 4015613715131

114277

RRP* 18.- €



Heat lamp IWL250ST

114270

RRP* 205.- €

GTIN 4015613686417



- Model: Table-top unit, Flexible lamp arm
- Heat source type: Infrared lamp(s)
- Lamp holder: E27
- Connection cable model: Cable length: 1,3 m
- Properties: Clear height: Variable (max. 520 mm), Ventilated steel reflector
- Including: 1 infrared lamp (Philips IR250), colour of glass: Clear
- Power load: 0,25 kW | 230 V | 50/60 Hz
- Size: W 200 x D 250 x H 700 mm
- Weight: 6.1 kg

Food warmers



Food warmer I2WL552 1/1



- Material

Aluminium



- Depth GN container max.

65 mm



- Heat source type

Infrared lamp(s)

- Power per heat source

0,275 kW

- Heat sources can be switched separately

No

- Important information

Delivery without GN containers

- Delivery state

Building kit (simple assembly)



	Basin size, GN format	Number of heat sources	Temperature range to	Power load	Size	Weight	Code-No.	RRP*	GTIN
I2WL552 1/1	1/1 GN	2	70 °C	0,55 kW 230 V 50 Hz	W 620 mm D 425 mm H 358 mm	1.6 kg	114282	139.- €	4015613779874
I3WL820 2/1 GN	2/1 GN	3	58 °C	0,825 kW 230 V 50 Hz	W 810 mm D 340 mm H 610 mm	2.1 kg	114267	145.- €	4015613676326

Component parts

Infrared lamp IWL250D-WS

- Fitting: E27
- Power load: 0,25 kW | 230 V | 50 Hz
- Size: W 120 x D 120 x H 142 mm
- Weight: 0.1 kg
- GTIN: 4015613717135



114258

RRP* 10.50 €

Food warmer 1HR1000 1/1

A114001

RRP* 275.- €

GTIN 4015613432526



- Basin size, GN format

1/1 GN



- Depth GN container max.

50 mm



- Heat source type

Infrared heated tube(s)

- Number of heated tubes

1

- Output per heated tube

0,9 kW

- Temperature range

22 °C to 53 °C

- Including

1 GN container 1/1 GN, 65 mm deep, stainless steel

1 perforate metal sheet

- Power load

1 kW | 230 V | 50 Hz

- Size

W 335 x D 570 x H 505 mm

- Weight

8.3 kg

Food warmer I1WL400



- Surface material warming plate
- Heat source type
- Power per heat source
- Temperature range
- Heat sources can be switched separately
- Germ guard

Glass ceramic
Infrared lamp(s)
0,25 kW
30 °C to 85 °C
Yes
Yes



- ▶ 2 infrared lamps, can be controlled separately
- ▶ 2 Glass-ceramic hotplates, can be controlled separately

	Number of heating zones	Number of heat sources	Clear height	Power load	Size	Weight	Code-No.	RRP*	GTIN
I1WL400	1	1	230 mm	0,4 kW 230 V 50-60 Hz	W 380 mm D 555 mm H 560 mm	7.5 kg	114263	279.- €	4015613655376
I2WL800	2	2	300 mm	0,8 kW 230 V 50-60 Hz	W 740 mm D 565 mm H 570 mm	14 kg	114272	459.- €	4015613692272

Food warmer TR I2WL950



- Number of heating zones
- Heat source type
- Temperature range
- Heat sources can be switched separately
- Germ guard
- Clear height

1
Infrared lamp(s)
30 °C to 90 °C
Yes
Yes
490 mm



	Number of heat sources	Power load	Size	Weight	Code-No.	RRP*	GTIN
TR I2WL950	2	0,95 kW 230 V 50 Hz	W 850 x D 650 x H 800 mm	19 kg	A114245	879.- €	4015613389684
TR I3WL1350	3	1,35 kW 230 V 50 Hz	W 1,270 x D 650 x H 800 mm	28 kg	A114250	1,139.- €	4015613389691

Component parts

Infrared lamp IWL250D-W

- Model: Infrared, Philips Incandescent 230-250 V BR125, Glass colour: Clear
- Fitting: E27
- Power load: 0,25 kW | 230 V | 50 Hz
- Size: W 125 x D 125 x H 173 mm
- Weight: 0.1 kg
- GTIN: 4015613715131



114277

RRP* 18.- €

Infrared lamp IWL250D

- Model: Infrared, Philips Incandescent 230-250 V BR125
- Fitting: E27
- Power load: 0,25 kW | 230 V | 50 Hz
- Size: W 125 x D 125 x H 180 mm
- Weight: 0.12 kg
- GTIN: 4015613692562



114271

RRP* 18.- €

Food warmer IHR650



Infrared thermal bridge - variable, as stand-alone unit or suspended to ceiling

- Heat source type
- Number of heated tubes
- Design
- Clear height
- Properties
- Not included in delivery
- Power load

Infrared heated tube(s)
1
Can be mounted
360 mm
Prepared for the assembly of feet or a chain
Feet, chain
230 V | 50/60 Hz



► Prepared for the assembly of feet or a chain



	Output per heated tube	Power load	Size	Weight	Code-No.	RRP*	GTIN
IHR650	0,65 kW	0,65 kW	W 760 x D 225 x H 65 mm	2.8 kg	114001	249.- €	4015613451749
IHR800	0,8 kW	0,8 kW	W 920 x D 225 x H 65 mm	3.3 kg	114002	269.- €	4015613452142
IHR950	0,95 kW	0,95 kW	W 1,070 x D 225 x H 65 mm	3.6 kg	114003	289.- €	4015613452159
IHR1100	1,1 kW	1,1 kW	W 1,220 x D 225 x H 65 mm	4 kg	114005	319.- €	4015613466538
IHR1250	1,25 kW	1,25 kW	W 1,370 x D 225 x H 65 mm	4.3 kg	114004	339.- €	4015613452166
IHR1730	1,73 kW	1,73 kW	W 1,830 x D 225 x H 65 mm	5.6 kg	114006	398.- €	4015613466545

Component parts

Food warmer feet, pair

- Size: W 270 x D 25 x H 425 mm
- Weight: 0.72 kg
- GTIN: 4015613452258



114000

RRP* 89.- €

Food warmer WBS800 I1HR



- Heat source type
- Output per heated tube
- Clear height
- Properties
- Power load

Infrared heated tube(s)
0,2 kW
290 mm
30 - 40 mm edges turned down all-round
Setting feet in square tubing 25 x 25 mm
230 V | 50/60 Hz

	Number of heated tubes	Power load	Size	Weight	Code-No.	RRP*	GTIN
WBS800 I1HR	1	0,2 kW	W 800 x D 300 x H 400 mm	8 kg	112081	679.- €	4015613656311
WBS1000 I2HR	2	0,4 kW	W 1,000 x D 300 x H 400 mm	9 kg	112101	719.- €	4015613656328
WBS1200 I3HR	3	0,6 kW	W 1,200 x D 300 x H 400 mm	11 kg	112122	849.- €	4015613656335
WBS1400 I3HR	3	0,6 kW	W 1,400 x D 300 x H 400 mm	12 kg	112141	879.- €	4015613650197
WBS1600 I3HR	3	0,6 kW	W 1,600 x D 300 x H 400 mm	14 kg	112161	898.- €	4015613656342
WBS1800 I4HR	4	0,8 kW	W 1,800 x D 300 x H 400 mm	17.4 kg	112181	1,049.- €	4015613656359
WBS2000 I4HR	4	0,8 kW	W 2,000 x D 300 x H 400 mm	18 kg	112201	1,098.- €	4015613656366

Warming tray WP1200

A114365

RRP* 65.- €

GTIN 4015613687254



- Size utility space
- Heat-up time
- Warm-keeping type max.
- Overheating protection
- Properties

W 600 x D 200 mm
 7 minutes (100 °C)
 37 min.
 Yes
 Warming plate is automatically heated to maximum 100°C when connected to the power supply
 Cable set can be detached
 1,2 kW | 230 V | 50/60 Hz
 W 730 x D 215 x H 62 mm
 4 kg

- Power load
- Size
- Weight

Warming plate WP150 1/1



- Material warming plate
- Temperature range
- Overheating protection
- Not included in delivery

Glass
 30 °C to 95 °C
 Yes
 GN containers

	Gastronorm	Power load	Size	Weight	Code-No.	RRP*	GTIN
WP150 1/1	1/1 GN	0,15 kW 230 V 50/60 Hz	W 570 x D 335 x H 40 mm	3.4 kg	114356	159.- €	4015613416755
WP300 2/1	2/1 GN	0,3 kW 230 V 50/60 Hz	W 670 x D 550 x H 40 mm	5.9 kg	114357	219.- €	4015613416762

Warming plate WP230S-EB 1/1

114371

RRP* 109.- €

GTIN 4015613783468



- Material warming plate
- Gastronorm
- Size utility space
- Temperature range
- Temperature control

SCHOTT CERAN®
 1/1 GN
 W 520 x D 270 mm
 50 °C to 95 °C
 3 levels
 50 °C | 70 °C | 95 °C
 Yes
 GN containers
 0,23 kW | 230 V | 50-60 Hz
 W 545 x D 340 x H 45 mm
 2.8 kg

- Can be installed
- Not included in delivery
- Power load
- Size
- Weight



- ▶ Installable warming plate
- ▶ Can also be used as a table-top unit



- ▶ Temperature control in 3 levels
- ▶ 50 °C, 70 °C und 95 °C

Warming plate WP250



- Temperature range
- Overheating protection

35 °C to 95 °C
 Yes

	Power load	Size	Weight	Code-No.	RRP*	GTIN
WP250	0,25 kW 230 V 50/60 Hz	W 500 x D 375 x H 64 mm	5 kg	114360	159.- €	4015613504957
WP450	0,45 kW 230 V 50/60 Hz	W 900 x D 450 x H 64 mm	13.2 kg	114361	229.- €	4015613504964
WP600	0,6 kW 230 V 50/60 Hz	W 1,000 x D 500 x H 64 mm	16 kg	114362	279.- €	4015613504971

Induction warming plates



Induction warming plate IW3



The design of this hot plate makes every buffet look more appealing. The practical solution of connecting and switching 4 appliances with the optionally available cable in one circuit also ensures a uniform, high-quality look when serving food.

- Material: Steel
- Material hob: Glass
- Size ceramic surface: W 390 x D 390 mm
- Output max.: 300 W
- Number of temperature levels: 12
- Temperature range: 40 °C to 95 °C
- Intervals temperature setting: 5 °C
- Overheating protection: Yes
- Combinability: 4 appliances can be switched in sequence in 1 power circuit
- Power load: 0,3 kW | 230 V | 50-60 Hz
- Size: W 395 x D 395 x H 98 mm
- Weight: 5.6 kg



	Colour	Code-No.	RRP*	GTIN
IW3	Black Silver	105865	1,219.- €	4015613746838
IW3-SW	Black	105867	1,298.- €	4015613773117

Induction warming plate IW10

114366

RRP* 169.- €

GTIN 4015613714806



Whether for buffets, in front cooking areas, or for catering events, culinary creations can be kept warm easily in induction-compatible pots, pans, and chafing dishes.

- Material hob: Glass
- Size ceramic surface: W 460 x D 315 mm
- Output max.: 1000 W
- Number of temperature levels: 11
- Temperature range: 50 °C to 100 °C
- Intervals temperature setting: 5 °C
- Overheating protection: Yes
- Properties: Handles, on side
Acoustic signal for missing cookware
- Power load: 1 kW | 230 V | 50 Hz
- Size: W 530 x D 340 x H 65 mm
- Weight: 5.77 kg

Induction warming plate IW3-EBBF

105864

RRP* 1,198.- €

GTIN 4015613746821



The warming plate as a built-in variant with its simple look is the ideal solution for any form of food serving. For a uniform look, 4 devices can be connected and switched in one power circuit with the optionally available cable.

- Material Steel
- Material hob Glass
- Warming station diameter 195 mm
- Output max. 300 W
- Number of temperature levels 12
- Temperature range 40 °C to 95 °C
- Intervals temperature setting 5 °C
- Overheating protection Yes
- Can be installed Yes
- Control panel Separate
- Combinability Cable length: 0,65 m
4 appliances can be switched in sequence in 1 power circuit
- Important information Cannot be used as a tabletop appliance
- Power load 0,3 kW | 230 V | 50 Hz
- Size W 280 x D 280 x H 95 mm
- Weight 4.2 kg

Induction warming plate IW10-EB

114367

RRP* 189.- €

GTIN 4015613715704



The simple operation, the exact temperature setting from 40°C to 100°C as well as the large warming station create optimal conditions during preparation, at the food counter and at the buffet - whether with round or square crockery.

- Material hob Glass
- Size cerane surface W 455 x D 310 mm
- Output max. 1000 W
- Number of temperature levels 13
- Temperature range 40 °C to 100 °C
- Intervals temperature setting 5 °C
- Overheating protection Yes
- Can be installed Yes
- Combinability 3 appliances can be switched in sequence in 1 power circuit
- Properties Can also be used as a table-top unit
- Power load 1 kW | 230 V | 50 Hz
- Size W 490 x D 345 x H 67 mm
- Weight 5.4 kg

Induction warming plate IW10-EBBF

105996

RRP* 225.- €

GTIN 4015613715421



Thanks to the separate control panel, the built-in warming plate is ideally suited for needs-based use for keeping food warm. The simple operation and the exact temperature setting from 50°C to 100°C make it ideal for hot buffets.

- Material hob Glass
- Warming station diameter 280 mm
- Output max. 1000 W
- Number of temperature levels 6
- Temperature range 50 °C to 100 °C
- Intervals temperature setting 10 °C
- Overheating protection Yes
- Can be installed Yes
- Control panel Separate
- Combinability Cable length: 0,75 m
3 appliances can be switched in sequence in 1 power circuit
- Properties Can also be used as a table-top unit
- Power load 1 kW | 230 V | 50 Hz
- Size W 320 x D 370 x H 80 mm
- Weight 3.5 kg

Component parts

Connection cable IW3

- Length cable: 1,55 m
- Designed for:
Induction warming plate IW3
Induction warming plate IW3-EBBF
Induction warming plate IW3-SW
- Size: W 225 x D 340 x H 20 mm
- Weight: 0.17 kg
- GTIN: 4015613809670



105868

RRP* 59.- €



Induction warming system IWS650

105866

RRP* 2,449.- €

GTIN 4015613812687



With the "invisible" induction warming system, the worktop can be used either as a warming area or work surface. Installed under a worktop, the impressive technology allows the chafing dish to be heated up to 100 °C while the worktop temperature reaches a maximum of 35 °C.

- Output max. 650 W
- Maximum worktop temperature 35 °C
- Suitable worktop material
Glass
Ceramic
Marble
Quartz
Stone
- Suitable worktop thickness 4 - 20 mm
- Number of output levels 20
- Temperature range induction warming system to 55 °C
- Temperature range chafing dish Up to 100 °C
- Overheating protection Yes
- Control panel
Cable length: 2 m
Separate
- Suitable worktop material
1/1 GN
2/3 GN
Round up to 40 cm
Washable air filter
- Properties
1 spacer
- Including
0,65 kW | 230 V | 50 Hz
- Power load
W 390 x D 390 x H 96 mm
- Size
10 kg
- Weight



- ▶ Induction warming system for more flexibility
- ▶ Installation below the worktop
- ▶ Worktop can be used either as a warming station or work surface



- ▶ Temperature range induction warming system: up to 55 °C
- ▶ Temperature range chafing dish: up to 100 °C



- ▶ Spacer
- ▶ For optimal heat transfer without heating the work surface
- ▶ Maximum worktop temperature: 35 °C



Plate warmer T12

A120814

RRP* 103.- €

GTIN 4015613687285



- Capacity plates
- Diameter plates max.

12
280 mm



- Temperature range to
- Power load

65 °C
0,3 kW | 230 V | 50 Hz



- Size
- Weight

W 320 x D 250 x H 105 mm
2.9 kg

Plate warmer f. 30-40 plates, SS

103069

RRP* 698.- €

GTIN 4015613475592



- Capacity plates
- Diameter plates max.

30 - 40
320 mm



- Temperature range
- Type of door

30 °C to 80 °C
Rotating door



- Power load
- Size

0,6 kW | 230 V | 50 Hz
W 465 x D 465 x H 565 mm

- Weight

22.4 kg

Plate dispenser 2x50 plates 2,0kW

103065

RRP* 1,659.- €

GTIN 4015613437774



- Diameter plates max.
- Capacity plates

300 mm
2 x 50



- Number of warming plates
- Temperature range

Max. 2 x 32 kg
2



- Swivel casters
- Including

30 °C to 110 °C
4 swivel casters, 2 with brake

- Power load
- Size

2 kW | 230 V | 50 Hz
W 435 x D 820 x H 1,025 mm

- Weight

54 kg

Hot cupboard, 1D, 25-30 plates



- Diameter plates max.
- Temperature range

320 mm
30 °C to 85 °C



- Type of door
- Door hinge side can be changed

Leaf door(s)
No



- Number of intermediate shelves
- Height-adjustable immediate shelves

1
Yes



	Capacity plates	Number of doors	Power load	Size	Weight	Code-No.	RRP*	GTIN
Hot cupboard, 1D, 25-30 plates	25 - 30	1	0,4 kW 230 V 50 Hz	W 400 mm D 460 mm H 550 mm	21.2 kg	103064	389.- €	4015613405704
Hot cupboard, 1D, 55-60 plates	55 - 60	1	0,75 kW 230 V 50 Hz	W 450 mm D 495 mm H 855 mm	32.2 kg	103063	479.- €	4015613398594
Hot cupboard, 2D, 110-120 plates	110 - 120	2	1,2 kW 230 V 50 Hz	W 750 mm D 495 mm H 855 mm	46 kg	103122	798.- €	4015613398600

Cup warmer T160

103048

RRP* 129.- €

GTIN 4015613672250



• Material

Aluminium



• Capacity cups max.

Plastic

16

• Diameter cups max.

90 mm

• Size Cupholder

Ø 95 mm | Height: 300 mm

• Temperature range

47 °C to 52 °C

• Power load

0,11 kW | 230 V | 50/60 Hz

• Size

W 290 x D 210 x H 350 mm

• Weight

2.2 kg

Cups warmer 48 cups, SS

103067

RRP* 419.- €

GTIN 4015613469218



• Material

Aluminium



• Capacity cups max.

48

• Diameter cups max.

90 mm

• Size Cupholder

Ø 95 mm | Height: 300 mm

• Temperature range

30 °C to 45 °C

• Properties

4 containers for teaspoons, detachable

With rotating base

• Power load

0,2 kW | 230 V | 50 Hz

• Size

W 360 x D 360 x H 415 mm

• Weight

7.5 kg

Cup warmer TA720

103076

RRP* 449.- €

GTIN 4015613708867



• Capacity cups max.

72

• Temperature range to

60 °C



• Safety thermostat

Yes

• Height inside, each

175 mm



• Properties

With worktop surface, dimensions: W 250 x D 250 mm

• Power load

0,14 kW | 230 V | 50/60 Hz

• Size

W 320 x D 345 x H 550 mm

• Weight

10.7 kg

Cup warmer TA1440

103079

RRP* 898.- €

GTIN 4015613756837



• Capacity cups max.

103

• Temperature range

30 °C to 60 °C



• Safety thermostat

Yes

• Height inside, each

180 mm



• Size utility space

W 285 x D 335 mm

• Power load

0,3 kW | 230 V | 50 Hz

• Size

W 310 x D 420 x H 540 mm

• Weight

14.4 kg

Chocolate fountain



Chocolate fountain SB 325-1

90007

RRP* 559,- €

GTIN 4015613767789



The highlight of any event – enjoy fresh fruit with creamy melted chocolate. This vibrant dessert really draws in the guests.



- Storage capacity
- Temperature range to

2,5 kg
68 °C



- Temperature control
- Control lamp
- Properties

Stepless

In operation

Cascade detachable, dishwasher-suitable
Temperature and motor can be switched separately

- Power load

0,325 kW | 230 V | 50/60 Hz

- Size

W 330 x D 330 x H 480 mm

- Weight

8.3 kg

Buffet display "small", plastic



- Material
- Colour
- Operation
- Hood

Plastic
White
On both sides
Detachable
Plexiglas



Number of levels

Size

Weight

Code-No.

RRP*

GTIN

	Number of levels	Size	Weight	Code-No.	RRP*	GTIN
Buffet display "small", plastic	1	W 390 x D 260 x H 170 mm	1 kg	A500403	35,- €	4015613285702
Buffet display "large", plastic	1	W 470 x D 315 x H 195 mm	1.7 kg	A500404	59,- €	4015613285719
Buffet display double, plastic	2	W 470 x D 315 x H 415 mm	3.1 kg	A500405	102,- €	4015613285726

Buffet cabinet 70L

700355

RRP* 339,- €

GTIN 4015613667614



- Material
- Operation
- Properties
- Size
- Weight

Glass
Plexiglas
On reverse side
Drawers permanently mounted
W 360 x D 600 x H 515 mm
13.2 kg



Buffet cabinet 5400 2E-K

700356

RRP* 249.- €

GTIN 4015613688954



For presentation of food that is not susceptible to temperatures. Products displayed on 2 levels, such as biscuits, dry cakes, chocolates, filled buns and sandwiches, can be taken out from both sides.

- Operation
- Properties

On both sides

Door cutout size: Below W 540 x H 150 mm, top W 540 x H 120 mm

Insert shelves can be removed

Door with lock

W 550 x D 375 x H 370 mm

11.6 kg

- Size
- Weight



Buffet cabinet 3850 3E-K

700357

RRP* 409.- €

GTIN 4015613692616



The space-saving buffet cabinet offers display space on 3 levels. This allows food that is not susceptible to temperatures, such as biscuits, dry cakes, chocolates, filled buns and sandwiches, to be presented attractively.

- Operation
- Properties

On reverse side

Door size: W 400 x H 600 mm

Insert shelves can be removed

Door with lock

W 405 x D 335 x H 620 mm

17.2 kg

- Size
- Weight



Cereal dispenser



- Material
- Height of bowls, max.
- Properties
- Not included in delivery

Plastic
Steel plate
Painted
75 mm
Scratch-proof container
Suitable for wall mounting
Attachment material



	Number of dispensers	Content	Size	Weight	Code-No.	RRP*	GTIN
Cereal dispenser	1	3.5 litres	W 180 x D 170 x H 395 mm	1.8 kg	500377	65.- €	4015613527260
Cereal dispenser, double	2	2 x 3.5 litres	W 360 x D 170 x H 395 mm	3.7 kg	500378	115.- €	4015613531793
3-piece cereal dispenser	3	3 x 3.5 litres	W 540 x D 170 x H 395 mm	5.6 kg	500379	179.- €	4015613635675



REFRIGERATORS

This is what you would call cool diversity: From large appliances such as refrigerators and freezers, cake cabinets and refrigerated wall shelves to ice cube and ice block producers, we have everything you need for safe storage and keeping food fresh.

Mini-Refrigerated Counter 900T1S2



- Norm-format cabinets

- Size Cupboard



- Norm-format drawers

- Size drawer



- Cooling

- Temperature range

- Climate class

- Properties

- Power load

- Size

1/1 GN

W 428 x D 497 x H 590 mm

1/1 GN

W 304 x D 515 x H 140 mm

Circulating air

0 °C to 10 °C

4

Stainless steel filter, dishwasher-safe

Easily accessible technology unit

0,204 kW | 230 V | 50 Hz

W 900 x D 700 x H 880 mm



900T1S2

- Energy consumption: 986 kWh / an
- Energy efficiency class: C (EU No. 2015 / 1094)
- Door hinge side: Left
- Properties: Self-locking door(s)



900T2

- Energy consumption: 927 kWh / an
- Energy efficiency class: C (EU No. 2015 / 1094)
- Door hinge side: Left / right
- Properties: Self-locking door(s)



900S4

	Number of cupboards	Number of drawers	Content	Including	Weight	Code-No.	RRP*	GTIN
900T1S2	1	2	260 litre(s)	1 grille	71.6 kg	110257	1,859.- €	4015613782423
900T2	2	–	260 litre(s)	2 grills	67.5 kg	110256	1,398.- €	4015613695440
900S4	–	4	–	–	79 kg	200282	2,249.- €	4015613721873

Preparation table 900T2

200359

RRP* 1,629.- €

GTIN 4015613782393



- Top with lid

- Capacity GN



- Depth GN container max.

- Number of cupboards



- Norm-format cabinets

- Size Cupboard

- Cooling

- Content

- Temperature range

- Climate class

- Door hinge side

- Properties

- Including

- Not included in delivery

- Power load

- Size

- Weight

Yes

5 x 1/6 GN

150 mm

2

1/1 GN

W 428 x D 497 x H 590 mm

Circulating air

260 litre(s)

0 °C to 10 °C

N

Left / right

Self-locking door(s)

Stainless steel filter, dishwasher-safe

Easily accessible technology unit

5 bars: length 174 mm, width 25 mm

GN containers

0,204 kW | 230 V | 50 Hz

W 900 x D 700 x H 1,010 mm

68.5 kg



Refrigerated counter T2



-  • Number of cupboards 2
-  • Size Cupboard W 335 x D 570 x H 554 mm
-  • Number of drawers 1
-  • Cooling Circulating air
-  • Temperature range 0 °C to 10 °C
-  • Energy consumption 752 kWh / an
-  • Energy efficiency class B (EU No. 2015 / 1094)
-  • Climate class 4
-  • Door hinge side can be changed Yes
-  • Including 2 grilles (W 325 x D 530 x H 10 mm)
-  • Available on request Refrigerated counter with glass-doors
Refrigerated counter with swivel castors
-  • Power load 0,35 kW | 230 V | 50 Hz
-  • Size W 1,342 x D 700 x H 850 mm

	Tilting	Weight	Code-No.	RRP*	GTIN
Refrigerated counter T2	–	95 kg	110851	2,329.- €	4015613738208
Refrigerated counter T2 MA	50 mm	96 kg	110851MA	2,379.- €	4015613738260

Refrigerated counter S2T1-150



-  • Number of cupboards 1
-  • Size Cupboard W 335 x D 570 x H 554 mm
-  • Number of drawers 1
-  • Norm-format drawers 2
-  • Depth GN container max. 1/1 GN
-  • Cooling 150 mm
-  • Temperature range Circulating air
-  • Energy consumption 0 °C to 10 °C
-  • Energy efficiency class 752 kWh / an
-  • Climate class C (EU No. 2015 / 1094)
-  • Door hinge side can be changed 4
-  • Including Yes
-  • Available on request 1 grille (W 325 x D 530 x H 10 mm)
-  • Power load Refrigerated counter with glass-doors
Refrigerated counter with swivel castors
-  • Size 0,35 kW | 230 V | 50 Hz
W 1,342 x D 700 x H 850 mm

	Tilting	Weight	Code-No.	RRP*	GTIN
Refrigerated counter S2T1-150	–	104 kg	110852	2,849.- €	4015613738314
Refrigerated counter S2T1-150 MA	50 mm	105 kg	110852MA	2,898.- €	4015613738352

Refrigerated counter S4-150



-  • Number of drawers 4
-  • Norm-format drawers 1/1 GN
-  • Depth GN container max. 3 x 150 mm, 1 x 100 mm
-  • Cooling Circulating air
-  • Temperature range 0 °C to 10 °C
-  • Energy consumption 752 kWh / an
-  • Energy efficiency class C (EU No. 2015 / 1094)
-  • Climate class 4
-  • Available on request Refrigerated counter with swivel castors
-  • Power load 0,35 kW | 230 V | 50 Hz
-  • Size W 1,342 x D 700 x H 850 mm

	Tilting	Weight	Code-No.	RRP*	GTIN
Refrigerated counter S4-150	–	111 kg	110853	3,359.- €	4015613738444
Refrigerated counter S4-150 MA	50 mm	112 kg	110853MA	3,409.- €	4015613738390

Refrigerated counter S6-100



- Number of drawers 6
- Norm-format drawers 1/1 GN



- Depth GN container max. 100 mm
- Cooling Circulating air



- Temperature range 0 °C to 10 °C
- Energy consumption 1026 kWh / an
- Energy efficiency class D (EU No. 2015 / 1094)
- Climate class 4
- Available on request Refrigerated counter with swivel castors
- Power load 0,35 kW | 230 V | 50 Hz
- Size W 1,342 x D 700 x H 850 mm

	Tilting	Weight	Code-No.	RRP*	GTIN
Refrigerated counter S6-100	–	131 kg	110854	3,609.- €	4015613738475
Refrigerated counter S6-100 MA	50 mm	132 kg	110854MA	3,649.- €	4015613738505

Refrigerated counter T3



- Number of cupboards 1
- Norm-format cabinets 1/1 GN



- Depth GN container max. 40 mm
- Number of drawers 6



- Cooling Circulating air
- Temperature range 0 °C to 10 °C
- Energy consumption 931 kWh / an
- Energy efficiency class C (EU No. 2015 / 1094)
- Climate class 4
- Door hinge side can be changed Yes
- Including 3 grilles (W 325 x D 530 x H 10 mm)
- Available on request Refrigerated counter with glass-doors
Refrigerated counter with swivel castors
- Power load 0,414 kW | 230 V | 50 Hz
- Size W 1,792 x D 700 x H 850 mm

	Tilting	Weight	Code-No.	RRP*	GTIN
Refrigerated counter T3	–	111 kg	110864	2,898.- €	4015613739304
Refrigerated counter T3 MA	50 mm	112 kg	110864MA	2,949.- €	4015613738840

Refrigerated counter S2T2-150



- Number of cupboards 2
- Size Cupboard W 335 x D 570 x H 554 mm



- Number of drawers 1
- Depth GN container max. 150 mm



- Cooling Circulating air
- Temperature range 0 °C to 10 °C
- Energy consumption 931 kWh / an
- Energy efficiency class C (EU No. 2015 / 1094)
- Climate class 4
- Door hinge side can be changed Yes
- Including 2 grilles (W 325 x D 530 x H 10 mm)
- Available on request Refrigerated counter with glass-doors
Refrigerated counter with swivel castors
- Power load 0,452 kW | 230 V | 50 Hz
- Size W 1,792 x D 700 x H 850 mm

	Tilting	Weight	Code-No.	RRP*	GTIN
Refrigerated counter S2T2-150	–	123 kg	110855	3,198.- €	4015613738512
Refrigerated counter S2T2-150 MA	50 mm	124 kg	110855MA	3,249.- €	4015613738529

Refrigerated counter S4T1-150



-  • Number of cupboards 1
 -  • Size Cupboard W 335 x D 570 x H 554 mm
 -  • Number of drawers 1
 -  • Norm-format drawers 4
 -  • Depth GN container max. 1/1 GN
 -  • Cooling 150 mm
 -  • Temperature range Circulating air
 -  • Energy consumption 0 °C to 10 °C
 -  • Energy efficiency class 931 kWh / an
 -  • Climate class C (EU No. 2015 / 1094)
 -  • Door hinge side can be changed 4
 -  • Including Yes
 -  • Available on request 1 grille (W 325 x D 530 x H 10 mm)
 -  • Power load Refrigerated counter with glass-doors
 -  • Size Refrigerated counter with swivel castors
- 0,452 kW | 230 V | 50 Hz
W 1,792 x D 700 x H 850 mm

	Tilting	Weight	Code-No.	RRP*	GTIN
Refrigerated counter S4T1-150	-	133 kg	110856	3,498.- €	4015613738550
Refrigerated counter S4T1-150 MA	50 mm	134 kg	110856MA	3,549.- €	4015613738581

Refrigerated counter S6-150



-  • Number of drawers 6
-  • Norm-format drawers 1/1 GN
-  • Depth GN container max. 5 x 150 mm, 1 x 100 mm
-  • Cooling Circulating air
-  • Temperature range 0 °C to 10 °C
-  • Energy consumption 931 kWh / an
-  • Energy efficiency class C (EU No. 2015 / 1094)
-  • Climate class 4
-  • Available on request Refrigerated counter with swivel castors
-  • Power load 0,452 kW | 230 V | 50 Hz
-  • Size W 1,792 x D 700 x H 850 mm

	Tilting	Weight	Code-No.	RRP*	GTIN
Refrigerated counter S6-150	-	144 kg	110857	3,739.- €	4015613738673
Refrigerated counter S6-150 MA	50 mm	145 kg	110857MA	3,798.- €	4015613738697

Refrigerated counter S9-100



-  • Number of drawers 9
-  • Norm-format drawers 1/1 GN
-  • Depth GN container max. 100 mm
-  • Cooling Circulating air
-  • Temperature range 0 °C to 10 °C
-  • Energy consumption 1271 kWh / an
-  • Energy efficiency class D (EU No. 2015 / 1094)
-  • Climate class 4
-  • Available on request Refrigerated counter with swivel castors
-  • Power load 0,452 kW | 230 V | 50 Hz
-  • Size W 1,792 x D 700 x H 850 mm

	Tilting	Weight	Code-No.	RRP*	GTIN
Refrigerated counter S9-100	-	171 kg	110858	4,098.- €	4015613738741
Refrigerated counter S9-100 MA	50 mm	172 kg	110858MA	4,159.- €	4015613738765

Sub-counter chiller S2-200

110904

RRP* 4,498.- €

GTIN 4015613800066



- Number of drawers 2
- Norm-format drawers 1/1 GN
- Depth GN container max. 200 mm
- Cooling Circulating air
- Temperature range -2 °C to 8 °C
- Temperature control In 1 °C steps
- Energy consumption 457 kWh / an
- Energy efficiency class A (EU No. 2015 / 1094)
- Climate class 5
- Height-adjustable feet Yes
- Height adjustable 657 mm to 745 mm
- Power load 0,4 kW | 230 V | 50 Hz
- Size W 1,200 x D 660 x H 657 mm
- Weight 91.2 kg



Refrig. counter as substruct: 140 SAMPLE

110903

RRP* 2,845.- €

GTIN 4015613782614



- Number of cupboards 1
- Norm-format cabinets 1/1 GN
- Size Cupboard W 388 x D 540 x H 454 mm
- Number of drawers 3
- Norm-format drawers 2
- Cooling 1/1 GN
- Temperature range Circulating air
- Climate class 0 °C to 10 °C
- Door hinge side SN
- Including Right
- Power load 1 grille 1/1 GN
- Size 0,507 kW | 230 V | 50 Hz
- Weight W 1,395 x D 660 x H 620 mm
- Weight 78.1 kg

Component parts

Stainl.steel polish.spray 500ml can

- Content / can: 500 ml
- Size: W 68 x D 68 x H 237 mm
- Weight: 0.45 kg
- Order quantity unit: 1 box of 12 cans
- GTIN: 4015613584454
- Minimum order quantity: 2 boxes



173031

RRP* 225.- €

Oil and grease remover F1L

- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Designed for: Wipe-off work surfaces, stainless steel surfaces, Tiled walls and floors, Highly effective against deposits in coffee cans, Machines, appliances
- Size: W 90 x D 63 x H 251 mm
- Weight: 1.01 kg
- Order quantity unit: 1 box (6 bottles)
- GTIN: 4015613773339



173276

RRP* 55.- €

Saladettes



Saladette 438T1

200570

RRP* 1,059.- €

GTIN 4015613782409



- Capacity GN

1 x 1/1 GN

- Depth GN container max.

150 mm



- With chopping board (polyethylene)

Yes

- Norm-format cabinets

1/1 GN



- Size Cupboard

W 368 x D 570 x H 590 mm

- Content

140 litre(s)

- Cooling

Circulating air

- Temperature range

0 °C to 10 °C

- Climate class

N

- Door hinge side

Right

- Properties

Replaceable cutting board

- Including

2 bars: length 535 mm, width 35 mm

1 grille 1/1 GN

- Not included in delivery

GN containers

- Power load

0,23 kW | 230 V | 50 Hz

- Size

W 455 x D 700 x H 887 mm

- Weight

45.5 kg

Saladette 900T2

200356

RRP* 1,349.- €

GTIN 4015613782362



- Capacity GN

2 x 1/1 GN + 3 x 1/6 GN

- Depth GN container max.

150 mm



- With chopping board (polyethylene)

Yes

- Norm-format cabinets

1/1 GN



- Size Cupboard

W 428 x D 570 x H 590 mm

- Content

260 litre(s)

- Cooling

Circulating air

- Temperature range

0 °C to 10 °C

- Climate class

N

- Door hinge side

Left / right

- Properties

Replaceable cutting board

- Including

2 bars: length 326 mm, width 25 mm

2 bars: length 535 mm, width 35 mm

4 bars: length 174 mm, width 25 mm

- Not included in delivery

GN containers

- Power load

0,204 kW | 230 V | 50 Hz

- Size

W 910 x D 700 x H 887 mm

- Weight

61.2 kg

Saladette 1365T3

200357

RRP* 2,049.- €

GTIN 4015613782379



- Capacity GN 4 x 1/1 GN
- Depth GN container max. 150 mm
- With chopping board (polyethylene) Yes
- Norm-format cabinets 1/1 GN
- Size Cupboard W 428 x D 570 x H 590 mm
- Content 390 litre(s)
- Cooling Circulating air
- Temperature range 0 °C to 10 °C
- Climate class N
- Door hinge side Left / left / right
- Properties Replaceable cutting board
- Including 3 bars: length 326 mm, width 25 mm
3 bars: length 535 mm, width 35 mm
4 bars: length 174 mm, width 25 mm
GN containers
- Not included in delivery
- Power load 0,321 kW | 230 V | 50 Hz
- Size W 1,365 x D 700 x H 887 mm
- Weight 90 kg

Saladette 900T2 +GL

200575

RRP* 1,398.- €

GTIN 4015613782416



- Capacity GN 2 x 1/1 GN + 3 x 1/6 GN
- Depth GN container max. 150 mm
- With chopping board (polyethylene) Yes
- Content 250 litre(s)
- Cooling Circulating air
- Temperature range 0 °C to 10 °C
- Climate class N
- Door hinge side Left / right
- Properties Replaceable cutting board
- Including 2 grills 1/1 GN, stainless steel
2 bars: length 326 mm, width 25 mm
2 bars: length 535 mm, width 35 mm
4 bars: length 174 mm, width 25 mm
GN containers
- Not included in delivery
- Power load 0,187 kW | 230 V | 50 Hz
- Size W 900 x D 700 x H 845 mm
- Weight 63.5 kg

Glass top 900T2 +GL

- Useful height inside: Below 230 mm, top 168 mm
- Number of intermediate shelves: 1
- Delivery state: Building kit (simple assembly)
- Size: W 880 x D 540 x H 425 mm
- Weight: 25.4 kg
- GTIN: 4015613638515

200274

RRP* 359.- €



- ▶ Matches saladette 900T2 +GL
- ▶ Glass top 900T2 +GL

Pizza Saladette 900T2

200358

RRP* 1,529.- €

GTIN 4015613782386



- Capacity GN 5 x 1/6 GN
- Depth GN container max. 150 mm
- Norm-format cabinets 1/1 GN
- Size Cupboard W 428 x D 497 x H 590 mm
- Content 260 litre(s)
- Cooling Circulating air
- Temperature range 0 °C to 10 °C
- Climate class N
- Door hinge side Left / right
- Properties Work surface made of granite
- Including 4 bars: length 174 mm, width 25 mm
GN containers
- Not included in delivery
- Power load 0,204 kW | 230 V | 50 Hz
- Size W 900 x D 700 x H 1,175 mm
- Weight 91 kg

Buffet trolleys, cold



Buffet trolley Kids K4110-150U



The mobile buffet solution for children – because they, too, love looking at food and like to make their own choice of perfectly chilled dishes.



- Material
 - Laminated wood
 - Stainless steel
 - Plastic
- Number of tanks: 1
- Basin size, GN format: 4 x 1/1 GN
- Depth GN container max.: 150 mm
- Cooling: Static
- Temperature range: 2 °C to 4 °C
- Climate class: 3
- Drain cock: Yes
- Germ guard: Yes
- Lighting: LED
- Can be switched separately
- Swivel casters: 5 swivel casters, 2 with brake
- Properties:
 - Stainless steel sink
 - Rounded corners
- Including: 4 bars: Length 528 mm, width 30 mm
- Not included in delivery: GN containers
- Delivery state: Permanently mounted
- Power load: 0,356 kW | 230 V | 50 Hz
- Size: W 1,420 x D 1,160 x H 1,200 mm
- Weight: 106.2 kg



- ▶ Mobile buffet solution for children
- ▶ Serving height: 700 mm



- ▶ With tray slide
- ▶ Hinged
- ▶ Dimensions: W 1,460 x D 250 mm



- ▶ Colour Wenge



- ▶ Colour Anthracite

	Colour	Code-No.	RRP*	GTIN
Buffet trolley Kids K4110-150U	Elm	125540	5,098.- €	4015613736303
Buffet trolley Kids K4110-150W	Wenge	125540V1	5,098.- €	4015613772974
Buffet trolley Kids K4110-150A	Anthracite	125540V2	5,098.- €	4015613772981

Buffet trolley K3110-200U



The mobile buffet solution with a modern wooden design – this buffet cart has germ protection and LED lighting. It is designed for 3-4 GN containers GN 1/1 and can be relied on to keep buffet dishes chilled.



- Material
 - Laminated wood
 - Stainless steel
 - Plastic
- Number of tanks: 1
- Depth GN container max.: 200 mm
- Cooling: Static
- Temperature range: 2 °C to 4 °C
- Climate class: 3
- Drain cock: Yes
- Germ guard: Yes
- Lighting: LED
 - Can be switched separately
- Swivel casters: 2 with brake
- Properties: Stainless steel sink
- Including: Bars: Length 528 mm, width 30 mm
- Not included in delivery: GN containers
- Delivery state: Permanently mounted



▶ 4 x 1/1 GN



▶ With tray slide
▶ Hinged



▶ Colour Wenge



▶ Colour Anthracite

	Colour	Basin size, GN format	Including	Power load	Size	Weight	Code-No.	RRP*	GTIN
K3110-200U	Elm	3 x 1/1 GN	3 bars	0,34 kW 230 V 50 Hz	W 1,170 mm D 1,245 mm H 1,510 mm	137 kg	125543	6,598.- €	4015613757797
K3110-200W	Wenge	3 x 1/1 GN	3 bars	0,34 kW 230 V 50 Hz	W 1,170 mm D 1,245 mm H 1,510 mm	137 kg	125543V1	6,598.- €	4015613772998
K3110-200A	Anthracite	3 x 1/1 GN	3 bars	0,34 kW 230 V 50 Hz	W 1,170 mm D 1,245 mm H 1,510 mm	137 kg	125543V2	6,598.- €	4015613773001
K4110-200U	Elm	4 x 1/1 GN	4 bars	0,362 kW 230 V 50 Hz	W 1,500 mm D 1,250 mm H 1,425 mm	155.74 kg	125544	7,349.- €	4015613758541
K4110-200W	Wenge	4 x 1/1 GN	4 bars	0,362 kW 230 V 50 Hz	W 1,500 mm D 1,250 mm H 1,425 mm	155.74 kg	125544V1	7,349.- €	4015613773018
K4110-200A	Anthracite	4 x 1/1 GN	4 bars	0,362 kW 230 V 50 Hz	W 1,500 mm D 1,250 mm H 1,425 mm	155.74 kg	125544V2	7,349.- €	4015613773025

Buffet trolleys, cold



Buffet trolley, cold, 3x 1/1 GN



Cold food perfectly presented.

The buffet cart is optimally equipped with integrated lighting, sneeze guard with shelf function and wheels for convenient transport.



- Material: Wood
- Colour: Teak
- Depth GN container max.: 150 mm
- Cooling: Static
- Temperature range: 2 °C to 10 °C
- Germ guard: Yes
- Lighting: On the germ guard
- Swivel casters: 4 swivel casters, 2 with brake
- Properties: Work surface made of Granit Rosa Porrino
Stainless steel sink
GN containers
Building kit (simple assembly)
- Not included in delivery
- Delivery state



	Number of tanks	Basin size, GN format	Power load	Size	Weight	Code-No.	RRP*	GTIN
3x 1/1 GN	1	3 x 1/1 GN	0,236 kW 230 V 50 Hz	W 1,170 mm D 880 mm H 1,370 mm	127.8 kg	125525	2,849.- €	4015613782621
4x 1/1 GN	1	4 x 1/1 GN	0,507 kW 230 V 50 Hz	W 1,590 mm D 880 mm H 1,370 mm	148.2 kg	125526	3,098.- €	4015613784519
6x 1/1 GN	2	6 x 1/1 GN	0,507 kW 230 V 50 Hz	W 2,150 mm D 880 mm H 1,370 mm	194.12 kg	125527	3,998.- €	4015613784526

Component parts

Tray slide, 1 piece, 3x 1/1 GN

- Material: Stainless steel
- Size: W 1,180 x D 380 x H 115 mm
- Weight: 3.1 kg
- GTIN: 4015613570815



125502

RRP* 349.- €

Tray slide, 1 piece, 4x 1/1 GN

- Material: Stainless steel
- Size: W 1,500 x D 310 x H 120 mm
- Weight: 4 kg
- GTIN: 4015613570846

125503

RRP* 398.- €

Tray slide, 1 piece, 6x 1/1 GN

- Material: Stainless steel
- Size: W 2,100 x D 310 x H 120 mm
- Weight: 5.9 kg
- GTIN: 4015613570860

125504

RRP* 629.- €



Cooling tops



Cooling top GL4-1201



Clean and hygienic – a glass top for germ protection



• Depth GN container max. 150 mm
• Design With glass top



• Safety glass Yes



• Glass top unit design, back Open



• Cooling Static

• Temperature range 0 °C to 10 °C

• Climate class N

• Properties Cooling aggregate with cooling tray

• Not included in delivery GN containers

Cooling top GL4-1201

- Capacity GN 5 x 1/4 GN
- Size glass superstructure W 1190 x D 330 x H 195 mm
- Including 4 bars: length 181 mm, width 25 mm
6 bars: length 264 mm, width 25 mm
- Power load 0,166 kW | 230 V | 50 Hz
- Size W 1,200 x D 335 x H 459 mm
- Weight 36.5 kg
- GTIN 4015613773445

110270

RRP* 819.- €

Cooling top GL4-1401

- Capacity GN 6 x 1/4 GN
- Size glass superstructure W 1390 x D 330 x H 195 mm
- Including 1 bar: length 264 mm, width 63 mm
4 bars: length 181 mm, width 25 mm
6 bars: length 264 mm, width 25 mm
- Power load 0,194 kW | 230 V | 50 Hz
- Size W 1,400 x D 335 x H 459 mm
- Weight 37.41 kg
- GTIN 4015613773452

110271

RRP* 898.- €

Cooling top GL4-1501

- Capacity GN 7 x 1/4 GN
- Size glass superstructure W 1490 x D 330 x H 195 mm
- Including 4 bars: length 181 mm, width 25 mm
6 bars: length 264 mm, width 25 mm
- Power load 0,174 kW | 230 V | 50 Hz
- Size W 1,500 x D 335 x H 459 mm
- Weight 41.5 kg
- GTIN 4015613773469

110272

RRP* 949.- €

Cooling top GL4-1801

- Capacity GN 8 x 1/4 GN
- Size glass superstructure W 1790 x D 330 x H 195 mm
- Including 1 bar: length 264 mm, width 134 mm
4 bars: length 181 mm, width 25 mm
8 bars: length 264 mm, width 25 mm
- Power load 0,18 kW | 230 V | 50 Hz
- Size W 1,800 x D 335 x H 459 mm
- Weight 42.5 kg
- GTIN 4015613773483

110273

RRP* 1,079.- €

Cooling top GL4-2001

- Capacity GN 10 x 1/4 GN
- Size glass superstructure W 1990 x D 330 x H 195 mm
- Including 4 bars: length 181 mm, width 25 mm
9 bars: length 264 mm, width 25 mm
- Power load 0,194 kW | 230 V | 50 Hz
- Size W 2,000 x D 335 x H 459 mm
- Weight 43.5 kg
- GTIN 4015613773506

110274

RRP* 1,198.- €

Cooling top GL3-1201



Hygienic and clean – glass attachment as sneeze guard



- Depth GN container max. 150 mm
- Design With glass top
- Safety glass Yes
- Glass top unit design, back Open
- Cooling Static
- Temperature range 0 °C to 10 °C
- Climate class N
- Properties Cooling aggregate with cooling tray
- Not included in delivery GN containers

Cooling top GL3-1201

- Capacity GN 3 x 1/3 GN + 1 x 1/2 GN
- Size glass superstructure W 1190 x D 390 x H 195 mm
- Including 1 bar: length 326 mm, width 45 mm
4 bars: length 181 mm, width 25 mm
4 bars: length 326 mm, width 25 mm
- Power load 0,166 kW | 230 V | 50 Hz
- Size W 1,200 x D 395 x H 459 mm
- Weight 39 kg
- GTIN 4015613746500

110275

RRP* 839,- €

Cooling top GL3-1501

- Capacity GN 5 x 1/3 GN + 1 x 1/2 GN
- Size glass superstructure W 1490 x D 390 x H 195 mm
- Including 1 bar: length 326 mm, width 77 mm
4 bars: length 181 mm, width 25 mm
6 bars: length 326 mm, width 25 mm
- Power load 0,174 kW | 230 V | 50 Hz
- Size W 1,500 x D 395 x H 459 mm
- Weight 45.5 kg
- GTIN 4015613773513

110276

RRP* 959,- €

Cooling top GL3-1801

- Capacity GN 8 x 1/3 GN
- Size glass superstructure W 1790 x D 390 x H 195 mm
- Including 4 bars: length 181 mm, width 25 mm
8 bars: length 326 mm, width 25 mm
- Power load 0,18 kW | 230 V | 50 Hz
- Size W 1,900 x D 450 x H 430 mm
- Weight 52 kg
- GTIN 4015613773520

110278

RRP* 1,109,- €

Cooling top GL3-2001

- Capacity GN 9 x 1/3 GN
- Size glass superstructure W 1990 x D 390 x H 195 mm
- Including 4 bars: length 181 mm, width 25 mm
9 bars: length 326 mm, width 25 mm
1 bar: length 326 mm, width 40 mm
- Power load 0,194 kW | 230 V | 50 Hz
- Size W 2,000 x D 450 x H 430 mm
- Weight 52.6 kg
- GTIN 4015613773537

110279

RRP* 1,229,- €

Cooling top ED4-1201



• Depth GN container max. 150 mm



• Design With stainless steel lid



• Cooling Static

• Temperature range 0 °C to 10 °C

• Climate class N

• Properties Cooling aggregate with cooling tray

• Including 4 bars: length 181 mm, width 25 mm

6 bars: length 264 mm, width 25 mm

GN containers

• Not included in delivery

Cooling top ED4-1201

- Capacity GN 5 x 1/4 GN
- Power load 0,166 kW | 230 V | 50 Hz
- Size W 1,200 x D 335 x H 290 mm
- Weight 23.5 kg
- GTIN 4015613773551

110410

RRP* 898,- €

Cooling top ED4-1501

- Capacity GN 7 x 1/4 GN
- Power load 0,174 kW | 230 V | 50 Hz
- Size W 1,500 x D 335 x H 290 mm
- Weight 24.72 kg
- GTIN 4015613773568

110414

RRP* 989,- €

Cooling top ED3-1201



- Depth GN container max.
- Design
- Cooling
- Temperature range
- Climate class
- Properties
- Including
- Not included in delivery

150 mm
 With stainless steel lid
 Static
 0 °C to 10 °C
 N
 Cooling aggregate with cooling tray
 1 bar: length 326 mm, width 45 mm
 4 bars: length 181 mm, width 25 mm
 4 bars: length 326 mm, width 25 mm
 GN containers

Cooling top ED3-1201

- Capacity GN 3 x 1/3 GN + 1 x 1/2 GN
- Power load 0,166 kW | 230 V | 50 Hz
- Size W 1,300 x D 395 x H 290 mm
- Weight 25 kg
- GTIN 4015613773575

110420

RRP* 929.- €

Cooling top ED3-1501

- Capacity GN 5 x 1/3 GN + 1 x 1/2 GN
- Power load 0,174 kW | 230 V | 50 Hz
- Size W 1,500 x D 395 x H 290 mm
- Weight 28 kg
- GTIN 4015613773582

110422

RRP* 1,049.- €



Cooling top unit SushiBar GL2-180

110135G

RRP* 1,398.- €

GTIN 4015613525853



For ideal presentation of your food - e.g. sushi or tapas. The high-performance refrigerated showcase stands out thanks to its functionality and design

- Capacity GN 5 x 1/2 GN
- Depth GN container max. 40 mm
- Design Closed glass casing
- Safety glass Yes
- Cooling Static
- Temperature range 2 °C to 7 °C
- Climate class 4
- Energy consumption 1075 kWh / an
- Energy efficiency class C (EU No. 2019 / 2024)
- Lighting LED
Can be switched separately
- Properties Back with glass sliding doors
With additional evaporator tube on top
- Including 1 bar: length 325 mm, width 30 mm
GN containers
- Not included in delivery
- Power load 0,18 kW | 230 V | 50 Hz
- Size W 1,800 x D 425 x H 295 mm
- Weight 45.1 kg



- ▶ For 5 x 1/2 GN to 40 mm deep
- ▶ Static cooling with additional evaporator tube on top
- ▶ Energy-saving LED lights that can be switched separately



- ▶ Back with glass sliding doors for easy loading

Refrigerated display 67L

700211G

RRP* 1,098.- €

GTIN 4015613625294



- Capacity GN 8 x 1/6 GN
- Depth GN container max. 100 mm
- Content 67 litre(s)
- Type of glass Double glazing
- Safety glass Yes
- Cooling Static
- Temperature range 0 °C to 10 °C
- Climate class 4
- Energy consumption 544 kWh / an
- Energy efficiency class C (EU No. 2019 / 2024)
- Properties Chopping board, polyethylene
- Power load 0,07 kW | 230 V | 50 Hz
- Size W 765 x D 610 x H 330 mm
- Weight 25.7 kg



Refrigerated display 40L-SBO

700219G

RRP* 869.- €

GTIN 4015613696720



Counter showcase for self-service area – ideal for cold drinks, yogurts or also cooled snacks e.g. sandwiches.

- Content 40 litre(s)
- Size utility space W 645 x D 300 mm
- Useful height inside 260 mm
- Safety glass Yes
- Cooling Static
- Temperature range 0 °C to 6 °C
- Climate class 4
- Energy consumption 862 kWh / an
- Energy efficiency class D (EU No. 2019 / 2024)
- Power load 0,105 kW | 230 V | 50 Hz
- Size W 670 x D 585 x H 335 mm
- Weight 24.8 kg



Refrigerated display 105

700246G

RRP* 979.- €

GTIN 4015613816692



For an appealing presentation of food in the self-service area. The user-friendly display is operable from both sides.

- Content 105 litre(s)
- Size utility space W 530 x D 665 mm
- Useful height inside Max. 300 mm
- Safety glass No
- Cooling Static
- Temperature range 0 °C to 6 °C
- Temperature control In 0.1 °C steps
- Climate class 3
- Energy consumption 699 kWh / an
- Energy efficiency class C (EU No. 2019 / 2024)
- Type of door Lifting door
- Position of the door Sliding door(s)
- Power load On both sides
- Size 0,105 kW | 230 V | 50 Hz
- Weight W 700 x D 880 x H 410 mm
- Weight 38 kg

Refrigerated displays



Refr. display 2/1 GN, straight glass



-  • Depth GN container max. 65 mm
-  • Safety glass Yes
-  • Front pane Turned-down edges
-  • Cooling Circulating air
-  • Temperature range 6 °C to 10 °C
-  • Climate class 4
- Lighting Halogen
- Type of door Can be switched separately
- Position of the door Sliding door(s)
- Number of intermediate shelves Reverse
- Height-adjustable intermediate shelves 1
- Not included in delivery No
- GN containers

	Content	Gastronorm	Power load	Size	Weight	Code-No.	RRP*	GTIN
2/1 GN, straight glass	110 litre(s)	2/1 GN	0,43 kW 230 V 50 Hz	W 750 mm D 775 mm H 600 mm	78.6 kg	406055	2,849.- €	4015613738161
3/1 GN, straight glass	165 litre(s)	3/1 GN	0,46 kW 230 V 50 Hz	W 1,075 mm D 775 mm H 590 mm	97.4 kg	406056	3,198.- €	4015613738178

Refr. display 3/1GN, curved glass

405057

RRP* 3,398.- €

GTIN 4015613738185



-  • Depth GN container max. 65 mm
-  • Content 165 litre(s)
-  • Gastronorm 3/1 GN
-  • Safety glass Yes
-  • Front pane Rounded
-  • Cooling Circulating air
-  • Temperature range 6 °C to 10 °C
-  • Climate class 4
- Lighting Halogen
- Type of door Can be switched separately
- Position of the door Sliding door(s)
- Number of intermediate shelves Reverse
- Height-adjustable intermediate shelves 1
- Not included in delivery No
- GN containers
- Power load 0,46 kW | 230 V | 50 Hz
- Size W 1,072 x D 783 x H 593 mm
- Weight 80 kg

Refr. display unit "Bartscher Deli Cool I"

700201G

RRP* 739.- €

GTIN 4015613479101



- Material: Plastic, Glass
- Type of glass: All-round glass, Double glazing
- Content: 100 litre(s)
- Cooling: Circulating air
- Temperature range: 2 °C to 12 °C
- Climate class: 4
- Energy consumption: 912 kWh / an
- Energy efficiency class: B (EU No. 2019 / 2024)
- Interior lighting: Yes
- Type of door: Sliding door(s)
- Position of the door: Reverse
- Number of intermediate shelves: 2
- Height-adjustable intermediate shelves: Yes
- Power load: 0,16 kW | 230 V | 50 Hz
- Size: W 685 x D 455 x H 675 mm
- Weight: 40.3 kg

Cooling top unit Bartscher DeliCool II



- Material: Plastic, Glass
- Type of glass: Double glazing, All-round glass
- Safety glass: Yes
- Cooling: Circulating air with 2 fans
- Temperature range: 2 °C to 12 °C
- Climate class: 4
- Energy efficiency class: B (EU No. 2019 / 2024)
- Interior lighting: Yes
- Type of door: Sliding door(s)
- Position of the door: Reverse
- Number of intermediate shelves: 2
- Height-adjustable intermediate shelves: Yes
- Power load: 0,16 kW | 230 V | 50 Hz

	Content	Energy consumption	Size	Weight	Code-No.	RRP*	GTIN
Bartscher DeliCool II	120 litre(s)	1141 kWh / an	W 710 mm D 575 mm H 685 mm	56.6 kg	700202G	979.- €	4015613505558
Bartscher DeliCool III	160 litre(s)	1206 kWh / an	W 885 mm D 580 mm H 690 mm	66.3 kg	700203G	1,089.- €	4015613505565

Cooling top unit Bartscher DeliCool II-D

700208G

RRP* 998.- €

GTIN 4015613617688



- Material: Plastic, Glass
- Type of glass: Double glazing, All-round glass
- Safety glass: Yes
- Content: 120 litre(s)
- Cooling: Circulating air with 2 fans
- Temperature range: 2 °C to 12 °C
- Climate class: 4
- Energy consumption: 1360 kWh / an
- Energy efficiency class: C (EU No. 2019 / 2024)
- Interior lighting: Yes
- Type of door: Sliding door(s)
- Position of the door: On both sides
- Number of intermediate shelves: 2
- Height-adjustable intermediate shelves: Yes
- Power load: 0,16 kW | 230 V | 50 Hz
- Size: W 710 x D 568 x H 686 mm
- Weight: 55 kg

Cooling top unit Bartscher DeliCool IIII

305065

RRP* 1,249.- €

GTIN 4015613711270



Everything in view, at all times: The ventilation for the cold display unit has been designed to prevent the glass from steaming up when humidity levels are high. The dishes are presented across 2 levels and perfectly lit thanks to the LED lighting.

- Material: Plastic, Glass
- Type of glass: Double glazing
- Safety glass: Yes
- Content: 160 litre(s)
- Cooling: Circulating air
- Temperature range: 2 °C to 12 °C
- Climate class: 4
- Energy consumption: 1272 kWh / an
- Energy efficiency class: C (EU No. 2019 / 2024)
- Interior lighting: Yes
- Type of door: Sliding door(s)
- Position of the door: Reverse
- Number of intermediate shelves: 2
- Height-adjustable intermediate shelves: Yes
- Properties: No steamed up windows in environments with high humidity
- Power load: 0,16 kW | 230 V | 50 Hz
- Size: W 885 x D 640 x H 685 mm
- Weight: 65.3 kg



▶ No steamed up windows in environments with high humidity



▶ LED lighting
▶ Can be switched separately

Cooling top unit 7450 2E

700221

RRP* 1,798.- €

GTIN 4015613688985



High-quality table-top cabinet made from stainless steel and glass for displaying meals and snacks in canteens, shops, bars, and cafés. The sliding glass openings save space and make the cabinet easy to use. The LED lighting ensures perfect presentation.

- Material: Aluminium, Stainless steel
- Type of glass: Double glazing
- Safety glass: Yes
- Content: 177 litre(s)
- Material surface: Steel, chrome-plated
- Cooling: Circulating air
- Temperature range: 0 °C to 12 °C
- Climate class: 4
- Energy consumption: 1714 kWh / an
- Energy efficiency class: C (EU No. 2019 / 2024)
- Lighting: LED, Vertical in the corners, Can be switched separately
- Type of door: Sliding door(s), glass
- Position of the door: Reverse
- Number of intermediate shelves: 2
- Height-adjustable intermediate shelves: Yes
- Power load: 0,29 kW | 230 V | 50 Hz
- Size: W 805 x D 440 x H 970 mm
- Weight: 75.6 kg



Mini Cooler 58L, white



- Material
Plastic
Glass
- Type of glass
Double glazing
- Cooling
Circulating air
- Temperature range
2 °C to 12 °C
- Climate class
4
- Interior lighting
Yes
- Door hinge side
Right
- Height-adjustable intermediate shelves
Yes
- Power load
0,18 kW | 230 V | 50 Hz



	Colour	Content	Energy consumption	Energy efficiency class	Size	Weight	Code-No.	RRP*	GTIN
58L, white	White	58 litre(s)	1014 kWh / an	B (EU No. 2019 / 2024)	W 435 mm D 385 mm H 805 mm	28.5 kg	700258G	475.- €	4015613635057
58L-SW	Black	58 litre(s)	1014 kWh / an	B (EU No. 2019 / 2024)	W 435 mm D 385 mm H 805 mm	28.5 kg	700358G	475.- €	4015613711843
78L, white	White	78 litre(s)	1003 kWh / an	C (EU No. 2019 / 2024)	W 435 mm D 385 mm H 960 mm	33.2 kg	700578G	519.- €	4015613635071
78L, black	Black	78 litre(s)	1003 kWh / an	C (EU No. 2019 / 2024)	W 435 mm D 385 mm H 960 mm	33.2 kg	700277G	519.- €	4015613635088
78L, silver	Silver	78 litre(s)	1003 kWh / an	C (EU No. 2019 / 2024)	W 435 mm D 385 mm H 960 mm	32.5 kg	700778G	569.- €	4015613664101
98L	White	98 litre(s)	1401 kWh / an	C (EU No. 2019 / 2024)	W 435 mm D 385 mm H 1,105 mm	37.5 kg	700298G	579.- €	4015613635118
98L-SW	Black	98 litre(s)	1401 kWh / an	C (EU No. 2019 / 2024)	W 435 mm D 385 mm H 1,105 mm	37.5 kg	700398G	579.- €	4015613711850

Mini refrigerated showcase 78L-WE/L

700878G

RRP* 659.- €

GTIN 4015613711829



- Material
Plastic
Glass
- Colour
White
- Type of glass
Double glazing
- Content
78 litre(s)
- Cooling
Circulating air
- Temperature range
2 °C to 6 °C
- Climate class
4
- Energy consumption
1610 kWh / an
- Energy efficiency class
C (EU No. 2019 / 2024)
- Interior lighting
Yes
- Door hinge side
Right
- Number of intermediate shelves
3
- Height-adjustable intermediate shelves
Yes
- Properties
No steamed up windows in environments with high humidity
- Power load
0,17 kW | 230 V | 50 Hz
- Size
W 450 x D 405 x H 1,030 mm
- Weight
34.8 kg

Mini Cooler 78L, stainless steel

700478G

RRP* 1,059,- €

GTIN 4015613633466



	• Material	Chrome-nickel steel
		Glass
	• Type of glass	Double glazing
	• Content	78 litre(s)
	• Cooling	Circulating air
	• Temperature range	2 °C to 12 °C
	• Climate class	4
	• Energy consumption	1141 kWh / an
	• Energy efficiency class	C (EU No. 2019 / 2024)
	• Interior lighting	Yes
	• Door hinge side	Right
	• Number of intermediate shelves	3
	• Height-adjustable intermediate shelves	Yes
	• Power load	0,18 kW 230 V 50 Hz
	• Size	W 430 x D 390 x H 986 mm
	• Weight	41.8 kg

Mini-Cooler 86L

700678G

RRP* 579,- €

GTIN 4015613635101



	• Material	Plastic
		Glass
	• Colour	White
	• Type of glass	Double glazing
	• Content	86 litre(s)
	• Cooling	Circulating air
	• Temperature range	2 °C to 12 °C
	• Climate class	4
	• Energy consumption	1184 kWh / an
	• Energy efficiency class	C (EU No. 2019 / 2024)
	• Interior lighting	Yes
	• Position of the door	On both sides
	• Door hinge side	Right
	• Number of intermediate shelves	3
	• Height-adjustable intermediate shelves	Yes
	• Power load	0,18 kW 230 V 50 Hz
	• Size	W 425 x D 435 x H 980 mm
	• Weight	36.5 kg

Display fridge 235L-W

700336

RRP* 1,319,- €

GTIN 4015613735580



	• Material	Plastic
		Glass
	• Colour	White
	• Type of glass	Double glazing
	• Content	235 litre(s)
	• Cooling	Circulating air
	• Temperature range	2 °C to 12 °C
	• Climate class	4
	• Energy consumption	1622 kWh / an
	• Energy efficiency class	B (EU No. 2019 / 2024)
	• Interior lighting	Yes
	• Door hinge side	Right
	• Swivel casters	4 swivel casters, 2 with brake
	• Number of intermediate shelves	4
	• Height-adjustable intermediate shelves	Yes
	• Power load	0,38 kW 230 V 50 Hz
	• Size	W 525 x D 455 x H 1,703 mm
	• Weight	80.2 kg

Cake displays show-cases



Cake display show-case 72L

700207G

RRP* 1,179.- €

GTIN 4015613586687



- Material: Plastic
- Type of glass: Glass
- Safety glass: Double glazing
- Content: All-round glass
- Cooling: Yes
- Temperature range: 72 litre(s)
- Climate class: Circulating air with 2 fans
- Energy consumption: 2 °C to 10 °C
- Energy efficiency class: 4
- Humidity max.: 1041 kWh / an
- Lighting: C (EU No. 2019 / 2024)
- Door hinge side: 70 %
- Number of intermediate shelves: LED
- Diameter intermediate shelves: Right
- Properties: 4
- Power load: Bogie can be switched separately
- Size: Bogie detachable
- Weight: Rotation stop automatic when opening the door

Cake display show-case 100L



- Thanks to the 4 sturdy glass panes, the kitchen cabinet is excellently suited for presenting cakes or even snacks.
- Safety glass: Yes
 - Cooling: Circulating air
 - Climate class: 4
 - Energy efficiency class: C (EU No. 2019 / 2024)
 - Door hinge side: Right
 - Type of intermediate shelves: Glass pane
 - Height-adjustable intermediate shelves: Yes
 - Properties: Intermediate shelves, rotating, can be removed



• Energy consumption: 1376 kWh / an

• Energy consumption: 2484 kWh / an

	Content	Temperature range	Zntermediate shelves	Power load	Size	Weight	Code-No.	RRP*	GTIN
100L	100 litre(s)	2 °C to 8 °C	4	0,23 kW 230 V 50 Hz	W 495 mm D 495 mm H 1,065 mm	50.8 kg	700213G	1,289.- €	4015613641423
400L	400 litre(s)	2 °C to 10 °C	6	0,48 kW 230 V 50 Hz	W 680 mm D 680 mm H 1,750 mm	130.4 kg	700314	3,498.- €	4015613717913

Display fridge KV 270L

700562

RRP* 3,098.- €

GTIN 4015613782454



The flexible refrigerated cabinet for the counter area – the height-adjustable intermediate shelves with price rails provide an imposing display place for chilled drinks, snacks and food.



- Type of glass Double glazing
All-round glass
- Safety glass Yes
- Material surface Glass
- Content 270 litre(s)
- Cooling Circulating air
- Temperature range 2 °C to 10 °C
- Climate class 4
- Energy consumption 2703 kWh / an
- Energy efficiency class C (EU No. 2019 / 2024)
- Lighting LED
- Swivel casters 4 swivel casters, 2 with brake
- Number of intermediate shelves 2
- Type of intermediate shelves Glass pane
- Intermediate shelves with price rails Yes
- Height-adjustable intermediate shelves Yes
- Power load 0,475 kW | 230 V | 50 Hz
- Size W 905 x D 690 x H 1,210 mm
- Weight 128.4 kg



▶ Sliding doors at back



▶ LED lighting

Refrigerated wall shelf "Rimi"

700231

RRP* 2,349.- €

GTIN 4015613789118



Mobile refrigerated wall shelf for presentation of goods on four levels – the three height-adjustable shelves allow individual and needs-based assembly.



- Type of glass Single glazing
- Safety glass Yes
- Content 220 litre(s)
- Exhibition space 0,52 m²
- Cooling Circulating air
- Climate class 6
- Temperature range 2 °C to 10 °C
- Energy consumption 4487 kWh / an
- Energy efficiency class F (EU No. 2019 / 2024)
- Lighting LED
- Swivel casters 4 swivel casters, 2 with brake
- Number of shelves 3
- Shelves with price rails Yes
- Height-adjustable shelves Yes
- Night blind Yes
- Power load 1,3 kW | 230 V | 50 Hz
- Size W 490 x D 675 x H 1,742 mm
- Weight 94.6 kg



▶ LED lighting



▶ With night shutters

"Mini" refrigerator

700089

RRP* 198.- €

GTIN 4015613589596



- Material
Plastic
Plexiglas
- Content
19 litre(s)
- Cooling
Thermoelectric
- Cooling output
15 °C to 18 °C below ambient temperature
- Interior lighting
Yes
- Door hinge side
Right
- Number of intermediate shelves
1
- Including
12 V adapter cable for car
- Properties
Also suitable for mobile use in vehicles
- Power DC
12 V
- Power load
0,056 kW | 230 V | 50 Hz
- Size
W 330 x D 370 x H 460 mm
- Weight
7.3 kg

Mini bar 34L

700118

RRP* 439.- €

GTIN 4015613775180



- Material
Steel plate
Painted
- Material inside
Plastic
White
- Content
34 litre(s)
- Cooling
Static
- Temperature range
5 °C to 12 °C
- Energy consumption
230 kWh / an
- Energy efficiency class
G (EU No. 2019 / 2019)
- Ambient temperature
16 °C to 32 °C
- Door hinge side can be changed
Yes
- Lockable
Yes
- Number of intermediate shelves
2
- Height-adjustable intermediate shelves
Yes
- Properties
LED lighting
Removable door seal
- Can be installed
Yes
- Including
Fitting kit
- Power load
0,065 kW | 230 V | 50 Hz
- Size
W 402 x D 460 x H 550 mm
- Weight
17.4 kg

Mini bar 34L-GL

700119

RRP* 459.- €

GTIN 4015613775197



- Material
Steel plate
Painted
- Material inside
Plastic
White
- Type of glass
Double glazing
- Safety glass
Yes
- Content
34 litre(s)
- Cooling
Static
- Temperature range
7 °C to 12 °C
- Energy consumption
292 kWh / an
- Energy efficiency class
G (EU No. 2019 / 2019)
- Ambient temperature
to 30 °C
- Door hinge side can be changed
Yes
- Lockable
Yes
- Number of intermediate shelves
2
- Height-adjustable intermediate shelves
Yes
- Properties
LED lighting
Removable door seal
- Can be installed
Yes
- Including
Fitting kit
- Power load
0,08 kW | 230 V | 50 Hz
- Size
W 405 x D 465 x H 560 mm
- Weight
21.2 kg




- Material: Steel plate
- Material inside: HIPS (High Impact Polystyrene)
- Type of glass: Double glazing
- Content: 88 litre(s)
- Cooling: Static
- GWP: 3
- Temperature range: 2 °C to 10 °C
- Energy consumption: 139 kWh / an
- Energy efficiency class: G (EU No. 2019 / 2019)
- Ambient temperature: 10 °C to 32 °C
- Interior lighting: Yes
- Door hinge side can be changed: Yes
- Number of intermediate shelves: 6
- Type of intermediate shelves: Bottle grille, chrome-plated (5 units)
Grille, chrome-plated

• Properties

- Power load: 0,085 kW | 230 V | 50 Hz
- Size: W 430 x D 483 x H 832 mm
- Weight: 23.2 kg

Storage grid FKS 88L

- Material: Stainless steel
- Size: W 352 x D 360 x H 35 mm
- Weight: 0.67 kg
- GTIN: 4015613697192



700087

RRP* 9.50 €

Bar refrigerator 124L



- Material: Steel
- Material inside: Aluminium
- Type of glass: Double glazing
- Safety glass: Yes
- GWP: 3
- Temperature range: 1 °C to 10 °C
- Energy efficiency class: D (EU No. 2019 / 2024)
- Ambient temperature: to 25 °C
- Lockable: Yes
- Height-adjustable intermediate shelves: Yes
- Properties: LED lighting
Self-closing door

Bar refrigerator 124L



- Cooling: Static, with additional fan
- Type of door: Leaf door, glass
- Door hinge side: Right

Bar refrigerator 176L



- Cooling: Static with 2 fans
- Number of doors: 2
- Type of door: Sliding door(s), glass

Bar refrigerator 270L



- Cooling: Static with 3 fans
- Number of doors: 3
- Type of door: Sliding door(s), glass

	Content	Energy consumption	Number of intermediate shelves	Power load	Size	Weight	Code-No.	RRP*	GTIN
124L	124 litre(s)	467 kWh / an	2	0,13 kW 230 V 50 Hz	W 600 mm D 500 mm H 860 mm	36.4 kg	700121	829.- €	4015613702742
176L	176 litre(s)	420 kWh / an	4	0,175 kW 230 V 50 Hz	W 900 mm D 530 mm H 850 mm	50.6 kg	700122	1,119.- €	4015613702759
270L	270 litre(s)	500 kWh / an	6	0,22 kW 230 V 50 Hz	W 1,350 mm D 530 mm H 850 mm	72 kg	700123	1,349.- €	4015613702766

Wine cooler 2Z 38FL



The high-quality wine cooler is stylish and elegant, and, thanks to its very quiet compressor, it is ideal for bars and restaurants. The two separately controlled temperature zones for white wine and red wine, and the glass with its UV filter guarantee optimum storage and presentation.

- Material: Steel Painted Glass
- Type of glass: Double glazing Insulating safety glass with UV filter
- Cooling: Compressor
- Number of temperature zones: 2
- Temperature range: Top: 5 °C to 20 °C Below: 5 °C to 20 °C
- Energy efficiency class: G (EU No. 2019 / 2016)
- Ambient temperature: 16 °C to 38 °C
- Lighting: LED
- Lockable: Can be switched separately per temperature zone
- Door hinge side: Yes
- Power load: Right 0,15 kW | 230 V | 50 Hz

Wine cooler 2Z 38FL



- Energy consumption: 146 kWh / an
- Type of intermediate shelves: Wooden shelves, Ball bearings, Drawer: 225 mm

Wine cooler 2Z 40FL



- Can be installed: Yes
- Energy consumption: 142 kWh / an
- Type of intermediate shelves: Wooden shelves, Ball bearings, Drawer: 275 mm

Wine cooler 2Z 126FL



- Energy consumption: 180 kWh / an
- Type of intermediate shelves: Wooden shelves, Ball bearings, Drawer: 275 mm

Wine cooler 2Z 180FL



- Energy consumption: 184 kWh / an
- Type of intermediate shelves: Wooden shelves, Ball bearings, Drawer: 275 mm

	Storage capacity	Number of intermediate shelves	Size	Weight	Code-No.	RRP*	GTIN
2Z 38FL	38 bottles (top: 15 bottles, below: 23 bottles)	Top: 3 Below: 4	W 396 mm D 580 mm H 1,030 mm	40 kg	700130	979.- €	4015613686653
2Z 40FL	40 bottles (top: 14 bottles, below: 26 bottles)	Top: 2 Below: 3	W 590 mm D 575 mm H 825 mm	56.7 kg	700133	1,259.- €	4015613686684
2Z 126FL	126 bottles (top: 54 bottles, below: 72 bottles)	Top: 3 Below: 4	W 595 mm D 625 mm H 1,590 mm	76 kg	700131	1,798.- €	4015613686660
2Z 180FL	180 bottles (top: 80 bottles, below: 100 bottles)	Top: 4 Below: 4	W 600 mm D 750 mm H 1,860 mm	86.4 kg	700132	1,998.- €	4015613686677

Component parts

Wine presenter 2Z 126FL

- Material: Wood
- Capacity: Max. 6 bottles
- Properties: Can be exchanged with the intermediate shelves of wine cooler 2Z 126FL
- Size: W 506 x D 438 x H 30 mm
- Weight: 1 kg
- GTIN: 4015613738062



700135

RRP* 52.- €

Wine presenter 2Z 180FL

- Material: Wood
- Capacity: Max. 6 bottles
- Properties: Can be exchanged with the intermediate shelves of wine cooler 2Z 180FL
- Size: W 505 x D 534 x H 33 mm
- Weight: 1.1 kg
- GTIN: 4015613738086



700137

RRP* 55.- €

*RRP= Recommended Retail Price - all prices are recommendations only. The reseller is free to set his own sales prices | Subject to technical amendments.

Wine cooler 2FL-100



- Material: Plastic
- Bottle opening: Ø 90 mm
- Cooling: Thermoelectric
- Number of temperature zones: 1
- Temperature range: 5 °C to 18 °C
- Temperature control: Electronic
- Ambient temperature: In 0.1 °C steps
- Lighting: 10 °C to 32 °C
- Power load: LED
- Power load: Can be switched separately
- Power load: 0,05 kW | 230 V | 50 Hz



	Storage capacity	Size	Weight	Code-No.	RRP*	GTIN
2FL-100	2 bottles	W 290 x D 260 x H 260 mm	4.8 kg	700142	279.- €	4015613794457
4FL-100	4 bottles	W 480 x D 260 x H 260 mm	6.8 kg	700134	309.- €	4015613735917

Drawer chiller 600S2

110159

RRP* 1,649.- €

GTIN 4015613719450



This drawer chiller has 2 drawers and can be integrated with other units, making it ideal for installation between cabinets in cafés and bars. The circulation cooling and perforated base of the top drawer ensure even temperature distribution.

- Number of drawers: 2
- Drawer dimensions: Top: W 440 x D 440 x H 225 mm; Bottom: W 440 x D 250 x H 150 mm
- Cooling: Circulating air
- Temperature range: 0 °C to 10 °C
- Temperature control: In 1 °C steps
- Energy consumption: 1095 kWh / an
- Energy efficiency class: D (EU Nr. 2015 / 1094)
- Climate class: 4
- Max. bottle height: 275 mm
- Load-bearing capacity of each drawer, max: 20 kg
- Can be installed: Yes
- Properties: Top drawer has perforated base
- Power load: 0,167 kW | 230 V | 50 Hz
- Size: W 600 x D 645 x H 850 mm
- Weight: 51.8 kg



▶ Top drawer has perforated base

Impulse cooler 60L-1F



- Material
- Material surface
- Cooling
- Temperature range
- Temperature control
- Climate class
- Lighting
- Important information

Stainless steel | Plexiglas | Plastic

Stainless steel

Circulating air

Compressor

2 °C to 8 °C

8 levels

ST

LED

Do not cover the louvre of the utility space



60L-1F

- Dimensions of surface: W 600 x D 340 mm
- Energy efficiency class C (EU No. 2019 / 2018)



110L-2F

- Dimensions of each surface: W 600 x D 150 mm
- 4 swivel casters, 2 with brake
- Energy efficiency class D (EU No. 2019 / 2018)

	Number of shelves	Content	Energy consumption	Power load	Size	Weight	Code-No.	RRP*	GTIN
60L-1F	1	60 litre(s)	621 kWh / an	0,175 kW 230 V 50 Hz	W 690 mm D 450 mm H 1,010 mm	36.2 kg	700806	1,149.- €	4015613714479
110L-2F	2	110 litre(s)	876 kWh / an	0,185 kW 230 V 50 Hz	W 750 mm D 550 mm H 1,010 mm	40.8 kg	700809	1,298.- €	4015613746241

Bottle cooler 254L

700273

RRP* 698.- €

GTIN 4015613766836



- Material
- Material inside
- Content
- Cooling
- GWP
- Temperature range
- Energy consumption
- Energy efficiency class
- Ambient temperature
- Interior lighting
- Door hinge side can be changed
- Number of intermediate shelves
- Height-adjustable intermediate shelves
- Power load
- Size
- Weight

Plastic

HIPS (High Impact Polystyrene)

254 litre(s)

Static

3

0 °C to 8 °C

131 kWh / an

F

16 °C to 43 °C

Yes

Yes

5

Yes

0,12 kW | 230 V | 50 Hz

W 600 x D 620 x H 1,450 mm

52 kg

Bottle Cooler 320LN

700321

RRP* 1,119.- €

GTIN 4015613523767



- Material
- Material inside
- Type of glass
- Safety glass
- Content
- Cooling
- GWP
- Temperature range
- Energy consumption
- Energy efficiency class
- Ambient temperature
- Interior lighting
- Door hinge side can be changed
- Number of intermediate shelves
- Height-adjustable intermediate shelves
- Power load
- Size
- Weight

Plastic

HIPS (High Impact Polystyrene)

Double glazing

Yes

320 litre(s)

Static

3

2 °C to 10 °C

902 kWh / an

E (EU No. 2019 / 2024)

to 32 °C

Yes

Yes

5

Yes

0,23 kW | 230 V | 50 Hz

W 600 x D 600 x H 1,730 mm

67 kg

Storage refrigerator Bartscher Compact

700274

RRP* 498.- €

GTIN 4015613797625



• Material

Steel



• Material inside

Painted

• Content

Plastic

• Cooling

122 litre(s)

• Temperature range

Compressor

• Temperature control

0 °C to 8 °C

Manual

5 levels

• Energy consumption

112 kWh / an

• Energy efficiency class

F (EU No. 2019 / 2016)

• Ambient temperature

16 °C to 32 °C

• Interior lighting

Yes

• Door hinge side can be changed

Yes

• Height adjustable

0 mm to 15 mm

• Number of intermediate shelves

3

• Height-adjustable intermediate shelves

Yes

• Power load

0,1 kW | 230 V | 50 Hz

• Size

W 560 x D 635 x H 855 mm

• Weight

25.4 kg

Storage refrigerator 350

700276

RRP* 939.- €

GTIN 4015613797632



• Material

Plastic



• Material inside

Steel

• Content

Plastic

• Cooling

350 litre(s)

• GWP

Circulating air

• Temperature range

3

• Temperature control

-2 °C to 8 °C

• Energy consumption

5 levels

• Energy efficiency class

735 kWh / an

• Ambient temperature

D (EU No. 2015 / 1094)

• Interior lighting

16 °C to 30 °C

• Door hinge side can be changed

Yes

• Number of intermediate shelves

Yes

• Height-adjustable intermediate shelves

5

• Properties

Yes

2 casters, 2 adjustable feet

Fan stop when door is open

• Power load

0,23 kW | 220-240 V | 50 Hz

• Size

W 600 x D 635 x H 1,730 mm

• Weight

55 kg

Refrigerator 590LW

700807

RRP* 1,798.- €

GTIN 4015613719146



• Material

Steel



• Material inside

Painted

• Gastronorm

Plastic ABS

• Content

2/1 GN

• Cooling

590 litre(s)

• GWP

Circulating air

• Temperature range

3

• Energy consumption

0 °C to 8 °C

• Energy efficiency class

329 kWh / an

• Ambient temperature

A (EU No. 2015 / 1094)

• Lockable

to 30 °C

• Door hinge side can be changed

Yes

• Number of intermediate shelves

Yes

• Properties

4

Self-closing door

• Power load

0,128 kW | 230 V | 50 Hz

• Size

W 775 x D 725 x H 1,900 mm

• Weight

92.8 kg

Glas-doored refrigerators



Glas-doored refrigerator 300L

700812

RRP* 1,549.- €

GTIN 4015613720623



- Material

Steel
Coated



- Material inside

Glass
Plastic ABS

- Type of glass

Double glazing

- Safety glass

Yes

- Content

300 litre(s)

- Cooling

Circulating air

- GWP

3

- Temperature range

2 °C to 8 °C

- Energy consumption

953 kWh / an

- Energy efficiency class

F (EU No. 2019 / 2024)

- Ambient temperature

to 30 °C

- Interior lighting

Yes

- Door hinge side

Right

- Number of intermediate shelves

4

- Height-adjustable intermediate shelves

Yes

- Power load

0,3 kW | 230 V | 50 Hz

- Size

W 480 x D 775 x H 1,995 mm

- Weight

78 kg

Glas-doored refrigerator 326

700834

RRP* 1,298.- €

GTIN 4015613756943



- Material

Steel plate
Painted



- Material inside

Glass
Plastic ABS

- Type of glass

Double glazing

- Safety glass

Yes

- Content

326 litre(s)

- Cooling

Static

With additional fan

- GWP

3

- Temperature range

1 °C to 10 °C

- Energy consumption

710 kWh / an

- Energy efficiency class

D (EU No. 2019 / 2024)

- Ambient temperature

to 30 °C

- Interior lighting

Yes

- Lockable

Yes

- Door hinge side

Right

- Number of intermediate shelves

5

- Height-adjustable intermediate shelves

Yes

- Power load

0,18 kW | 230 V | 50 Hz

- Size

W 620 x D 635 x H 1,732 mm

- Weight

72 kg

Glass-doored refrigerator 302L WB

700811

RRP* 1,319.- €

GTIN 4015613720593



• Material	Steel Painted Glass Plastic ABS
• Material inside	Plastic ABS
• Type of glass	Double glazing
• Safety glass	Yes
• Content	302 litre(s)
• Cooling	Static with 1 fan
• GWP	3
• Temperature range	0 °C to 10 °C
• Energy consumption	642 kWh / an
• Energy efficiency class	D (EU No. 2019 / 2024)
• Ambient temperature	16 °C to 30 °C
• Advertising display	LED lighting For stickers with max. dimensions of W 600 x H 155 mm For printed material with max. dimensions of W 495 x H 130 mm
• Interior lighting	Yes
• Lockable	Yes
• Door hinge side	Right
• Number of intermediate shelves	5
• Height-adjustable intermediate shelves	Yes
• Including	1 thermometer for hanging inside
• Power load	0,155 kW 230 V 50 Hz
• Size	W 600 x D 580 x H 1,845 mm
• Weight	55.6 kg

Glass-doored refrigerator 830WB

700833

RRP* 2,729.- €

GTIN 4015613756936



• Material	Steel plate Painted Glass Plastic
• Material inside	Steel, painted
• Type of glass	Double glazing
• Safety glass	Yes
• Content	830 litre(s)
• Cooling	Circulating air
• GWP	3
• Temperature range	1 °C to 10 °C
• Temperature control	Electronic In 1 °C steps
• Energy consumption	1127 kWh / an
• Energy efficiency class	D (EU No. 2019 / 2024)
• Ambient temperature	to 30 °C
• Advertising display	LED lighting, separately switchable For stickers with max. dimensions of W 959 x H 263 mm For printed material with max. dimensions of W 940 x H 244 mm
• Interior lighting	Yes
• Lockable	Yes
• With price strips	Yes
• Number of intermediate shelves	8
• Power load	0,561 kW 230 V 50 Hz
• Size	W 1,000 x D 730 x H 2,038 mm
• Weight	134 kg

Glass-doored refrigerator 1400 GN210

700601

RRP* 4,849.- €

GTIN 4015613757810



Solid stainless steel, appealing design, glass doors with aluminium frame and high-quality LED lighting provide ideal prerequisites for perfect product presentation. The two-door refrigerator with 2/1 GN shelves positively invites impulse buys.



• Material inside	Stainless steel
• Type of glass	Double glazing
• Safety glass	Yes
• Gastronorm	2/1 GN
• Content	922 litre(s)
• Cooling	Circulating air
• Temperature range	-2 °C to 8 °C
• Temperature control	In 1 °C steps
• Energy consumption	1308 kWh / an
• Energy efficiency class	B (EU No. 2019 / 2018)
• Ambient temperature	10 °C to 32 °C
• Interior lighting	Yes
• Number of doors	2
• Lockable	Yes
• Door hinge side	Left / right
• Height adjustable	2040 mm to 2115 mm
• Number of intermediate shelves	6
• Height-adjustable intermediate shelves	Yes
• Properties	LED lighting, separately switchable Fan stop when door is open Self-closing door
• Power load	0,207 kW 230 V 50 Hz
• Size	W 1,320 x D 860 x H 2,040 mm
• Weight	166.5 kg

Combination fridge/freezer 430L

700898

RRP* 2,249.- €

GTIN 4015613765747



This combination fridge/freezer has an appealing black design and a volume of 430 litres. The glass doors allow customers to see the food inside, which can be highlighted using the separately controllable LED lights.



• Material	Steel plate
• Material inside	Plastic
• Type of glass	Double glazing
• Content	430 litre(s)
• Cooling	Compressor Circulating air
• Temperature range	0 °C to 10 °C -18 °C to -23 °C
• Temperature control	In 1 °C steps
• Energy consumption	3650 kWh / an
• Energy efficiency class	C (EU No. 2019 / 2018)
• Ambient temperature	16 °C to 32 °C
• Interior lighting	Yes
• Number of doors	2
• Lockable	No
• Door hinge side	Right
• Number of intermediate shelves	4
• Height-adjustable intermediate shelves	Yes
• Properties	4 swivel casters, 2 with brake LED lighting, separately switchable Freezing at top Refrigeration at bottom
• Power load	0,767 kW 230 V 50 Hz
• Size	W 705 x D 775 x H 2,020 mm
• Weight	60.66 kg

Combination fridge/freezer 820L

700899

RRP* 3,698.- €

GTIN 4015613765754



This combination fridge/freezer has an appealing black design and a volume of 820 litres. The glass doors allow customers to see the food inside, which can be highlighted using the separately controllable LED lights.

- Material Steel plate
- Material inside Plastic
- Type of glass Double glazing
- Content 820 litre(s)
- Cooling Compressor
Circulating air
- Temperature range 0 °C to 10 °C
-18 °C to -23 °C
- Temperature control In 1 °C steps
- Energy consumption 6570 kWh / an
- Energy efficiency class D (EU No. 2019 / 2018)
- Ambient temperature 16 °C to 32 °C
- Interior lighting Yes
- Number of doors 2
- Lockable Yes
- Door hinge side Left / right
- Number of intermediate shelves 8
- Height-adjustable intermediate shelves Yes
- Properties 4 swivel casters, 2 with brake
LED lighting, separately switchable
Fridge on left | Freezer on right
- Power load 1 kW | 230 V | 50 Hz
- Size W 1,220 x D 815 x H 2,000 mm
- Weight 80.66 kg



Combination fridge/freezer 484L GN210

700826

RRP* 2,998.- €

GTIN 4015613689012



This combi appliance unites refrigeration and freezing to allow access to chilled and frozen goods in restricted spaces. The GN-compatible bearing rails can be used for the provided racks and GN containers.

- Gastronorm 2/1 GN
1/1 GN
- Content 484 litre(s)
- Cooling Circulating air
- Temperature range 0 °C to 10 °C
-18 °C to -22 °C
- Temperature control In 1 °C steps
- Energy consumption 2555 kWh / an
- Energy efficiency class -
- Ambient temperature 16 °C to 32 °C
- Number of doors 2
- Door hinge side can be changed Yes
- Number of intermediate shelves 4
- Height-adjustable intermediate shelves Yes
- Properties 4 swivel casters, 2 with brake
Also for the insertion of GN containers
One on/off switch each for refrigeration and freezing
Freezing at top | Refrigeration at bottom
- Power load 0,767 kW | 230 V | 50 Hz
- Size W 660 x D 835 x H 2,035 mm
- Weight 132 kg

Refrigerator 335L GN110

700825

RRP* 1,898.- €

GTIN 4015613689036



This Gastronorm refrigerator with 4 swivel castors is particularly space-saving due to the lengthwise insertion of the shelves. The height-adjustable shelves have space for 1/1 GN and 1/2 GN prepared containers.

- Content 335 litre(s)
- Gastronorm 1/1 GN
1/2 GN
- Cooling Circulating air
- GWP 3
- Temperature range 0 °C to 10 °C
- Temperature control In 1 °C steps
- Energy consumption 548 kWh / an
- Energy efficiency class C
- Ambient temperature to 30 °C
- Lockable Yes
- Door hinge side can be changed Yes
- Number of intermediate shelves 3
- Height-adjustable intermediate shelves Yes
- Properties For the insertion of GN containers
Distance between the drawers: 55 mm
Space-saving
4 swivel castors, 2 with brake
0,347 kW | 230 V | 50 Hz
W 480 x D 810 x H 2,035 mm
79 kg
- Power load
- Size
- Weight

Refrigerator 700 GN211



- Material inside Stainless steel
- Gastronorm 2/1 GN
- Cooling Circulating air
- GWP 3
- Temperature range -2 °C to 8 °C
- Temperature control Thermostatic
- Energy efficiency class C (EU No. 2015 / 1094)
- Lockable Yes
- Height adjustable 2040 mm to 2115 mm
- Height-adjustable intermediate shelves Yes



	Content	Energy consumption	Number of doors	Number of intermediate shelves	Power load	Size	Weight	Code-No.	RRP*	GTIN
700 GN211	461 litre(s)	548 kWh / an	1 (Door hinge side can be changed)	3	0,368 kW 230 V 50 Hz	W 655 mm D 855 mm H 2,050 mm	106.2 kg	700515	2,649.- €	4015613736242
1400 GN211	922 litre(s)	913 kWh / an	2	6	0,575 kW 230 V 50/60 Hz	W 1,320 mm D 855 mm H 2,050 mm	162 kg	700516	3,649.- €	4015613739281

1 pair of rails

- Size: W 565 x D 15 x H 25 mm
- Weight: 0.53 kg
- GTIN: 4015613685052

700488

RRP* 18.- €

Grid 2/1GN

- Gastronorm: 2/1 GN
- Size: W 530 x D 650 x H 21 mm
- Weight: 2.02 kg
- GTIN: 4015613587202

700487

RRP* 45.- €

Bakery refrigerator 235

700830

RRP* 2,998.- €

GTIN 4015613756905



Make cakes, tarts, bread loaves and rolls ahead of time and properly chill and store them on the appropriate tray until you're ready to process them further or serve them up. This bakery-standard refrigerator provides plenty of cool storage space for bakeries, cake shops, cafés and hotel kitchens.



- Content 235 litre(s)
- Number of drawers 10
- Format drawers 600 x 400 mm
- Cooling Circulating air
- GWP 3
- Temperature range 2 °C to 8 °C
- Temperature control Electronic
- In 1 °C steps
- Energy consumption 358 kWh / an
- Energy efficiency class C (EU No. 2015 / 1095)
- Ambient temperature 10 °C to 30 °C
- Lockable Yes
- Door hinge side can be changed Yes
- Properties 1 fan
- Signal is sound when the door is left open too long
- LED lighting
- Power load 0,2 kW | 230 V | 50 Hz
- Size W 705 x D 910 x H 2,085 mm
- Weight 131.4 kg

Refrigerator 700 GN210

700804

RRP* 3,149.- €

GTIN 4015613681214




Spacious and clever – The stylish stainless steel refrigerator has a volume of 700 litres in 2/1 GN format for maximum refrigeration space. A signal is sounded to indicate that the refrigeration chain will be interrupted when the refrigerator door is left open too long.



- Gastronorm 2/1 GN
- Content 700 litre(s)
- Cooling Circulating air
- GWP 3
- Temperature range 2 °C to 8 °C
- Temperature control In 1 °C steps
- Energy consumption 303 kWh / an
- Energy efficiency class A (EU No. 2015 / 1094)
- Ambient temperature to 30 °C
- Lockable Yes
- Door hinge side can be changed Yes
- Height adjustable 2040 mm to 2090 mm
- Number of intermediate shelves 4
- Height-adjustable intermediate shelves Yes
- Properties LED lighting, separately switchable
- Signal is sound when the door is left open too long
- Distance between the drawers: 75 mm
- Power load 0,215 kW | 230 V | 50 Hz
- Size W 705 x D 895 x H 2,090 mm
- Weight 146.4 kg

Insert grate 700LGN210-OM

- Material: Steel, Plastic coated
- Usage options: Upper drawer, Middle drawers
- Load-bearing capacity max.: 60 kg
- Size: W 530 x D 655 x H 45 mm
- Weight: 2.71 kg
- GTIN: 4015613729749



700816

RRP* 45.- €

Insert grate 700LGN210-U

- Material: Steel, Plastic coated
- Usage options: Our drawer
- Load-bearing capacity max.: 60 kg
- Size: W 530 x D 645 x H 75 mm
- Weight: 3.12 kg
- GTIN: 4015613729756



700817

RRP* 49.- €

Mini cold room 1240L



- Material
 - Steel plate
 - PVC coated
 - Aluminium
 - Stainless steel base
- Material inside
 - W 820 x D 860 x H 1760 mm
 - 1240 litre(s)
 - Compressor
 - Temperature range: 2 °C to 10 °C
 - Temperature control: Digital
 - Ambient temperature: 16 °C to 38 °C
 - Lockable: Yes
 - Door hinge side can be changed: Yes
 - Properties:
 - Panic lock
 - Prepared for bearing rails, grilles, suspension device, access ramp
- Not included in delivery
 - Bearing rails, grilles, suspension device, access ramp
- Power load: 0,571 kW | 230 V | 50 Hz
- Size: W 980 x D 1,040 x H 2,200 mm
- Weight: 158.2 kg

	Delivery state	Code-No.	RRP*	GTIN
Mini cold room 1240L	Permanently mounted	700690	4,398.- €	4015613787114
Mini cold room BS1240L	Building kit (simple assembly)	700699	4,398.- €	4015613790879

Component parts

Support rails

- Set comprises: 4 bearing rails
- Material: Stainless steel
- Number of drawers: 8
- Distance between trays: 200 mm
- Size: W 1,500 x D 40 x H 25 mm
- Weight: 5.92 kg
- GTIN: 4015613680019



700593

RRP* 159.- €

Suspension attachment

- Set comprises: 2 bearing rails, 1 suspended tube (can be adjusted horizontally in 5 positions)
- Material: Stainless steel, Plastic
- Length bearing rail: 850 mm
- Size tube: Ø 30 mm | Length: 830 mm
- Load-bearing capacity max.: 150 kg
- Clearance from floor: 1700 mm
- Size: W 830 x D 30 x H 30 mm
- Weight: 1.6 kg
- GTIN: 4015613630397



700595

RRP* 119.- €

Grid

- Material: Steel, Galvanised
- Load-bearing capacity max.: 20 kg
- Size: W 830 x D 870 x H 40 mm
- Weight: 4.7 kg
- GTIN: 4015613630380



700592

RRP* 119.- €

Loading ramp

- Material: Stainless steel
- Load-bearing capacity max.: 130 kg
- Size: W 845 x D 125 x H 30 mm
- Weight: 1.55 kg
- GTIN: 4015613630410



700597

RRP* 198.- €

Dry Age cabinet 380



Top-quality tasty meat - this Dry Age cabinet provides perfect conditions for meat maturation.

• Material	Glass
• Type of glass	Steel plate Triple glazing Tinted UV filter glass
• Safety glass	Yes
• Material inside	Stainless steel
• Cooling	Circulating air
• GWP	3
• Temperature range	2 °C to 14 °C
• Temperature control	Electronic In 1 °C steps
• Ambient temperature	18 °C to 38 °C
• Humidity	50 % to 85 %
• Temperature regulation	In 1 % steps
• UV lamp	Yes
• Interior lighting	LED
• Control unit	Touch
• Lockable	Yes
• Door hinge side	Right
• Height-adjustable intermediate shelves	Yes
• Properties	Antibacterial UV light Odour neutralisation thanks to activated carbon filters



Dry Age cabinet 63

• Size inside	W 310 x D 370 x H 480 mm
• Content	63 litre(s)
• Water reservoir	300 ml
• Number of filters	1
• Rod size	W 295 x D 305 x H 30 mm
• Support load per suspended rack	20 kg
• Number of intermediate shelves	4
• Load-bearing capacity of intermediate shelves max.	15 kg
• Height-adjustable feet	Yes
• Including	1 activated carbon filter 1 drip tray 1 handle with assembly material 1 suspended rack + 3 meat hooks 1 water reservoirs + 1 spare reservoirs + holder + trip tray 2 keys 4 stainless steel racks
• Power load	0,135 kW 230 V 50 Hz
• Size	W 400 x D 605 x H 875 mm
• Weight	40.6 kg
• GTIN	4015613769363

700840

RRP* 1,149.- €

Dry Age cabinet 380

• Size inside	W 495 x D 532 x H 1600 mm
• Content	380 litre(s)
• Water reservoir	2 x 300 ml
• Number of filters	2
• Rod size	Ø 25 mm, length 495 mm
• Support load per suspended rack	80 kg
• Number of intermediate shelves	7
• Load-bearing capacity of intermediate shelves max.	20 kg
• Height-adjustable feet	No
• Including	2 activated carbon filters 1 drip tray 7 stainless steel racks 1 handle with assembly material 2 hanging rods + 6 meat hooks 2 keys 2 water reservoirs + 2 spare reservoirs + holder + trip tray
• Power load	0,41 kW 230 V 50 Hz
• Size	W 595 x D 750 x H 1,865 mm
• Weight	104 kg
• GTIN	4015613769370

700841

RRP* 3,498.- €

Deep freezer TKS38

700078

RRP* 249.- €

GTIN 4015613636900



- Material
- Material inside
- Content
- Cooling
- GWP
- Temperature range to
- Energy consumption
- Energy efficiency class
- Ambient temperature
- Door hinge side can be changed
- Properties

Polyethylene
HIPS (High Impact Polystyrene)
38 litre(s)
Compressor
3
-20 °C
147 kWh / an
E (EU No. 2019 / 2019)
16 °C to 38 °C
Yes
Glasses shelf: Glass height max.:
below 130 mm / top 205 mm
Additional shelf, size:
W 330 x D 145 x H 145 mm
1 glass insert for up to 18 glasses (hook
length per: 135 mm)
0,06 kW | 230 V | 50 Hz
W 475 x D 450 x H 500 mm
14 kg

- Including
- Power load
- Size
- Weight

Freezer TKS90

700342

RRP* 1,069.- €

GTIN 4015613719696



- Material
- Content
- Cooling
- Temperature range
- Ambient temperature
- Lockable
- Door hinge side
- Number of intermediate shelves
- Height-adjustable intermediate shelves
- Properties

Steel
Painted
Glass
90 litre(s)
Compressor
-13 °C to -22 °C
to 30 °C
Yes
Right
3
Yes
Glass heater, can be switched separately
Door with triple glazing
LED lighting
2 keys
0,23 kW | 230 V | 50 Hz
W 620 x D 600 x H 720 mm
47.6 kg

- Including
- Power load
- Size
- Weight

Deep freezer 200LN

700341

RRP* 798.- €

GTIN 4015613585826



- Material
- Material inside
- Content
- Cooling
- GWP
- Temperature range to
- Energy consumption
- Energy efficiency class
- Ambient temperature
- Number of drawers
- Door hinge side can be changed
- Including
- Power load
- Size
- Weight

Plastic
HIPS (High Impact Polystyrene)
196 litre(s)
Static
3
-18 °C
251 kWh / an
F (EU No. 2019 / 2019)
16 °C to 38 °C
6
Yes
1 ice cube tray
0,165 kW | 230 V | 50 Hz
W 600 x D 620 x H 1,450 mm
53 kg

Deep freezer 700 GN211



- Material inside: Stainless steel
- Gastronorm: 2/1 GN
- Cooling: Circulating air
- GWP: 3
- Temperature range: -18 °C to -22 °C
- Ambient temperature: to 30 °C
- Lockable: Yes
- Height-adjustable feet: Yes
- Height-adjustable intermediate shelves: Yes



Deep freezer 700 GN211

- Content: 700 litre(s)
- Energy consumption: 2179 kWh / an
- Energy efficiency class: D (EU Nr. 2015 / 1094)
- Number of doors: 1
- Door hinge side can be changed: Yes
- Number of intermediate shelves: 3
- Power load: 0,69 kW | 230 V | 50/60 Hz
- Size: W 655 x D 855 x H 2,050 mm
- Weight: 110.4 kg
- GTIN: 4015613736235

700505

RRP* 3,249.- €

Deep freezer 1400 GN211

- Content: 1400 litre(s)
- Energy consumption: 4855 kWh / an
- Energy efficiency class: E
- Number of doors: 2
- Door hinge side can be changed: No
- Number of intermediate shelves: 6
- Power load: 1,012 kW | 230 V | 50 Hz
- Size: W 1,320 x D 855 x H 2,050 mm
- Weight: 191 kg
- GTIN: 4015613739298

700506

RRP* 4,398.- €

1 pair of rails

- Size: W 565 x D 15 x H 25 mm
- Weight: 0.53 kg
- GTIN: 4015613685052

700488

RRP* 18.- €

Grid 2/1GN

- Size: W 530 x D 650 x H 21 mm
- Weight: 2.02 kg
- GTIN: 4015613587202

700487

RRP* 45.- €

Deep freezer 700 GN210



- Gastronorm: 2/1 GN
- Content: 700 litre(s)
- Cooling: Circulating air
- GWP: 3
- Temperature range: -18 °C to -22 °C
- Energy consumption: 1223 kWh / an
- Energy efficiency class: B (EU No. 2015 / 1094)
- Ambient temperature: to 30 °C
- Lockable: Yes
- Door hinge side can be changed: Yes
- Height adjustable: 2040 mm to 2090 mm
- Number of intermediate shelves: 4
- Height-adjustable intermediate shelves: Yes
- Properties: LED lighting, separately switchable
Signal is sound when the door is left open too long
Distance between the drawers: 75 mm
- Power load: 0,35 kW | 230 V | 50 Hz
- Size: W 705 x D 895 x H 2,090 mm
- Weight: 151 kg

700803

RRP* 3,549.- €

GTIN 4015613681207

Insert grate 700LGN210-OM

- Usage options: Upper drawer, Middle drawers
- Size: W 530 x D 655 x H 45 mm
- Weight: 2.71 kg
- GTIN: 4015613729749

700816

RRP* 45.- €

Insert grate 700LGN210-U

- Usage options: Our drawer
- Size: W 530 x D 645 x H 75 mm
- Weight: 3.12 kg
- GTIN: 4015613729756

700817

RRP* 49.- €



Make cakes, tarts, bread loaves, and rolls ahead of time and properly freeze and store them on the appropriate tray until you're ready to process them further or serve them up. This bakery-standard freezer provides plenty of cool storage space for bakeries, cake shops, cafés, and hotel kitchens.



- Content 235 litre(s)
- Format drawers 600 x 400 mm
- Number of drawers 10
- Cooling Circulating air
- GWP 3
- Temperature range -18 °C to -22 °C
- Energy consumption 1336 kWh / an
- Energy efficiency class D (EU No. 2015 / 1095)
- Ambient temperature to 30 °C
- Lockable Yes
- Door hinge side can be changed Yes
- Properties 1 fan
Signal is sound when the door is left open too long
LED lighting
- Power load 0,386 kW | 230 V | 50 Hz
- Size W 705 x D 910 x H 2,085 mm
- Weight 133.9 kg



Blast chillers



Shock freezer AL5, 5x1/1GN



- Number of drawers 5
- Format drawers 1/1 GN
600 x 400 mm
- Cooling Circulating air
- GWP 1945
- Fast cooling cycle 70 °C to 3 °C (16 kg in 90 min.)
- Shock frost output 70 °C to -18 °C (12 kg in 240 min.)
- Energy consumption Fast cooling: 0,12 kWh/kg
Shock freezing: 0,35 kWh/kg
- Climate class 4
- Including 1 core temperature sensor
- Power load 1,2 kW | 230 V | 50 Hz
- Size W 750 x D 700 x H 850 mm
- Weight 98 kg



Chest freezer 252LW



• Material



• Material inside

- Cooling
- GWP
- Temperature range
- Energy efficiency class
- Ambient temperature
- Interior lighting

Steel
Painted
Plastic ABS
Aluminium
Static
3
-25 °C to -15 °C
F (EU No. 2019 / 2019)
16 °C to 43 °C
Yes



	Content	Number of baskets	Energy consumption	Power load	Size	Weight	Code-No.	RRP*	GTIN
252LW	252 litre(s)	2	283 kWh / an	0,11 kW 230 V 50 Hz	W 1,035 mm D 750 mm H 850 mm	48.2 kg	700965	998.- €	4015613662527
368LW	368 litre(s)	3	317 kWh / an	0,125 kW 230 V 50 Hz	W 1,275 mm D 750 mm H 850 mm	54.8 kg	700963	1,098.- €	4015613650036
458LW	458 litre(s)	3	352 kWh / an	0,15 kW 230 V 50 Hz	W 1,535 mm D 750 mm H 850 mm	71.8 kg	700966	1,298.- €	4015613662534

Ice flake makers



Ice-Flake Maker F 90



The high-performance ice flake maker is ideal for presenting food on fresh food counters or buffets.



- Production by means of
- Storage container capacity



- Cooling
- Climate class
- Water connection
- Water outlet
- Filling level sensor
- Can be installed
- Important information
- Size

Vertical evaporator system
18 kg
Air cooled
T
3/4"
Ø 20 mm
Yes
Yes
Clearance to all sides at least 15 cm
W 500 x D 600 x H 695 mm

	Production max.	Power load	Weight	Code-No.	RRP*	GTIN
F 90	90 kg / 24 h	0,41 kW 230 V 50 Hz	51.92 kg	104609	4,049.- €	4015613792873
F 130	130 kg / 24 h	0,49 kW 230 V 50 Hz	52.47 kg	104636	4,649.- €	4015613793573

Ice cube makers



Ice-cube maker W150

100083

RRP* 309.- €

GTIN 4015613730707



- Material Plastic
- Colour Steel grey
- Production max. 15 kg / 24 h
- Production / work step 24 Ice cubes
- Number of ice cube sizes 1
- Design ice cube Cube form
- Clear
- Vertical evaporator system
- Storage container capacity 1 kg
- Tank volume 2,3 litre(s)
- Cooling Compressor
- Climate class ST
- Power load 0,24 kW | 230 V | 50 Hz
- Size W 280 x D 380 x H 345 mm
- Weight 10.4 kg



Ice-cube maker HK150

100082

RRP* 349.- €

GTIN 4015613730714



- Material Plastic
- Colour Steel grey
- Production max. 15 kg / 24 h
- Production / work step 12 Ice cubes
- Number of ice cube sizes 3
- Ice cube size S (Ø 1,5 cm | H 3,5 cm)
- M (Ø 2,2 cm | H 3,5 cm)
- L (Ø 2,5 cm | H 3,5 cm)
- Tapered form (hollow taper)
- Vertical evaporator system
- Storage container capacity 1,5 kg
- Tank volume 4,5 litre(s)
- Cooling Air cooled
- Climate class ST
- Power load 0,32 kW | 230 V | 50 Hz
- Size W 375 x D 420 x H 415 mm
- Weight 13.9 kg



Ice-Cube Maker C26



C series ice-cube machine: Hollow cone using a spray system. Up to 25 kg of ice cubes can be produced within 24 hours - very easily via a permanent water connection.



• Number of ice cube sizes	1
• Design ice cube	Tapered form (hollow taper)
• Production by means of	Spray system
• Cooling	Air cooled
• Climate class	ST
• Water connection	3/4"
• Water outlet	Ø 21 mm
• Important information	Clearance to all sides at least 10 cm

Ice-Cube Maker C26

• Production max.	25 kg / 24 h
• Production / work step	16 Ice cubes
• Ice cube size	Ø 28 mm, height 40 mm, 18-20 g
• Storage container capacity	7 kg
• Power load	0,22 kW 230 V 50 Hz
• Size	W 395 x D 551 x H 673 mm
• Weight	25.6 kg
• GTIN	4015613780856

104049

RRP* 898.- €

Ice-Cube Maker C50

• Production max.	50 kg / 24 h
• Production / work step	24 Ice cubes
• Ice cube size	Ø 29 mm, height 40 mm, 19-21 g
• Storage container capacity	13 kg
• Power load	0,38 kW 230 V 50 Hz
• Size	W 547 x D 610 x H 823 mm
• Weight	38.4 kg
• GTIN	4015613780863

104050

RRP* 1,279.- €

Ice cube maker Q 26



Because there are no pumps or injection nozzles, the paddle system and evaporator with fingers ensure quiet and smooth running even in tough conditions.



• Number of ice cube sizes	1
• Ice cube size	32,5 x 29 x 41 mm, 21 g
• Design ice cube	Tapered form (hollow taper)
• Production by means of	Paddle system
• Cooling	Air cooled
• Climate class	SN
• Water connection	3/4"
• Water outlet	Ø 20 mm
• Filling level sensor	Yes
• Can be installed	Yes
• Height without feet	690 mm
• Important information	Clearance to all sides at least 15 cm



Ice cube maker Q 26

• Production max.	25 kg / 24 h
• Production / work step	15 Ice cubes
• Storage container capacity	10 kg
• Power load	0,265 kW 230 V 50 Hz
• Size	W 400 x D 545 x H 690 mm
• Weight	30.9 kg
• GTIN	4015613785707

104304

RRP* 1,769.- €

Ice cube maker Q 46

• Production max.	45 kg / 24 h
• Production / work step	35 Ice cubes
• Storage container capacity	16 kg
• Power load	0,36 kW 230 V 50 Hz
• Size	W 500 x D 600 x H 705 mm
• Weight	38.6 kg
• GTIN	4015613774077

104306

RRP* 2,479.- €

Ice cube maker B 28 Plus



More efficient and economical – the optimised ice-cube maker series B Plus supplies fully conical ice-cubes in high production quantities and is also very economical.



• Number of ice cube sizes	1
• Ice cube size	35 x 32 mm, 20 g
• Design ice cube	Tapered form (full taper)
• Production by means of	Spray system
• Cooling	Air cooled
• Climate class	T
• Water connection	3/4"
• Water outlet	Ø 20 mm
• Can be fitted below the counter	Yes
• Important information	Clearance to all sides at least 15 cm

B 38 Plus



B 46 Plus



B 70 Plus



B 86 Plus



Ice cube maker B 28 Plus

• Production max.	28 kg / 24 h
• Production / work step	18 Ice cubes
• Storage container capacity	6,5 kg
• Properties	Cleaning function
	Water consumption / hour: 2.3 litres
• Power load	0,3 kW 230 V 50 Hz
• Size	W 483 x D 340 x H 600 mm
• Weight	28.6 kg
• GTIN	4015613774053

104523

RRP* 1,598.- €

Ice-cube maker B 38 Plus

• Production max.	38 kg / 24 h
• Production / work step	28 Ice cubes
• Storage container capacity	11,5 kg
• Properties	Cleaning function
	Water consumption / hour: 3.2 litres
• Power load	0,62 kW 230 V 50 Hz
• Size	W 545 x D 400 x H 690 mm
• Weight	33.8 kg
• GTIN	4015613787503

104538

RRP* 1,998.- €

Ice-cube maker B 46 Plus

• Production max.	46 kg / 24 h
• Production / work step	28 Ice cubes
• Storage container capacity	15 kg
• Properties	Cleaning function
	Water consumption / hour: 3.8 litres
• Power load	0,68 kW 230 V 50 Hz
• Size	W 500 x D 540 x H 690 mm
• Weight	28.2 kg
• GTIN	4015613787510

104548

RRP* 2,249.- €

Ice cube maker B 70 Plus

• Production max.	70 kg / 24 h
• Production / work step	56 Ice cubes
• Storage container capacity	42 kg
• Properties	Cleaning function
	Water consumption / hour: 10.3 litres
• Power load	0,88 kW 230 V 50 Hz
• Size	W 705 x D 580 x H 910 mm
• Weight	53.6 kg
• GTIN	4015613774060

104583

RRP* 2,749.- €

Ice-cube maker B 86 Plus

• Production max.	86 kg / 24 h
• Production / work step	56 Ice cubes
• Storage container capacity	42 kg
• Properties	Cleaning function
	Water consumption / hour: 9.1 litres
• Power load	0,98 kW 230 V 50 Hz
• Size	W 583 x D 700 x H 900 mm
• Weight	54.2 kg
• GTIN	4015613787527

104593

RRP* 3,098.- €



Ice-cream maker 1,4L

135002

RRP* 329,- €

GTIN 4015613536910



Ice-cream container 1,4L

- Content: 1,4 litre(s)
- Size: W 130 x D 130 x H 167 mm
- Weight: 0.2 kg
- GTIN: 4015613658353



135014

RRP* 21,- €



- Designed for



- Content
- Ice production
- Cooling
- Freezing range to
- Including

- Properties ice tray

- Power load
- Size
- Weight

Frozen yogurt
Half-frozen desserts
Sorbets
Ice cream
1,4 litre(s)
Approx. 30 to 60 minutes
Compressor
Approx. -35 °C
1 ice portioning spoon
1 measuring beaker
Can be removed
Material: Aluminium
0,15 kW | 230 V | 50 Hz
W 290 x D 390 x H 315 mm
10.1 kg

Ice cabinet 4x6,L-R

700228

RRP* 1,279,- €

GTIN 4015613724591



- Storage capacity
- Depth container
- Type of glass
- Safety glass
- Temperature range
- Energy consumption
- Energy efficiency class
- Climate class
- Including

- Important information
- Power load
- Size
- Weight

26 litre(s)
114 mm
Double glazing
Yes
-18 °C to -25 °C
1631 kWh / an
F (EU No. 2019 / 2024)
4
4 containers W 360 x D 165 x H 100 mm, stainless steel
3 bars: length 365 mm, width 20 mm
Designed for kitchens
0,168 kW | 230 V | 50 Hz
W 805 x D 665 x H 350 mm
33.4 kg

Ice-cream cabinet 300L

700932

RRP* 1,398,- €

GTIN 4015613757032



- Material
- Dimensions inside
- Content
- Number of baskets
- Size basket
- Cooling
- GWP
- Temperature range
- Energy consumption
- Energy efficiency class
- Ambient temperature
- Sliding glass lids

- Safety glass
- Lockable
- Swivel casters
- Including
- Power load
- Size
- Weight

Steel plate
Painted
Plastic
W 845 x D 525 x H 480-300 mm
300 litre(s)
2
W 250 x D 520 x H 200 mm
Static
3
-22 °C to -18 °C
934 kWh / an
F (EU No. 2019 / 2024)
to 30 °C
2
Single-glazed, double-tempered
Yes
Yes
4 swivel casters, 2 with brake
2 baskets
0,164 kW | 230 V | 50 Hz
W 1,000 x D 710 x H 850 mm
51.2 kg



WAREWASHERS

Dishwashers have to be designed for harsh everyday gastronomy use in terms of performance, efficiency and durability.

The following pages will make you spotless offers at an excellent price/performance ratio.

E-series



	GLASSES DISHWASHER	UNIVERSAL DISHWASHER	
--	--------------------	----------------------	--

BASIC DATA	GS E350 LPR	GS E400 LPR K	US E500 LPR
Material	Stainless steel	Stainless steel	Stainless steel
Basket dimensions	350 x 350 mm	400 x 400 mm	500 x 500 mm
Glasses height max.	220 mm	280 mm	300 mm
Plate height max.	—	—	300 mm
Tray size max.	—	—	—
Number of washing programmes	1	1	1
Run-time	120 sec.	120 sec.	120 sec.
Output/hour max.	30 baskets	30 baskets	30 baskets
Can be fitted below the counter	✓	✓	✓

MEASUREMENTS			
Width	430 mm	470 mm	595 mm
Depth	535 mm	580 mm	655 mm
Height	675 mm	725 mm	830 mm
Weight	30.2 kg	34 kg	51.6 kg

FUNCTIONS	GS E350 LPR	GS E400 LPR K	US E500 LPR
Clear rinsing dosing pump	✓	✓	✓
Lye pump	✓	✓	✓
Water softener	—	—	—
Cleaning agent dosing pump	✓	✓	✓
Cold rinsing	—	✓	—

TECHNICAL DATA			
Tank volume	11 litres	15 litres	25 litres
Water consumption at 2 bar	2 litre / wash cycle	2.5 litre / wash cycle	2.7 litre / wash cycle
Water pressure	2 - 4 bar	2 - 4 bar	2 - 4 bar
Water supply	3/4"	3/4"	3/4"
Water outlet	Ø 20 mm	Ø 20 mm	Ø 20 mm
Tank heater	2 kW	2 kW	2.8 kW
Boiler heater	2.4 kW	2.8 kW	2.8 kW
Self-cleaning	—	—	—
Door double-walled	✓	✓	✓
Double-walled	✓	✓	✓
Dry-run protection	✓	✓	✓
Safety thermostat	✓	✓	✓
Door contact switch	✓	✓	✓
On/off switch	✓	✓	✓
Control lamp	✓	✓	✓
Display	—	—	—
Water intake temperature	Up to 60 °C	Up to 60 °C	Up to 60 °C
Equipment connection	Ready to plug in	Ready to plug in	Ready to plug in
Power	2.7 kW 230 V 50 Hz	3.1 kW 230 V 50 Hz	3.4 kW 230 V 50 Hz

ACCESSORIES INCLUDING	GS E350 LPR	GS E400 LPR K	US E500 LPR
Cutlery holder	✓	✓	✓
Saucer insert	—	✓	—
Glasses basket	—	—	—
Universal basket	2	2	1
Plate basket	—	—	1
Filling funnel for salt	—	—	—
Water supply hose	✓	✓	✓
Water outlet hose	✓	✓	✓

GTIN	4015613800196	4015613800202	4015613801896
CODE NUMBER	110350	110400	110500
RRP*	1,949.- €	2,049.- €	2,298.- €



C-series



GLASSES DISHWASHER

UNIVERSAL DISHWASHER

Basic data	GLASSES DISHWASHER			UNIVERSAL DISHWASHER		
	GS C350 LP	GS C350 LPR	GS C350 RW	US C500 LP	US C500 LPR	US C500 LPWR
Material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Basket dimensions	350 x 350 mm	350 x 350 mm	350 x 350 mm	500 x 500 mm	500 x 500 mm	500 x 500 mm
Glasses height max.	260 mm	260 mm	260 mm	320 mm	320 mm	320 mm
Plate height max.	—	—	—	345 mm	345 mm	345 mm
Tray size max.	—	—	—	—	—	—
Number of washing programmes	1	1	1	2	2	2
Run-time	120 sec.	120 sec.	120 sec.	120 / 180 sec.	120 / 180 sec.	120 / 180 sec.
Output/hour max.	30 baskets	30 baskets	30 baskets	30 / 20 baskets	30 / 20 baskets	30 / 20 baskets
Can be fitted below the counter	✓	✓	✓	✓	✓	✓
MEASUREMENTS						
Width	410 mm	410 mm	410 mm	590 mm	590 mm	590 mm
Depth	480 mm	480 mm	480 mm	620 mm	620 mm	620 mm
Height	672 mm	672 mm	672 mm	840 mm	840 mm	840 mm
Weight	31.6 kg	31.8 kg	33.4 kg	57.8 kg	58.8 kg	60 kg
GTIN	4015613805382	4015613805399	4015613805405	4015613805443	4015613805450	4015613805467
CODE NUMBER	110360	110361	110362	110530	110531	110532
RRP*	2,398.- €	2,549.- €	2,549.- €	3,149.- €	3,398.- €	3,598.- €

C-series



	GLASSES DISHWASHER			UNIVERSAL DISHWASHER		
	GS C350 LP	GS C350 LPR	GS C350 RW	US C500 LP	US C500 LPR	US C500 LPWR
FUNCTIONS						
Clear rinsing dosing pump	✓	✓	✓	✓	✓	✓
Lye pump	✓	✓	—	✓	✓	✓
Water softener	—	—	✓	—	—	✓
Cleaning agent dosing pump	—	✓	✓	—	✓	✓
Cold rinsing	—	—	—	—	—	—
TECHNICAL DATA						
Tank volume	12 litres	12 litres	12 litres	29 litres	29 litres	29 litres
Water consumption at 2 bar	1.4 litre / wash cycle	1.4 litre / wash cycle	1.4 litre / wash cycle	2.3 litre / wash cycle	2.3 litre / wash cycle	2.3 litre / wash cycle
Water pressure	2 - 4 bar					
Water supply	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"
Water outlet	Ø 20 mm					
Tank heater	1.25 kW	1.25 kW	1.25 kW	2.7 kW	2.7 kW	2.7 kW
Boiler heater	2.4 kW	2.4 kW	2.4 kW	2.8 kW	2.8 kW	2.8 kW
Self-cleaning	—	—	—	—	—	—
Door double-walled	✓	✓	✓	✓	✓	✓
Double-walled	✓	✓	✓	✓	✓	✓
Dry-run protection	✓	✓	✓	✓	✓	✓
Safety thermostat	✓	✓	✓	✓	✓	✓
Door contact switch	✓	✓	✓	✓	✓	✓
On/off switch	✓	✓	✓	✓	✓	✓
Control lamp	✓	✓	✓	✓	✓	✓
Display	—	—	—	—	—	—
Water intake temperature	5 °C - 60 °C					
Equipment connection	1 NAC					
Power	2.59 kW 230 V 50 Hz	2.59 kW 230 V 50 Hz	2.59 kW 230 V 50 Hz	3.45 kW 230 V 50 Hz	3.45 kW 230 V 50 Hz	3.45 kW 230 V 50 Hz
ACCESSORIES INCLUDING						
Cutlery holder	✓	✓	✓	✓	✓	✓
Saucer insert	✓	✓	✓	—	—	—
Glasses basket	—	—	—	—	—	—
Universal basket	2	2	2	1	1	1
Plate basket	—	—	—	1	1	1
Filling funnel for salt	—	—	✓	—	—	✓
Water supply hose	✓	✓	✓	✓	✓	✓
Water outlet hose	✓	✓	✓	✓	✓	✓

M-series



GLASSES DISHWASHER

UNIVERSAL DISHWASHER

BASIC DATA	GLASSES DISHWASHER			UNIVERSAL DISHWASHER		
	GS M400 LP K	GS M400 LPR K	GS M400 LPWR K	US M500 LP K	US M500 LPR K	US M500 LPWR K
Material	Stainless steel					
Basket dimensions	400 x 400 mm	400 x 400 mm	400 x 400 mm	500 x 500 mm	500 x 500 mm	500 x 500 mm
Glasses height max.	305 mm	305 mm	305 mm	320 mm	320 mm	320 mm
Plate height max.	—	—	—	345 mm	345 mm	345 mm
Tray size max.	—	—	—	—	—	—
Number of washing programmes:	4	4	4	4	4	4
Run-time	60 / 90 / 120 / 180 sec.	60 / 90 / 120 / 180 sec.	60 / 90 / 120 / 180 sec.	60 / 90 / 120 / 180 sec.	60 / 90 / 120 / 180 sec.	60 / 90 / 120 / 180 sec.
Output/hour max.	60 / 40 / 30 / 20 baskets	60 / 40 / 30 / 20 baskets	60 / 40 / 30 / 20 baskets	60 / 40 / 30 / 20 baskets	60 / 40 / 30 / 20 baskets	60 / 40 / 30 / 20 baskets
Can be fitted below the counter	✓	✓	✓	✓	✓	✓
MEASUREMENTS						
Width	450 mm	450 mm	450 mm	590 mm	590 mm	590 mm
Depth	560 mm	560 mm	560 mm	630 mm	630 mm	630 mm
Height	696 mm	696 mm	696 mm	840 mm	840 mm	840 mm
Weight	34.4 kg	35.6 kg	38.2 kg	56.6 kg	57.6 kg	60 kg
GTIN	4015613805412	4015613805429	4015613805436	4015613805474	4015613805481	4015613805498
CODE NUMBER	110461	110462	110463	110540	110541	110542
UVP*	2,698.- €	2,849.- €	3,049.- €	3,998.- €	4,149.- €	4,349.- €

M-series



FUNCTIONS	GLASSES DISHWASHER			UNIVERSAL DISHWASHER		
	GS M400 LP K	GS M400 LPR K	GS M400 LPWR K	US M500 LP K	US M500 LPR K	US M500 LPWR K
Clear rinsing dosing pump	✓	✓	✓	✓	✓	✓
Lye pump	✓	✓	✓	✓	✓	✓
Water softener	—	—	✓	—	—	✓
Cleaning agent dosing pump	—	✓	✓	—	✓	✓
Cold rinsing	✓	✓	✓	✓	✓	✓
TECHNICAL DATA						
Tank volume	14.5 litres	14.5 litres	14.5 litres	29 litres	29 litres	29 litres
Water consumption at 2 bar	1.8 litre / wash cycle	1.8 litre / wash cycle	1.8 litre / wash cycle	2.3 litre / wash cycle	2.3 litre / wash cycle	2.3 litre / wash cycle
Water pressure	2 - 4 bar	2 - 4 bar	2 - 4 bar			
Water supply	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"
Water outlet	Ø 20 mm	Ø 20 mm	Ø 20 mm	Ø 20 mm	Ø 20 mm	Ø 20 mm
Tank heater	1.25 kW	1.25 kW	1.25 kW	2.7 kW	2.7 kW	2.7 kW
Boiler heater	2.8 kW	2.8 kW	2.8 kW	4.5 kW	4.5 kW	4.5 kW
Self-cleaning	—	—	—	—	—	—
Door double-walled	✓	✓	✓	✓	✓	✓
Double-walled	—	—	—	—	—	—
Dry-run protection	✓	✓	✓	✓	✓	✓
Safety thermostat	✓	✓	✓	✓	✓	✓
Door contact switch	✓	✓	✓	✓	✓	✓
On/off switch	✓	✓	✓	✓	✓	✓
Control lamp	✓	✓	✓	✓	✓	✓
Display	✓	✓	✓	✓	✓	✓
Water intake temperature	5 °C - 60 °C	5 °C - 60 °C	5 °C - 60 °C			
Equipment connection	1 NAC	1 NAC	1 NAC	3 NAC	3 NAC	3 NAC
Power	3.2 kW 230 V 50 Hz	3.2 kW 230 V 50 Hz	3.2 kW 230 V 50 Hz	5.15 kW 400 V 50 Hz	5.15 kW 400 V 50 Hz	5.15 kW 400 V 50 Hz
ACCESSORIES INCLUDING						
Cutlery holder	✓	✓	✓	✓	✓	✓
Saucer insert	✓	✓	✓	—	—	—
Glasses basket	1	1	1	—	—	—
Universal basket	1	1	1	1	1	1
Plate basket	—	—	—	1	1	1
Filling funnel for salt	—	—	✓	—	—	✓
Water supply hose	✓	✓	✓	✓	✓	✓
Water outlet hose	✓	✓	✓	✓	✓	✓

P-series



UNIVERSAL DISHWASHER

BASIC DATA	US PPlus500 LPR	US PPlus500 LPWR	US P500 LPR	US P500 LPWR
Material	Stainless steel	Stainless steel	CNS 18/10	CNS 18/10
Basket dimensions	500 x 500 mm			
Glasses height max.	400 mm	400 mm	325 mm	325 mm
Plate height max.	400 mm	400 mm	340 mm	340 mm
Tray size max.	600 x 400 mm	600 x 400 mm	—	—
Number of washing programmes:	4	4	4	4
Run-time	60 / 90 / 120 / 180 sec.	60 / 90 / 120 / 180 sec.	60 / 90 / 120 / 180 sec.	60 / 90 / 120 / 180 sec.
Output/hour max.	60 / 40 / 30 / 20 baskets	60 / 40 / 30 / 20 baskets	60 / 40 / 30 / 20 baskets	60 / 40 / 30 / 20 baskets
Can be fitted below the counter	✓	✓	✓	✓
MEASUREMENTS				
Width	600 mm	600 mm	600 mm	600 mm
Depth	705 mm	705 mm	640 mm	640 mm
height	850 mm	850 mm	850 mm	850 mm
Weight	69.8 kg	71.6 kg	67.2 kg	68 kg
GTIN	4015613800172	4015613800189	4015613779973	4015613766843
CODE NUMBER	109640	109641	111678	111680
RRP*	4,349.- €	4,549.- €	4,098.- €	4,198.- €

P-series



FUNCTIONS	US PPlus500 LPR	US PPlus500 LPWR	US P500 LPR	US P500 LPWR
Clear rinsing dosing pump	✓	✓	✓	✓
Lye pump	✓	✓	✓	✓
Water softener	—	✓	—	✓
Cleaning agent dosing pump	✓	✓	✓	✓
Cold rinsing	—	—	—	—

TECHNICAL DATA				
Tank volume	16.5 litres	16.5 litres	16.5 litres	16.5 litres
Water consumption at 2 bar	2.3 litre / wash cycle			
Water pressure	2 - 4 bar			
Water supply	3/4"	3/4"	3/4"	3/4"
Water outlet	Ø 24 mm	Ø 24 mm	Ø 24 mm	Ø 24 mm
Tank heater	2.7 kW	2.7 kW	2.7 kW	2.7 kW
Boiler heater	6 kW	6 kW	4.5 kW	4.5 kW
Self-cleaning	✓	✓	✓	✓
Door double-walled	✓	✓	✓	✓
Double-walled	✓	✓	✓	✓
Dry-run protection	✓	✓	✓	✓
Safety thermostat	✓	✓	✓	✓
Door contact switch	✓	✓	✓	✓
On/off switch	✓	✓	✓	✓
Control lamp	✓	✓	✓	✓
Display	✓	✓	✓	✓
Water intake temperature	Up to 60 °C	Up to 60 °C	55 °C	55 °C
Equipment connection	3 NAC	3 NAC	3 NAC	3 NAC
Power	6.65 kW 400 V 50 Hz	6.65 kW 400 V 50 Hz	5.15 kW 400 V 50 Hz	5.15 kW 400 V 50 Hz

ACCESSORIES INCLUDING				
Cutlery holder	✓	✓	✓	✓
Saucer insert	—	—	—	—
Glasses basket	—	—	—	—
Universal basket	1	1	1	1
Plate basket	1	1	1	1
Filling funnel for salt	—	✓	—	✓
Water supply hose	✓	✓	✓	✓
Water outlet hose	✓	✓	✓	✓

K-series



	GLASS DISHWASHER	UNIVERSAL DISHWASHER
--	------------------	----------------------

BASIC DATA	GS K400 LPWR K	US K500 LPWR K
Material	Stainless steel	Stainless steel
Basket dimensions	400 x 400 mm	500 x 500 mm
Glasses height max.	300 mm	260 mm
Plate height max.	—	270 mm
Tray size max.	—	—
Number of washing programmes	3	3
Run-time	90 / 120 / 150 sec.	60 / 90 / 180 sec.
Output/hour max.	40 / 30 / 24 baskets	60 / 40 / 20 baskets
Can be fitted below the counter	✓	✓

MEASUREMENTS		
Width	467 mm	600 mm
Depth	620 mm	710 mm
Height	695 mm	825 mm
Weight	41 kg	60 kg

FUNCTIONS	GS K400 LPWR K	US K500 LPWR K
Clear rinsing dosing pump	✓	✓
Lye pump	✓	✓
Water softener	✓	✓
Cleaning agent dosing pump	✓	✓
Cold rinsing	✓	✓

TECHNICAL DATA		
Tank volume	8 litres	15 litres
Water consumption at 2 bar	1.6 litre / wash cycle	2.1 litre / wash cycle
Water pressure	2 - 4 bar	2 - 4 bar
Water supply	3/4"	3/4"
Water outlet	Ø 18 mm	Ø 18 mm
Tank heater	0.6 kW	1.4 kW
Boiler heater	2.6 kW	6 kW
Self-cleaning	✓	✓
Door double-walled	✓	✓
Double-walled	✓	✓
Dry-run protection	✓	✓
Safety thermostat	✓	✓
Door contact switch	✓	✓
On/off switch	✓	✓
Control lamp	—	—
Display	✓	✓
Water intake temperature	15 °C - 60 °C	Up to 50 °C
Equipment connection	Ready to plug in	3 NAC
Power	3.4 kW 230 V 50 Hz	7.9 kW 400 V 50 Hz

ACCESSORIES INCLUDING	GS K400 LPWR K	US K500 LPWR K
Cutlery holder	✓	✓
Saucer insert	—	—
Glasses basket	1	—
Universal basket	1	1
Plate basket	—	1
Filling funnel for salt	✓	✓
Water supply hose	✓	✓
Water outlet hose	✓	✓
Cleaning kit	✓	✓

GTIN	4015613762388	4015613767741
CODE NUMBER	110644	110645
RRP*	4,398.- €	4,949.- €



Eco-series



UNIVERSAL DISHWASHERS

BASIC DATA	US EcoPlus500 LPR	US EcoPlus500 LPWR
Material	CNS 18/10	CNS 18/10
Basket dimensions	500 x 500 mm	500 x 500 mm
Glasses height max.	340 mm	340 mm
Plate height max.	340 mm	340 mm
Tray size max.	530 x 325 mm	530 x 325 mm
Number of washing programmes:	7 preset, 1 programmable	7 preset, 1 programmable
Run-time	60 / 90 / 120 / 180 / 360 / 600 sec.	60 / 90 / 120 / 180 / 360 / 600 sec.
Output/hour max.	60 / 40 / 30 / 20 / 10 / 6 baskets	60 / 40 / 30 / 20 / 10 / 6 baskets
Can be fitted below the counter	✓	✓

MEASUREMENTS		
Width	600 mm	600 mm
Depth	645 mm	645 mm
Height	850 mm	850 mm
Weight	71 kg	76 kg

FUNCTIONS	US EcoPlus500 LPR	US EcoPlus500 LPWR
Clear rinsing dosing pump	✓	✓
Lye pump	✓	✓
Water softener	—	✓
Cleaning agent dosing pump	✓	✓
Cold rinsing	—	—

TECHNICAL DATA		
Tank volume	10 litres	10 litres
Water consumption at 2 bar	3.5 litre wash cycle	3.5 litre wash cycle
Water pressure	2 - 4 bar	2 - 4 bar
Water supply	3/4"	3/4"
Water outlet	Ø 24 mm	Ø 24 mm
Tank heater	1.1 kW	1.1 kW
Boiler heater	6 kW	6 kW
Self-cleaning	✓	✓
Door double-walled	✓	✓
Double-walled	✓	✓
Dry-run protection	✓	✓
Safety thermostat	✓	✓
Door contact switch	✓	✓
On/off switch	✓	✓
Control lamp	✓	✓
Display	✓	✓
Water intake temperature	10 °C - 55 °C	10 °C - 55 °C
Equipment connection	3 NAC	3 NAC
Power	6.65 kW 400 V 50 Hz	6.65 kW 400 V 50 Hz

ACCESSORIES INCLUDING	US EcoPlus500 LPR	US EcoPlus500 LPWR
Cutlery holder	✓	✓
Saucer insert	—	—
Glasses basket	—	—
Universal basket	1	1
Plate basket	1	1
Filling funnel for salt	—	✓
Water supply hose	✓	✓
Water outlet hose	✓	✓
GTIN	4015613769332	4015613771656
CODE NUMBER	110666	110668
RRP*	4,598.- €	5,198.- €



Component parts

Universal basket 350x350x110

- Material: Plastic
- Basket size: 350 x 350 mm
- Stackable: Yes
- Size: W 350 x D 350 x H 110 mm
- Weight: 0.8 kg
- GTIN: 4015613432007



110312

RRP* 65.- €

Universal basket 350x350x170

- Material: Steel, Coated
- Basket size: 350 x 350 mm
- Stackable: No
- Size: W 350 x D 350 x H 170 mm
- Weight: 1.5 kg
- GTIN: 4015613586564



110311

RRP* 69.- €

Insert for saucers f. dishw.basket

- Material: Steel, Coated
- Number of shelves: 14
- Size: W 300 x D 100 x H 90 mm
- Weight: 0.2 kg
- GTIN: 4015613432014



110317

RRP* 33.- €

Universal basket 400x400x135

- Material: Plastic
- Basket size: 400 x 400 mm
- Design: Flat
- Stackable: Yes
- Size: W 400 x D 400 x H 135 mm
- Weight: 0.95 kg
- GTIN: 4015613468303



109325

RRP* 57.- €

Glasses basket 400x400x185

- Material: Steel, Coated
- Basket size: 400 x 400 mm
- Number of shelves: 4
- Design: Tilted
- Size: W 400 x D 400 x H 185 mm
- Weight: 2.1 kg
- GTIN: 4015613468327



109327

RRP* 85.- €

Plates basket 400x400x120

- Material: Steel, Coated
- Basket size: 400 x 400 mm
- Number of shelves: 16
- Design: Plate holders
- Size: W 400 x D 400 x H 120 mm
- Weight: 1.6 kg
- GTIN: 4015613468310



109326

RRP* 53.- €

Cutlery cylinder for dishwashers

- Material: Plastic
- Colour: Grey
- Diameter: 107 mm
- Size: W 107 x D 107 x H 119 mm
- Weight: 0.1 kg
- GTIN: 4015613432021



110318

RRP* 13.- €

Dishwasher cleaner P5kg

- Designed for: Commercial dishwashers, Household dishwashers
- Order quantity unit: 1 bucket
- Content: 5 kg | Model: Powder
- HACCP compliant: Yes | Chlorine-free: No
- Application: Dosing: Manual
- Important information: Exclusively available in Germany and Austria
- Size: W 236 x D 248 x H 210 mm
- Weight: 5 kg
- GTIN: 4015613731872




173074

RRP* 49.- €

Rinse grid 500

- Material: Chrome-nickel steel
- Designed for: Rinsing of specially large containers (pots, bowls)
- Size: W 500 x D 500 x H 5 mm
- Weight: 1.7 kg
- GTIN: 4015613664217



101094

RRP* 49.- €

Tray basket 600x400

- Material: CNS 18/10
- Number of shelves: 6
- Tray size max.: 600 x 400 mm
- Inside height: 150 mm
- Size: W 500 x D 500 x H 160 mm
- Weight: 1.5 kg
- GTIN: 4015613487069



109329

RRP* 219.- €

Dishwasher base

- Material: Chrome-nickel steel
- Inside height: 360 mm
- Height adjustable: 440 mm to 490 mm
- Properties: Surface for rinsing baskets max. 500 x 500 mm
- Size: W 605 x D 570 x H 450 mm
- Weight: 6 kg
- GTIN: 4015613602462



109688

RRP* 249.- €

Component parts

Pressure booster pump set DSS10

- Designed for: Universal dishwasher US E500 LPR, US C500 LP, US C500 LPR, US C500 LPWR, US M500 LP K, US M500 LPR K, US M500 LPWR K, US PPlus500 LPR, US PPlus500 LPWR, US P500 LPR, US P500 LPWR
- Set comprises:
 - 1 pump (W 100 x D 175 x H 110 mm, 1.5 A),
 - 1 condenser (W 35 x D 120 x H 35 mm; 6.3 µF),
 - 1 hose, rubber, Installation material
- Power load: 0,15 kW | 230 V | 50 Hz
- Size: W 295 x D 255 x H 155 mm
- Weight: 4.1 kg
- GTIN: 4015613721279



109562

RRP* 449.- €

Dish-washing deterg. metering pump TG280

- Cleaning agent dosing: Cycle-controlled
- Volume flow: 0,28 L / hour to 2,8 L /hour
- Design: Fitted unit
- Including: 1 connection set, Installation kit
- Power load: 0,005 kW | 230 V | 50 Hz
- Size: W 69 x D 103 x H 62 mm
- Weight: 0.45 kg
- GTIN: 4015613432403



109518

RRP* 259.- €

Detergent metering pump LWG600

- Cleaning agent dosing: Setpoint controlled
- Conductimetry with: 2-pin probe
- Volume flow: 0,1 L / hour to 6 L /hour
- Design: Wall-mounting
- Including: 1 connection set
- Power load: 0,004 kW | 230 V | 50/60 Hz
- Size: W 95 x D 100 x H 125 mm
- Weight: 0.75 kg
- GTIN: 4015613506517



109547

RRP* 479.- €

Assembly fee for dose pumps

- GTIN: 4015613265582

099996

RRP* 69.- €

Dishwasher cleaner F10L

- Designed for: Commercial dishwashers
- Order quantity unit: 1 canister
- Content: 10 litres | Model: Liquid
- HACCP compliant: Yes | Chlorine-free: Yes
- Application: Dosing via an automatic dosing system
- Size: W 220 x D 190 x H 310 mm
- Weight: 10.43 kg
- GTIN: 4015613773315



173270

RRP* 85.- €

Dishwasher cleaner F10LXTRA

- Designed for: Commercial dishwashers
- Order quantity unit: 1 canister
- Content: 10 litres | Model: Liquid
- HACCP compliant: Yes | Chlorine-free: No
- Application: Dosing via an automatic dosing system
- Size: W 230 x D 190 x H 310 mm
- Weight: 10.94 kg
- GTIN: 4015613767895



173271

RRP* 89.- €

Rinsing agent F10L

- Designed for: Commercial dishwashers, Household dishwashers
- Order quantity unit: 1 canister
- Content: 10 litres | Model: Liquid
- HACCP compliant: Yes | Chlorine-free: Yes
- Application: Dosing is via an automatic dosing system
- Size: W 220 x D 190 x H 310 mm
- Weight: 10.7 kg
- GTIN: 4015613767901



173272

RRP* 92.- €

Dishwasher basket trolley TGS100

- Material: Chrome-nickel steel
- Size Carrying capacity: W 513 x D 583 mm
- Total load-bearing capacity, max.: 120 kg
- Tilting: All-round
- Swivel casters: 4 swivel casters
- Delivery state: Building kit (simple assembly)
- Size: W 515 x D 640 x H 925 mm
- Weight: 8.8 kg
- GTIN: 4015613523712



300143

RRP* 165.- €

Cover hood TGS100-8

- Designed for: Dishwasher basket trolley TGS100, 8 rinsing baskets (height of 100 mm)
- Model: With 2 zips
- Weather-resistant: -15 °C to 50 °C
- UV-resistant: yes, Up to 500 hours of solar radiation
- Size: W 535 x D 555 x H 815 mm
- Weight: 0.39 kg
- GTIN: 4015613759203



300156

RRP* 17.- €

Cover hood TGS100-15

- Designed for: Dishwasher basket trolley TGS100, 15 rinsing baskets (height of 100 mm)
- Model: With 2 zips
- Weather-resistant: -15 °C to 50 °C
- UV-resistant: yes, Up to 500 hours of solar radiation
- Size: W 535 x D 555 x H 1,410 mm
- Weight: 0.6 kg
- GTIN: 4015613746906



300144

RRP* 23.- €

Dishwasher basket trolley ASP700

- Material: Stainless steel
- Number of drawers: 7
- Format drawers: 505 x 545 mm
- Designed for: Dishwasher baskets 500 x 500 mm
- Total load-bearing capacity, max.: 100 kg
- Swivel casters: 4 swivel casters, 2 with brake
- Delivery state: Building kit (simple assembly)
- Size: W 565 x D 555 x H 1,750 mm
- Weight: 15.8 kg
- GTIN: 4015613709178



300147

RRP* 198.- €

Pot washers



Pot dishwasher TS 665 R



Whether trays, baking sheets, chopping boards, GN containers, pots or pans - The Pot dishwasher is designed for cleaning bulky items with the included tray basket and rinsing grille. Features such as the electronic thermo-stop, the Plus-System and the vertical pump strainer ensure the best washing results.

- Cleaning agent dosing pump Yes
- Clear rinsing dosing pump Yes
- Double-walled Yes
- Self-cleaning Yes
- Water outlet Ø 32 mm
- Water pressure 2 - 4 bar
- Equipment connection 3 NAC



Pot dishwasher TS 665 R

- Basket dimensions 665 x 550 mm
- Tray size max. 655 x 805 mm
- Output / hour max. 30 baskets
- Run-time 120 / 240 / 360 / 480 / 600 seconds
- Water supply G 3/4"
- Water consumption at 2 bar 4,2 litres / wash cycle
- Tank volume 50 litre(s)
- Tank heater 3 kW
- Boiler heater 6 kW
- Height when door is open 2275 - 2325 mm
- Height adjustable 1890 mm to 1940 mm
- Including 1 universal basket
1 tray basket
1 cutlery holder
1 rinsing grille
- Power load 8,18 kW | 400 V | 50 Hz
- Size W 690 x D 850 x H 1,755 mm
- Weight 174.2 kg
- GTIN 4015613724263

110665

RRP* 11,398.- €

Pot dishwasher TS 850 R

- Basket dimensions 850 x 725 mm
- Tray size max. 840 x 805 mm
- Output / hour max. 20 baskets
- Run-time 180 / 360 / 540 / 720 seconds
- Water supply G 3/4" M
- Water consumption at 2 bar 4,3litres / wash cycle
- Tank volume 82 litre(s)
- Tank heater 6 kW
- Boiler heater 9 kW
- Height when door is open 2050 - 2100 mm
- Height adjustable 1790 mm to 1840 mm
- Including 1 universal basket
1 tray basket
1 cutlery holder
1 water outlet hose
1 water supply hose
- Power load 13,36 kW | 400 V | 50 Hz
- Size W 991 x D 930 x H 1,830 mm
- Weight 223.2 kg
- GTIN 4015613793917

110677

RRP* 15,598.- €

Component parts

Rinse grid TS 665 R

- Material: CNS 18/10
- Designed for: Rinsing of specially large containers (pots, bowls, butcher box)
- Size: W 660 x D 550 x H 15 mm
- Weight: 2.7 kg
- GTIN: 4015613737690




110693

RRP* 189.- €

Universal basket TS 665 R

- Material: CNS 18/10
- Number of shelves: 1
- Basket size: 665 x 550 mm
- Inside height: 70 mm
- Suitable for: Pots, Pans, GN containers
- Size: W 665 x D 550 x H 75 mm
- Weight: 2.53 kg
- GTIN: 4015613737669




110690

RRP* 279.- €

Universal basket TS 850 R

- Material: CNS 18/10
- Number of shelves: 1
- Basket size: 850 x 725 mm
- Inside height: 125 mm
- Suitable for: Pots, Pans, GN containers
- Size: W 850 x D 725 x H 135 mm
- Weight: 9.7 kg
- GTIN: 4015613743639



110694

RRP* 849.- €

Tray basket TS

- Material: CNS 18/10
- Number of shelves: 8
- Basket size: 300 x 465 mm
- Inside height: 195 mm
- Tray size max.: 600 x 400 mm
- Suitable for: Trays, Baking trays, Chopping boards
- Size: W 300 x D 472 x H 200 mm
- Weight: 2.4 kg
- GTIN: 4015613737676



110691

RRP* 198.- €

Cutlery holder TS

- Material: CNS 18/10
- Size: W 150 x D 150 x H 255 mm
- Weight: 0.55 kg
- GTIN: 4015613737683



110692

RRP* 119.- €



Pass-through dishwasher DS 500



Hygienic and economic – the optimised feed-through dishwasher stands out thanks to its innovative drainage system, an energy-saving boiler system, efficient DuoFlo pump and smooth-running lift system.

- Basket dimensions 500 x 500 mm
- Plate height max. 440 mm
- Glasses height max. 440 mm
- Output / hour max. 60 baskets
- Run-time 60 / 120 / 180 seconds
- Number of wash programs 4
- Lye pump No
- Water softener No
- Cleaning agent dosing pump No
- Clear rinsing dosing pump Yes
- Water supply G 3/4"
- Water outlet Ø 28 mm
- Water pressure 2 - 4 bar
- Water consumption at 2 bar 2.4 litres / wash cycle
- Tank volume 22 litre(s)
- Tank heater 2,5 kW
- Height when hood is open 2055 - 2120 mm
- Height adjustable 1535 mm to 1600 mm
- Properties Inline or corner installation
- Including 1 universal basket
2 plate baskets
1 cutlery holder
Spare sealing ring supply hose
- Equipment connection 3 NAC
- Size W 725 x D 955 x H 1,535 mm
- Weight 98.5 kg



- ▶ Output / hour max.: 60 baskets
- ▶ Run-time: 60 / 120 / 180 seconds



- ▶ Lift system ELS
- ▶ Patented lift system
- ▶ Little force required and more safety



- ▶ DuoFlo pumps (slight pump loss)
- ▶ Energy-Saving-System (Boiler activity only when necessary)
- ▶ EDS drain system
- ▶ Flat tank with large filter sreen
- ▶ Double-walled tank

	Boiler heater	Power load	Code-No.	RRP*	GTIN
DS 500	6 kW	6,7 kW 400 V 50 Hz	109342	5,549.- €	4015613685106
DS 500 SR	8 kW	8,7 kW 400 V 50 Hz	109343	6,149.- €	4015613685113

Component parts

Dish-washing deterg. metering pump TG280

- Cleaning agent dosing: Cycle-controlled
- Volume flow: 0,28 L / hour to 2,8 L /hour
- Design: Fitted unit
- Including: 1 connection set, Installation kit
- Power load: 0,005 kW | 230 V | 50 Hz
- Size: W 69 x D 103 x H 62 mm
- Weight: 0.45 kg
- GTIN: 4015613432403

109518 RRP* 259.- €

Detergent metering pump LWG600

- Cleaning agent dosing: Setpoint controlled
- Conductimetry with: 2-pin probe
- Volume flow: 0,1 L / hour to 6 L /hour
- Design: Wall-mounting
- Including: 1 connection set
- Power load: 0,004 kW | 230 V | 50/60 Hz
- Size: W 95 x D 100 x H 125 mm
- Weight: 0.75 kg
- GTIN: 4015613506517

109547 RRP* 479.- €

Drain pump set LPS50

- Set comprises: 1 pump, Connection hoses
- Designed for: Pass-through dishwasher DS 500, Pass-through dishwasher DS 500 SR
- Power load: 0,04 kW | 230 V | 50 Hz
- Size: W 259 x D 254 x H 369 mm
- Weight: 1.4 kg
- GTIN: 4015613780122

109344 RRP* 289.- €

Assembly fee for dose pumps

- GTIN: 4015613265582


099996 RRP* 63.- €



Higher pumping rate, low loss of pressure and quiet running – the convincing arguments of the integrated DuoFlo pump. In combination with the extra large drawer height, the hood-type dishwasher makes the perfect assistant in any scullery.



- Basket dimensions 600 x 500 mm
- Plate height max. 470 mm
- Glasses height max. 440 mm
- Tray size max. 600 x 500 mm
- Output / hour max. 24 - 60 baskets
- Run-time 60 / 120 / 150 seconds + endless
- Lye pump Yes
- Cleaning agent dosing pump Yes
- Clear rinsing dosing pump Yes
- Self-cleaning Yes
- Water supply G 3/4" M
- Water outlet Ø 32 mm
- Water pressure 2 - 4 bar
- Water consumption at 2 bar 3 litres / wash cycle
- Tank volume 30 litre(s)
- Tank heater 3 kW
- Boiler heater 9,5 kW
- Height adjustable 1535 mm to 1595 mm
- Including 1 cutlery basket, 4 compartments
1 glasses basket
1 plate basket
1 supply hose
1 drainage hose
- Power load 11 kW | 400 V | 50 Hz
- Equipment connection 3 NAC
- Size W 790 x D 955 x H 1,535 mm
- Weight 106.4 kg



- ▶ Output/h: 24 - 60 baskets
- ▶ Run-time: 60 / 120 / 150 seconds + continuous



- ▶ DuoFlo pump
- ▶ Higher pumping rate
- ▶ Low loss of pressure




- ▶ Quiet running
- ▶ Extra large drawer height
- ▶ The perfect assistant in any scullery





A clean thing - for crockery and the environment. The DS Eco500LPR is a double-walled feed-through dishwasher with heat recovery. It impresses users with its top quality, great cleaning power, and short cycle time. The thermal disinfection ensures perfectly clean, germ-free crockery and meets hygiene standards.

- Basket dimensions 500 x 500 mm
- Tray size max. 530 x 325 mm
- Glasses height max. 410 mm
- Plate height max. 410 mm
- Output / hour max. 12 - 45 baskets
- Run-time 50 / 90 / 120 / 180 / 300 / 600 seconds
- Lye pump Yes
- Cleaning agent dosing pump Yes
- Clear rinsing dosing pump Yes
- Double-walled Yes
- Water supply G 3/4" M
- Water outlet Ø 24 mm
- Water pressure 2 - 4 bar
- Water consumption at 2 bar 3.5 litres / wash cycle
- Tank volume 20 litre(s)
- Tank heater 2,7 kW
- Boiler heater 9 kW
- Height when hood is open 2065 - 2130 mm
- Height adjustable 1595 mm to 1660 mm
- Properties Thermal disinfection in accordance with DIN 10512, Spec 10534
Heat recovery
Multi-lingual control menu
Inline or corner installation
- Including 1 universal basket (W 500 x D 500 x H 105 mm)
1 plate basket (W 500 x D 500 x H 105 mm)
1 cutlery basket (Ø 120 mm, H 120 mm)
1 supply hose
1 drainage hose
- Power load 9,9 kW | 400 V | 50 Hz
- Equipment connection 3 NAC
- Size W 720 x D 805 x H 2,115 mm
- Weight 145.4 kg



- ▶ Feed-through dishwasher with thermal disinfection
- ▶ Rinse cycle with cycle time of 600 seconds
- ▶ Tank temperature: 65°C
- ▶ Boiler temperature: 87°C

- ▶ Output/h: 12 - 45 baskets
- ▶ Cycle time: 50 / 90 / 120 / 180 / 300 / 600 seconds

Component parts

Assembling kit ZAT 10

- Material: CNS 18/10
- Size: W 295 x D 97 x H 38 mm
- Weight: 1.15 kg
- GTIN: 4015613713236



109559

RRP* 61.- €





Component parts

Pre-clearing table DS-LI1B

- Material: Stainless steel
- Beaker capacity: 50 litre(s)
- Size basin: W 500 x D 400 x H 250 mm
- Position sink: Right
- Assembly side on dishwasher: Left
- Height of splash protection: 110 mm
- Water outlet: 1 1/2"
- Height adjustable: 860 mm to 930 mm
- Properties: Base shelf dimensions: W 1.150 x D 500 mm
- Size: W 1,200 x D 720 x H 850 mm
- Weight: 23.6 kg
- GTIN: 4015613735955



109740

RRP* 1,359.- €

Pre-clearing table DS-R1B

- Material: Stainless steel
- Beaker capacity: 50 litre(s)
- Size basin: W 500 x D 400 x H 250 mm
- Position sink: Left
- Assembly side on dishwasher: Right
- Height of splash protection: 110 mm
- Water outlet: 1 1/2"
- Height adjustable: 860 mm to 930 mm
- Properties: Base shelf dimensions: W 1.150 x D 500 mm
- Size: W 1,200 x D 720 x H 850 mm
- Weight: 23.6 kg
- GTIN: 4015613735962



109741

RRP* 1,359.- €

Pre-clearing table DS-LI1BAS

- Material: Stainless steel
- Beaker capacity: 50 litre(s)
- Size basin: W 500 x D 400 x H 250 mm
- Position sink: Right
- Assembly side on dishwasher: Left
- Height of splash protection: 110 mm
- Water outlet: 1 1/2"
- Height adjustable: 860 mm to 930 mm
- Properties: Waste chute with rubber sleeve, Base shelf dimensions: W 685 x D 500 mm
- Size: W 1,200 x D 720 x H 950 mm
- Weight: 21.8 kg
- GTIN: 4015613730387



109742

RRP* 1,498.- €

Pre-clearing table DS-R1BAS

- Material: Stainless steel
- Beaker capacity: 50 litre(s)
- Size basin: W 500 x D 400 x H 250 mm
- Position sink: Left
- Assembly side on dishwasher: Right
- Splash protection: yes
- Water outlet: 1 1/2"
- Height adjustable: 860 mm to 930 mm
- Properties: Waste chute with rubber sleeve, Base shelf dimensions: W 685 x D 500 mm
- Size: W 1,200 x D 720 x H 850 mm
- Weight: 22.4 kg
- GTIN: 4015613735979



109743

RRP* 1,498.- €

Pre-clearing table DS-LI1B SKE

- Material: Stainless steel
- Beaker capacity: 40 litre(s)
- Size basin: W 400 x D 400 x H 250 mm
- Position sink: Right
- Assembly side on dishwasher: Left
- Height of splash protection: 110 mm
- Water outlet: 1 1/2"
- Height adjustable: 860 mm to 930 mm
- Rinsing rack inserts: 3, Basket dimensions: 500 x 500, 600 x 500 mm, Basket height max.: 145 mm
- Properties: Base shelf dimensions: W 600 x D 500 mm
- Size: W 1,200 x D 715 x H 950 mm
- Weight: 26.6 kg
- GTIN: 4015613771007



109940

RRP* 1,498.- €

Pre-clearing table DS-RE1B SKE

- Material: Stainless steel
- Beaker capacity: 40 litre(s)
- Size basin: W 400 x D 400 x H 250 mm
- Position sink: Left
- Assembly side on dishwasher: Right
- Height of splash protection: 110 mm
- Water outlet: 1 1/2"
- Height adjustable: 860 mm to 930 mm
- Rinsing rack inserts: 3, Basket dimensions: 500 x 500, 600 x 500 mm, Basket height max.: 145 mm
- Properties: Base shelf dimensions: W 600 x D 500 mm
- Size: W 1,200 x D 715 x H 950 mm
- Weight: 26.4 kg
- GTIN: 4015613785158



109960

RRP* 1,498.- €

Component parts

Discharge table DS-700LI

- Material: Stainless steel
- Assembly side on dishwasher: Left
- Height of splash protection: 110 mm
- Height adjustable: 860 mm to 930 mm
- Properties: Base shelf dimensions: W 650 x D 500 mm
- Size: W 700 x D 720 x H 850 mm
- Weight: 14.6 kg
- GTIN: 4015613735986



109745

RRP* 779.- €

Discharge table DS-700R

- Material: Stainless steel
- Assembly side on dishwasher: Right
- Height of splash protection: 110 mm
- Height adjustable: 860 mm to 930 mm
- Properties: Base shelf dimensions: W 650 x D 500 mm
- Size: W 700 x D 720 x H 850 mm
- Weight: 14.6 kg
- GTIN: 4015613730394



109746

RRP* 779.- €

Discharge table DS-1200LI

- Material: Stainless steel
- Assembly side on dishwasher: Left
- Height of splash protection: 110 mm
- Height adjustable: 860 mm to 930 mm
- Properties: Base shelf dimensions: W 1.150 x D 500 mm
- Size: W 1,200 x D 720 x H 850 mm
- Weight: 21.8 kg
- GTIN: 4015613726588



109747

RRP* 919.- €

Discharge table DS-1200R

- Material: Stainless steel
- Assembly side on dishwasher: Right
- Height of splash protection: 110 mm
- Height adjustable: 860 mm to 930 mm
- Properties: Base shelf dimensions: W 1.150 x D 500 mm
- Size: W 1,200 x D 720 x H 850 mm
- Weight: 21.8 kg
- GTIN: 4015613735993



109749

RRP* 919.- €

Rubbish bin 56L

- Material: CNS 18/10
- Content: 56 litre(s)
- Size inner container: Ø 370 mm | Height: 520 mm
- Lid properties: Detachable, with handle, Can be attached to the side of the bucket
- Size: W 460 x D 400 x H 620 mm
- Weight: 6.6 kg
- GTIN: 4015613630670



860006


RRP* 232.- €





A reliable partner for high-intensity washing. The KTS500 with its left-running transport floor is really easy to use and can be tailored to everyday needs. It can be used for washing plates, cups, glasses and trays.

- Model: Transport floor, stainless steel
Left-running appliance
- Basket dimensions: 500 x 500 mm
- Glasses height max.: 450 mm
- Plate height max.: 450 mm
- Tray size max.: 530 x 325 x 25 mm
- Output / hour max.: 70 - 100 baskets
- Run-time: 35 / 50 seconds
- Cleaning agent dosing pump: yes
- Clear rinsing dosing pump: Yes
- Double-walled: Yes
- Water supply: 2 x G 3/4"
- Water outlet: 1 x 1/4 G
- Water pressure: 2 - 5 bar
- Water consumption at 2 bar: 150 l/hour
- Water intake temperature: 10 °C to 55 °C
- Tank volume: Rinsing tank: 80 litres
Boiler: 28,5 litres
- Tank heater: 9 kW
- Boiler heater: 9 kW
- Fan: Hot air (4.5 kW)
- Height adjustable: 1565 mm to 1635 mm
- Including: 1 cutlery holder
1 glasses basket
1 tray basket
1 plate basket
- Required for correct operation: Waste air cover with min. 1500 m³/h
Cold and warm water connection
Pre-cleaning KTS5000 1BAS-R +discharge table KTS5000 TR-L
Waste water hose
19 kW | 400 V | 50 Hz
3 NAC
W 1,380 x D 715 x H 1,900 mm
200 kg
- Not included in delivery
- Power load
- Equipment connection
- Size
- Weight



▶ Max. output/hour: 70 - 100 baskets
▶ Cycle time: 35 / 50 seconds



▶ Easy to operate

Component parts

Pre-cleaning table KTS5000

- Material: Stainless steel
- Beaker capacity: 50 litre(s)
- Height tank: 250 mm
- Position sink: Left
- Assembly side on dishwasher: Right
- Height of splash protection: 140 mm
- Water outlet: 1 1/2"
- Height adjustable: 900 mm to 950 mm
- Properties: Waste chute with rubber sleeve, Drilled hole for sink tap, Ø 30 mm, Base shelf dimensions: W 835 x D 740 mm
- Size: W 1,500 x D 730 x H 900 mm
- Weight: 32.4 kg
- GTIN: 4015613737713



110625

RRP* 1,898.- €

Discharge table KTS5000

- Material: Stainless steel
- Model: 20 transport rollers, 1 with end switch-off (sensor)
- Assembly side on dishwasher: Left
- Water outlet: 1 1/2"
- Height adjustable: 900 mm to 950 mm
- Size: W 1,600 x D 645 x H 900 mm
- Weight: 26.3 kg
- GTIN: 4015613737720




110626

RRP* 1,549.- €

Other models and sizes with diverse specifications available on request.

Simply ask us!



Universal basket 500x500x100

- Basket size: 500 x 500 mm
- Stackable: Yes
- Size: W 500 x D 500 x H 100 mm
- Weight: 1.2 kg
- GTIN: 4015613653952



5301

RRP* 29.- €

Cutlery basket 500x500x100

- Basket size: 500 x 500 mm
- Stackable: Yes
- Size: W 500 x D 500 x H 100 mm
- Weight: 1.35 kg
- GTIN: 4015613653969



5302

RRP* 29.- €

Plate basket 500x500x100

- Basket size: 500 x 500 mm
- Stackable: Yes
- Size: W 500 x D 500 x H 100 mm
- Weight: 1.4 kg
- GTIN: 4015613653976



5303

RRP* 32.- €

Cutlery holder, 8 compartments

- Basket size: 430 x 210 mm
- Number of shelves: 8
- Stackable: Yes
- Size: W 430 x D 210 x H 155 mm
- Weight: 0.55 kg
- GTIN: 4015613653990



5305

RRP* 32.- €

Dishwasher basket, 16 comp.



The stackable dishwashing baskets by Bartscher ensure good cleaning results, good basket handling and clean and safe storage.

- Material: Plastic
- Colour: Brown
- Basket size: 500 x 500 mm

Number of shelves	Compartment size	Inside height	Size	Weight	Code-No.	RRP*	GTIN
16	111 x 111 mm	83 mm	W 500 x D 500 x H 100 mm	1.57 kg	5316	38.- €	4015613654652
16	111 x 111 mm	123 mm	W 500 x D 500 x H 142 mm	2.25 kg	5318	46.- €	4015613654669
16	111 x 111 mm	166 mm	W 500 x D 500 x H 183 mm	2.65 kg	5319	60.- €	4015613654676
16	111 x 111 mm	207 mm	W 500 x D 500 x H 225 mm	3.33 kg	5320	73.- €	4015613654683
16	111 x 111 mm	245 mm	W 500 x D 500 x H 266 mm	3.73 kg	5321	89.- €	4015613654690
16	111 x 111 mm	285 mm	W 500 x D 500 x H 306 mm	4.41 kg	5322	95.- €	4015613654706
25	89 x 89 mm	83 mm	W 500 x D 500 x H 100 mm	1.62 kg	5325	38.- €	4015613654713
25	89 x 89 mm	123 mm	W 500 x D 500 x H 142 mm	2.36 kg	5327	53.- €	4015613654720
25	89 x 89 mm	166 mm	W 500 x D 500 x H 183 mm	2.76 kg	5328	60.- €	4015613654768
25	89 x 89 mm	207 mm	W 500 x D 500 x H 225 mm	3.51 kg	5329	75.- €	4015613654775
25	89 x 89 mm	245 mm	W 500 x D 500 x H 266 mm	3.91 kg	5330	89.- €	4015613654782
25	89 x 89 mm	285 mm	W 500 x D 500 x H 306 mm	4.65 kg	5331	98.- €	4015613654799
36	73 x 73 mm	83 mm	W 500 x D 500 x H 100 mm	1.65 kg	5336	39.- €	4015613654805
36	73 x 73 mm	123 mm	W 500 x D 500 x H 142 mm	2.45 kg	5338	53.- €	4015613654812
36	73 x 73 mm	166 mm	W 500 x D 500 x H 183 mm	2.85 kg	5339	60.- €	4015613654829
36	73 x 73 mm	207 mm	W 500 x D 500 x H 225 mm	3.64 kg	5340	78.- €	4015613654836
36	73 x 73 mm	245 mm	W 500 x D 500 x H 266 mm	4.04 kg	5341	89.- €	4015613654843
36	73 x 73 mm	285 mm	W 500 x D 500 x H 306 mm	4.84 kg	5342	98.- €	4015613654850
49	62 x 62 mm	83 mm	W 500 x D 500 x H 100 mm	1.84 kg	5349	40.- €	4015613654874
49	62 x 62 mm	123 mm	W 500 x D 500 x H 142 mm	2.84 kg	5351	55.- €	4015613654881
49	62 x 62 mm	166 mm	W 500 x D 500 x H 183 mm	3.24 kg	5352	65.- €	4015613654898
49	62 x 62 mm	207 mm	W 500 x D 500 x H 225 mm	4.24 kg	5353	84.- €	4015613654904
49	62 x 62 mm	245 mm	W 500 x D 500 x H 266 mm	4.64 kg	5354	94.- €	4015613654911
49	62 x 62 mm	285 mm	W 500 x D 500 x H 306 mm	5.64 kg	5355	106.- €	4015613654928

Fittings



Single handle mixer 40L-3601B

- Material: Chrome-plated
- Handles: Chrome
- Design: Mixer tap
- Flow at 3 bar: 40 L / Min.
- Jet regulator mouthpiece: 3/4" inner thread
- Swivelling outlet: 360°
- Assembly type: Single-hole borehole
- Diameter table borehole: 42 mm
- Installation: Copper pipe connection 15 mm
- Size: W 147 x D 340 x H 828 mm
- Weight: 3.5 kg
- GTIN: 4015613584034

400126

RRP* 729.- €



Two handle mixer 26L-1801B

- Material: Brass, Steel
- Handles: Metal (EUR)
- Fitting type: Two-handle mixer
- Flow at 3 bar: Outlet quantity: 16 L / min., Jet regulator: 26 L / min.
- Jet regulator mouthpiece: 55 mm
- Swivelling outlet: 180°
- Assembly type: Single-hole borehole
- Diameter table borehole: 30 - 35 mm
- Installation: Connection AG 1/2", Attachment with threaded coupling: 3/4"
- Water connection: 1/2"
- Size: W 515 x D 415 x H 1,430 mm
- Weight: 6.8 kg
- GTIN: 4015613674575

400136

RRP* 679.- €



Two handle mixer 40L-1802B

- Material: Brass, Steel
- Handles: Metal (EUR)
- Fitting type: Two-handle mixer
- Flow at 3 bar: Outlet quantity: 16 L / min., Jet regulator: 40 L / min.
- Jet regulator mouthpiece: 55 mm
- Swivelling outlet: 180°
- Assembly type: Two-hole borehole
- Diameter table borehole: 21 - 25 mm
- Installation: Connection AG 1/2", Attachment with threaded coupling: 1/2"
- Water connection: 1/2"
- Size: W 515 x D 415 x H 1,220 mm
- Weight: 7.2 kg
- GTIN: 4015613674582

400137

RRP* 749.- €



Single handle mixer 40L-1801B

- Material: Chrome-plated
- Handles: Chrome, Thermally insulated
- Fitting type: Single lever mixer
- Flow at 3 bar: Shower arm: 18 L / min., Jet regulator: 40 L / min.
- Jet regulator mouthpiece: M22
- Swivelling outlet: 180°
- Assembly type: Single-hole borehole, Screw system
- Diameter table borehole: 42 mm
- Installation: Copper pipe connection 15 mm
- Size: W 65 x D 450 x H 1,540 mm
- Weight: 8.5 kg
- GTIN: 4015613438955

400123

RRP* 1,279.- €

Cutlery polishing machine 1500/17



Cutlery polished to a high shine – up to 1,500 pieces of cutlery per hour. Pieces of cutlery are hygienically disinfected thanks to the integrated UV lamp and the HACCP compliant operating temperature.



- Polishing/drying type
- Fan for granulate removal
- UV lamp for cutlery disinfection
- Properties

Heated maize granulate
Yes
Yes
Automatic switch-off when the cover is opened
HACCP-conform through 80 °C operating temperature
10 minutes after-run for granulate drying after switch-off
Easy access to the cutlery channel
Start/Stop button



Cutlery polishing machine 1500/17

- Maximum output 1,500 pieces of cutlery per hour
- Cutlery input Right of appliance
Width of opening: 215 mm
- Cutlery output Front of appliance
Width of opening: 100 mm
- Filling quantity maize granulate 1,7 kg
- Including 1 cutlery collection basket
2 kg maize granulate
- Power load 0,4 kW | 230 V | 50 Hz
- Size W 510 x D 480 x H 365 mm
- Weight 25.6 kg
- GTIN 4015613708836

110431

RRP* 4,798.- €

Cutlery polishing machine 3000/25

- Maximum output 3,000 pieces of cutlery per hour
- Cutlery input Top of appliance
Width of opening: 230 mm
- Cutlery output Front of appliance
- Filling quantity maize granulate 2,5 kg
- Including 1 cutlery collection basket
1 cutlery collection sieve
3 kg maize granulate
- Power load 0,56 kW | 230 V | 50 Hz
- Size W 580 x D 560 x H 410 mm
- Weight 40 kg
- GTIN 4015613708935

110432

RRP* 5,698.- €

Component parts

Cutlery basket holder 1500/17

- Material: Stainless steel
- Designed for: Cutlery polishing machine 1500/17
- Size: W 435 x D 322 x H 117 mm
- Weight: 0.53 kg
- GTIN: 4015613752372



110435

RRP* 149.- €

Cutlery basket holder 3000/25

- Material: Stainless steel
- Designed for: Cutlery polishing machine 3000/25
- Size: W 617 x D 420 x H 180 mm
- Weight: 1.08 kg
- GTIN: 4015613752389



110436

RRP* 175.- €

Noise-insulating hood 3000/25

- Material: Stainless steel
- Designed for: Cutlery polishing machine 3000/25
- Including: Filling chute with noise insulation, Noise-insulating mat for cutlery basket
- Size: W 635 x D 435 x H 345 mm
- Weight: 5.75 kg
- GTIN: 4015613752396



110437

RRP* 1,249.- €

Maize granulate 3KG

- Material: Maize granulate
- Size: W 400 x D 300 x H 50 mm
- Weight: 3 kg
- GTIN: 4015613717944



110434

RRP* 52.- €

Glass polisher

109470

RRP* 2,825.- €

GTIN 4015613455624



5 rotating rolls, supported by a hot air fan, polish your glasses within seconds.



- Number of polishing heads
- Polishing/drying type

5

Microfibre polishing scarves with hot air fans



- Properties
- Power load
- Size
- Weight

Microfibre polishing scarves detachable

1,1 kW | 230 V | 50 Hz

W 340 x D 305 x H 520 mm

16 kg

Glass polishing brush set 4G1K

- Material: Plastic, Microfibre
- Set comprises: 5 casters incl. polishing scarves, detachable
- Size: W 250 x D 250 x H 70 mm
- Weight: 0.5 kg
- GTIN: 4015613657998



109472

RRP* 398.- €

Glass polishing brush XS

- Material: Plastic, Microfibre
- Designed for: Polishing narrow glasses (e.g. champagne flutes)
- Size: W 70 x D 70 x H 200 mm
- Weight: 0.08 kg
- GTIN: 4015613721446



109474

RRP* 76.- €

Water Conditioning Units



Water softening system WEH1350

- Material: Plastic
- Connection capacity: 1 unit
- Output capacity: 1,350 litres / day at 10° d (total hardness)
- Water intake temperature from: 5 °C
- Water intake temperature to: 40 °C
- Regeneration: Flow rate or time period
- Water connection: 3/4"
- Designed for: Commercial dishwashers
- Power load: 0,03 kW | 230 V | 50/60 Hz
- Size: W 255 x D 435 x H 480 mm
- Weight: 11.6 kg
- GTIN: 4015613615158

109889

RRP* 619.- €



Water softening system WEH1600

- Material: Plastic
- Connection capacity: 1 unit
- Output capacity: 1,600 litres / day at 10° d (total hardness)
- Water intake temperature from: 5 °C
- Water intake temperature to: 35 °C
- Regeneration: Time period
- Water connection: 3/4"
- Designed for: Commercial dishwashers
- Power load: 0,006 kW | 230 V | 50/60 Hz
- Size: W 255 x D 460 x H 420 mm
- Weight: 8.6 kg
- GTIN: 4015613797762

109952

RRP* 859.- €

Connection kit WEH1350

- Material: Plastic (PVC)
- Set comprises: 1 hose 1/2" for regeneration, length 2 m, 1 hose 3/4" for water connection, length 1.5 m
- Water intake temperature: 40 °C
- Size: W 50 x D 2,000 x H 50 mm
- Weight: 0.55 kg
- GTIN: 4015613630748

109884

RRP* 39.- €

Connection kit WEH1600

- Set comprises: 2 armoured hoses AG - water connection 3/4", length 1 m, rated width Ø 15 mm
- Size: W 420 x D 325 x H 60 mm
- Weight: 1 kg
- GTIN: 4015613586748

109885

RRP* 215.- €



Full desalination system VK 500 FB



- Material
Plastic
Glass-fibre reinforced
- Connection capacity
1 unit
- Water connection
3/4"
- Deposit per cartridge
290 €
- Size
W 260 x D 260 x H 635 mm



Full desalination system VK 500 FB

- Output capacity
5,000 litres / cartridge at 10° d (total salt content)
- Desalination type
Full desalination
- Designed for
Commercial dishwashers
- Size
W 260 x D 260 x H 635 mm
- Weight
17.3 kg
- GTIN
4015613681580

109877

RRP* 1,029.- €

Partial desalination system TKD 13400 FB

- Output capacity
13,400 litres / cartridge at 10° d (carbonate hardness)
- Desalination type
Partial desalination
- Designed for
Combined steamer and ice cube makers
Coffee machines
Fully automatic coffee
- Size
W 260 x D 260 x H 635 mm
- Weight
17.4 kg
- GTIN
4015613681597

109878

RRP* 1,059.- €

Component parts

Water connection set SP5000/KD13400

- Set comprises: 1 adapter for water tap, 1 water quantity meter, 2 intake hoses CNS - water connection 3/4", length 1.5 m, rated width Ø 10 mm
- Size: W 370 x D 300 x H 130 mm
- Weight: 1 kg
- GTIN: 4015613586755



109886

RRP* 209.- €

Replacement cartridge for VK 500FB

- Material: Plastic, Glass-fibre reinforced
- Designed for: Dishwashers
- Size: W 260 x D 260 x H 635 mm
- Weight: 17.3 kg
- GTIN: 4015613586762

109887

RRP* 198.- €

Replacement cartridge for TK13400 FB

- Material: Plastic, Glass-fibre reinforced
- Designed for: Combined steamer and ice cube makers
- Size: W 260 x D 260 x H 635 mm
- Weight: 17.4 kg
- GTIN: 4015613586779

109888

RRP* 315.- €

The background of the page is a photograph of a café setting. In the foreground, a white cup filled with a frothy coffee drink sits on a white saucer. Next to it is a round, golden-brown cookie topped with a swirl of light-colored whipped cream. A silver spoon rests on the saucer. In the background, another similar coffee cup and cookie are visible, along with a blurred coffee machine on the left. The overall scene is bright and clean, with a light-colored wooden table surface.

DRINKS | CAFÉ | BAR

Hot and cold drinks are important sales drivers in gastronomy today, as well as sweet snacks. Preparation appliances are in permanent use. From the coffee machine to the blender - performance is the trump card!

Coffee machine Contessa 1000

A190056

RRP* 229.- €

GTIN 4015613733036



- Content can 1.8 litres
- Design can(s) Glass
- Brewing time 7 minutes for 1.8 litres
- Output max. 11 cups
- Minimum brewing quantity 0.5 litres
- Number of warming plates 1
- Power load 1,5 kW | 230 V | 50/60 Hz
- Size W 215 x D 385 x H 460 mm
- Weight 6.5 kg

Coffee machine Contessa 1002



- Content can 2 litres
- Design can(s) Vacuum flask, stainless steel
- Brewing time 8 minutes for 2 litres
- Minimum brewing quantity 0.5 litres



	Number of hobs	Output max.	Power load	Size	Weight	Code-No.	RRP*	GTIN
Contessa 1002	1	13 cups	1,4 kW 230 V 50/60 Hz	W 215 mm D 400 mm H 520 mm	6.5 kg	190193	249.- €	4015613742380
Contessa Duo	2	2 x 13 cups	2,8 kW 230 V 50/60 Hz	W 430 mm D 400 mm H 520 mm	14.3 kg	190184	489.- €	4015613742410

Coffee machine Aurora 22

190187

RRP* 369.- €

GTIN 4015613742403



- Content can 1.9 litres
- Design can(s) Vacuum flask with pump system, stainless steel
- Brewing time 8 minutes for 1.9 litres
- Output max. 12 cups
- Minimum brewing quantity 0.5 litres
- Decalcification signal Yes
- Power load 1,4 kW | 230 V | 50/60 Hz
- Size W 215 x D 405 x H 520 mm
- Weight 8 kg



Component parts

Basket filter paper, 250 pieces

- Diameter top: 250 mm
- Diameter bottom: 90 mm
- Order quantity unit: 1 box (250 filters)
- Size: W 150 x D 150 x H 85 mm
- Weight: 0.45 kg
- GTIN: 4015613638256



190015250

RRP* 8.50 €

Basket filter paper, 1000 pieces

- Diameter top: 250 mm
- Diameter bottom: 90 mm
- Order quantity unit: 1 box (1,000 filters)
- Size: W 150 x D 150 x H 85 mm
- Weight: 1.79 kg
- GTIN: 4015613638249



190014

RRP* 24.- €

Descaler B15-30

- Designed for: Coffee machines
- Order quantity unit: 1 box (30 bags à 15 g)
- Content: 30 x 15 g
- HACCP compliant: Yes
- Size: W 68 x D 4 x H 100 mm
- Weight: 0.45 kg
- GTIN: 4015613541716



190065

RRP* 26.- €

Descaler F1L

- Designed for: Small appliances such as kettles and coffee machines etc.
- Content: 6 x 1 litre
- Model: Liquid, High concentrate
- HACCP compliant: Yes
- Size: W 90 x D 63 x H 251 mm
- Weight: 1.01 kg
- Order quantity unit: 1 box (6 bottles)
- GTIN: 4015613773322



173277

RRP* 52.- €

Milk frother MS600

190211

RRP* 55.- €

GTIN 4015613758077



Fresh, warm milk froth for cappuccino or heated milk for coffee. With the mixing disk and milk frother whisk ring, milk can be prepared at 70°C with the desired consistency.



- Content 0,6 litre(s)
- Filling quantity Frothing, max.: 150 ml
Heating, max.: 400 ml
- Functions Foaming/heating at 70 °C
- Temperature range 0 °C to 70 °C
- Automatic turn-off Yes
- Including 1 mixing disk
1 milk frother whisk ring
- Power load 0,5 kW | 230 V | 50/60 Hz
- Size W 150 x D 108 x H 190 mm
- Weight 0.8 kg

Milk frother induction MSI400

190129

RRP* 98.- €

GTIN 4015613613413



- Content 0,4 litre(s)
- Filling quantity Frothing, max.: 200 ml
Heating, max.: 400 ml
- Functions Foaming/heating at 65 °C



- Functions 150 ml to 400 ml of milk can be foamed/
heated in approx. 80-90 seconds
- Temperature range Cold foaming
0 °C to 70 °C
- Automatic turn-off Yes
- Including 2 milk froth disks
1 mixing disk
- Power load 0,6 kW | 230 V | 50/60 Hz
- Size W 125 x D 150 x H 180 mm
- Weight 1.1 kg

Percolator coffee makers



Coffee machine Regina Plus 40



- Decalcification signal
- Filling level display
- Warm-keeping function
- Properties

Yes
Yes
Yes
Stainless steel heating recess
2 separate heating systems for brewing and warm-keeping function

	Content	Output max.	Brewing time	Minimum brewing quantity	Power load	Size	Weight	Code-No.	RRP*	GTIN
Regina Plus 40	6,8 litre(s)	48 cups	45 minutes for 6.8 litres	3 litres	1,2 kW 230 V 50/60 Hz	W 220 mm D 220 mm H 415 mm	3.3 kg	A190149	115.- €	4015613742427
Regina Plus 90	15 litre(s)	80 - 90 cups	60 minutes for 15 litres	4.5 litres (30 cups)	1,6 kW 230 V 50/60 Hz	W 270 mm D 270 mm H 475 mm	4.2 kg	A190199	169.- €	4015613733043

Coffee machine Bartscher PRO II 40



- Decalcification signal
- Filling level display
- Warm-keeping function
- Including
- Properties

Yes
Yes
Yes
Cleaning scraper
2 separate heating systems for brewing and warm-keeping function
Coffee machine can also be used without filter paper
Stainless steel heating recess

	Content	Output max.	Brewing time	Minimum brewing quantity	Power load	Size	Weight	Code-No.	RRP*	GTIN
Bartscher PRO II 40	6 litre(s)	40 - 48 cups	40 minutes for 6 litres	3 litres (20 cups)	1,2 kW 230 V 50/60 Hz	W 310 mm D 320 mm H 480 mm	3.2 kg	A190148	135.- €	4015613670515
Bartscher PRO II 60	9 litre(s)	60 - 72 cups	50 minutes for 9 litres	4.5 litres (30 cups)	1,2 kW 230 V 50/60 Hz	W 310 mm D 320 mm H 540 mm	3.8 kg	A190167	149.- €	4015613670522
Bartscher PRO II 100	13,2 litre(s)	90 - 100 cups	55 minutes for 13,2 litres	6 litres (40 cups)	1,45 kW 230 V 50/60 Hz	W 350 mm D 375 mm H 540 mm	4.6 kg	A190198	185.- €	4015613670539



Cup or pot: The round filter coffee machine impresses with many different features: A large capacity of over 13 litres, descaling signal, removable drip tray and a clear height below the spout, which is also designed for pots. The elegant design enhances any coffee service area.

- Content 13,2 litre(s)
- Brewing time 70 minutes for 13.2 litres
- Output max. 100 cups
- Minimum brewing quantity 5.28 litres (40 cups)
- Decalcification signal Yes
- Filling level display Yes
- Warm-keeping function Yes
- Properties
 - Clear height of spout: 125 mm (145 mm without drip tray)
 - Double-walled
 - 2 separate heating systems for brewing and warm-keeping function
 - Coffee machine can also be used without filter paper
 - Filling level sensor
 - Detachable drip tray
 - Hinged handles



- Power load 1,45 kW | 230 V | 50 Hz
- Size W 370 x D 360 x H 533 mm
- Weight 6.35 kg

Component parts

Milk dispenser adapter PRO II 40-60

- Material: Stainless steel, Plastic
- Designed for: Indirect heating/keeping warm of milk, Coffee machine Bartscher PRO II 40, Coffee machine Bartscher PRO II 60
- Content: 4 litre(s)
- Glasses / cup height max.: 200 mm
- Filling level display: Yes
- Size: W 310 x D 290 x H 175 mm
- Weight: 0.9 kg
- GTIN: 4015613731261


A190169

RRP* 65.- €

Round filter paper 195mm, 250pcs

- Order quantity unit: 1 box (250 round filters)
- Designed for: Coffee maker Regina Plus 40, Coffee machine Bartscher PRO II 40, Coffee machine Bartscher PRO II 60
- Size: W 195 x D 195 x H 1 mm
- Weight: 0.3 kg
- GTIN: 4015613427980


A190009250

RRP* 13.- €

Round filter paper 195mm, 1000pcs

- Order quantity unit: 1 box (1,000 round filters)
- Designed for: Coffee maker Regina Plus 40, Coffee machine Bartscher PRO II 40, Coffee machine Bartscher PRO II 60
- Size: W 195 x D 195 x H 1 mm
- Weight: 1.4 kg
- GTIN: 4015613372983


A190009

RRP* 43.- €

Descaler B15-30

- Designed for: Coffee machines
- Order quantity unit: 1 box (30 bags à 15 g)
- Content: 30 x 15 g
- Model: Powder, High concentrate
- Size: W 68 x D 4 x H 100 mm
- Weight: 0.45 kg
- GTIN: 4015613541716


190065

RRP* 26.- €

Round filter paper 245mm, 250pcs

- Order quantity unit: 1 box (250 round filters)
- Designed for: Coffee maker „Regina Plus 90T“, Coffee machine Bartscher PRO II 100, Coffee machine Silver 1300, Coffee maker Regina Plus 90
- Size: W 245 x D 245 x H 1 mm
- Weight: 0.55 kg
- GTIN: 4015613561004


A190011250

RRP* 14.- €

Round filter paper 245mm, 1000pcs

- Order quantity unit: 1 box (1,000 round filters)
- Designed for: Coffee maker „Regina Plus 90T“, Coffee machine Bartscher PRO II 100, Coffee machine Silver 1300, Coffee maker Regina Plus 90
- Size: W 245 x D 245 x H 1 mm
- Weight: 2.1 kg
- GTIN: 4015613400129


A190011

RRP* 48.- €

Component parts

Glass jug 1,8L

- Material: Glass, Plastic
- Content: 1,8 litre(s)
- Size: W 160 x D 200 x H 178 mm
- Weight: 0.3 kg
- GTIN: 4015613658360



190133

RRP* 18.- €

Pot heater WP-K200

- Material: Stainless steel
- Diameter warming plate(s): 120 mm
- Warming plates can be switched separately: Yes
- Overheating protection: Yes
- Power load: 0,2 kW | 230 V | 50 Hz
- Size: W 358 x D 210 x H 70 mm
- Weight: 1.65 kg
- GTIN: 4015613709352



A190105

RRP* 85.- €

Thermo jug 1,5L-ST

- Material: Stainless steel, Plastic
- Content: 1,5 litre(s)
- Temperature loss / hour approx.: 2,6 °C
- Properties: Lid with pouring mechanism
- Size: W 140 x D 170 x H 215 mm
- Weight: 0.72 kg
- GTIN: 4015613714745



190114

RRP* 20.50 €

Thermo jug 1.5L-VST

- Material: Stainless steel
- Content: 1,5 litre(s)
- Temperature loss / hour approx.: 2 °C
- Properties: Lid with pouring mechanism, Easy filling, hinged lid
- Size: W 135 x D 165 x H 260 mm
- Weight: 0.86 kg
- GTIN: 4015613752808



190218

RRP* 35.- €

Thermo pump jug 1,9L-ST

- Material: Stainless steel, Plastic
- Content: 1,9 litre(s)
- Temperature loss / hour approx.: 2,3 °C
- Properties: Base with an integrated ring for 360° rotation of the flask, Pump head can be completely detached
- Size: W 150 x D 200 x H 335 mm
- Weight: 1.3 kg
- GTIN: 4015613714769



190117

RRP* 37.- €

Thermo jug 2L-ST

- Material: Stainless steel, Plastic
- Content: 2 litre(s)
- Temperature loss / hour approx.: 2,6 °C
- Properties: Lid with pouring mechanism
- Size: W 140 x D 170 x H 250 mm
- Weight: 0.8 kg
- GTIN: 4015613714752



190116

RRP* 22.50 €

Thermo jug 2L-VST

- Material: Stainless steel
- Content: 2 litre(s)
- Temperature loss / hour approx.: 3,5 °C
- Properties: Lid with pouring mechanism, Easy filling, hinged lid
- Size: W 142 x D 157 x H 295 mm
- Weight: 0.95 kg
- GTIN: 4015613742151



190108

RRP* 36.- €

Thermal pump can Duo 1,9L-ST

- Material: Stainless steel, Plastic
- Content: 3,8 litre(s)
- Content per can: 1,9 litre(s)
- Temperature loss / hour approx.: 2 °C
- Pump lid lock: Yes
- Size: W 270 x D 170 x H 338 mm
- Weight: 2.4 kg
- GTIN: 4015613742229



190208

RRP* 51.- €

Component parts

Coffee station Z50

- Material: Plastic
- Designed for: Coffee condiments and supplies, Drip trays Z50-150 and Z50-170
- Properties: 5 storage compartments for beakers, spoons/stirrers, milk and sugar, Connecting system attached on the side, Connectable in a row with drip tray Z50-150, Connectable in a row with drip tray Z50-170
- Size: W 268 x D 335 x H 100 mm
- Weight: 1 kg
- GTIN: 4015613742250



190223

RRP* 19.50 €

Drip tray Z50-170

- Material: Plastic, Stainless steel
- Collection tray: Detachable drip tray grille
- Properties: For thermal jugs Ø from 150 to 170 mm, Connecting system attached on the side, Connectable in a row with coffee station Z50, Connectable in a row with drip tray Z50-150
- Size: W 205 x D 255 x H 40 mm
- Weight: 0.31 kg
- GTIN: 4015613742243



190216

RRP* 9.50 €

Drip tray Z50-150

- Material: Plastic, Stainless steel
- Collection tray: Detachable drip tray grille
- Properties: For thermal jugs Ø up to 150 mm, Connecting system attached on the side, Connectable in a row with coffee station Z50, Connectable in a row with drip tray Z50-170
- Size: W 180 x D 225 x H 40 mm
- Weight: 0.23 kg
- GTIN: 4015613742236



190215

RRP* 8.50 €

Coffee station 1190

- Material: Plastic
- Designed for: 1 vacuum flask, Diameter max. 19 cm
- Properties: 5 storage compartments for beakers, spoons/stirrers, milk and sugar, Plastic insert adjustable in 3 heights
- Including: 1 drip tray, 1 plastic insert
- Size: W 440 x D 340 x H 145 mm
- Weight: 1.2 kg
- GTIN: 4015613656861



190153

RRP* 46.50 €

Coffee station 2190

- Material: Plastic
- Designed for: 2 vacuum flasks, Diameter max. 19 cm
- Properties: 5 storage compartments for beakers, spoons/stirrers, milk and sugar, Plastic inserts adjustable in 3 heights
- Including: 2 drip trays, 2 plastic inserts
- Size: W 660 x D 340 x H 145 mm
- Weight: 1.8 kg
- GTIN: 4015613656878



190154

RRP* 74.- €

Thermal pump can 3L

- Material: Stainless steel, Plastic
- Content: 3 litre(s)
- Temperature loss / hour approx.: 2 °C
- Properties: Base with an integrated ring for 360° rotation of the flask, Locking system, Lid with pouring mechanism, Pump head can be completely detached, Simple cleaning
- Size: W 170 x D 170 x H 375 mm
- Weight: 1.62 kg
- GTIN: 4015613725499



150992

RRP* 37.- €

Thermal pump can 5L

- Material: Stainless steel, Plastic
- Content: 5 litre(s)
- Temperature loss / hour approx.: 1,7 °C
- Properties: Base with an integrated ring for 360° rotation of the flask, Locking system, Lid with pouring mechanism, Pump head can be completely detached, Simple cleaning
- Size: W 181 x D 245 x H 428 mm
- Weight: 2.4 kg
- GTIN: 4015613725505



150993

RRP* 47.- €



Fully automatic coffee machines



Automatic coffee machine Easy Black 250

190080

RRP* 1,098.- €

GTIN 4015613760070



Reliable, powerful technology in an attractive compact design. With a 250 g bean container, the Easy Black 250 will invite people to enjoy a coffee, espresso, or cappuccino in any restaurant or private home.



- Material Plastic
- Content bean container 250 g
- Designed for 80 cups / day
- Output max. 40 cups à 120 ml / hour
- Programs 4, pre-programmed, parameters can be changed
- Height-adjustable outlet 80 - 115 mm
- Setting possibilities 5 grinding levels
Coffee dosing
Water quantity
Water temperature
- Ground coffee option Individual cups
Manual 7 - 14 g
- Cleaning program Yes
- Properties Cup counter (per program and total)
Switch for hot milk or milk froth
External via tube
- Milk supply External via tube
- Water supply Water tank
- Water tank capacity 1,8 litre(s)
- Residues container capacity Approx. 15 cups
- Including 1 milk hose, 33 cm
1 coffee spoon
- Important information This coffee machine has wearing parts. Provided the coffee machine is properly maintained, it can generally be assumed that the following wearing parts will last up to the specified reference quantity of drinks:
Pump: 12,000 poured drinks
Drainage valve: 15,000 poured drinks
Brewing unit, grinding mechanism and seals: 20,000 poured drinks
Failure of these wearing parts after reaching the respective reference quantity does not mean that the coffee machine is defective.
- Power load 1,4 kW | 230 V | 50/60 Hz
- Size W 300 x D 500 x H 360 mm
- Weight 11.5 kg



- ▶ 4 programs, pre-programmed, parameters can be changed
- ▶ Cup counter



- ▶ Switch for hot milk or milk froth
- ▶ Milk supply: External via tube



Automatic coffee machine KV1 Classic

190052

RRP* 2,349.- €

GTIN 4015613712741



Enjoy perfect coffee specialities at the push of a button. Espresso, cappuccino, latte macchiato, hot water or milk - up to 6 different beverages can be individually set. With its particularly large bean and residues container, the coffee machine is also ideally suited for larger coffee quantities and thus for use in cafés, breakfast rooms and offices.



- Material Plastic
- Content bean container 1000 g
- Designed for 80 cups / day
- Output max. 40 cups à 120 ml / hour
- Programs 6, individually adjustable
- Height-adjustable outlet 100 - 160 mm
- Setting possibilities 5 grinding levels
Coffee dosing
Water quantity
Water temperature
- Ground coffee option Individual cups
Manual 5 - 14 g
- Cleaning program Yes
- Properties Cup counter (per program and total)
Milk temperature can be regulated via milk hose
Base plate with cutout for automatic ejection of slops (in conjunction with the slops ejector shaft KV1 - available as an option)
- Milk supply External via tube
Flow rate can be regulated (temperature regulation)
- Water supply 2 options
Water tank
Fixed connection to water supply
- Water tank capacity 1,8 litre(s)
- Water connection Fixed connection to water supply 1/2"
- Residues container capacity Approx. 35 cups
- Including 1 milk hose, 50 cm
1 milk hose with flow controller, 50 cm
1 water supply hose, 150 cm
- Important information This coffee machine has wearing parts. Provided the coffee machine is properly maintained, it can generally be assumed that the following wearing parts will last up to the specified reference quantity of drinks:
Brewing unit: 50,000 poured drinks
Pump, Drainage valve, grinding mechanism and seals: 25,000 poured drinks
Failure of these wearing parts after reaching the respective reference quantity does not mean that the coffee machine is defective.
- Power load 2,7 kW | 230 V | 50/60 Hz
- Size W 305 x D 550 x H 580 mm
- Weight 17.4 kg



- ▶ 6 programs, individually adjustable
- ▶ Cup counter
- ▶ Hot water function
- ▶ Decalcification signal



- ▶ Milk frother
- ▶ Milk supply: Tube



With up to 23 individually programmable coffee variations, a mains water connection and a 6-litre water tank, the clever version of the KV1 offers maximum coffee enjoyment with simple, intuitive touch controls. In combination with the elegant design, the 7" advertising display, which can be set to play a custom message, automatically invites onlookers to enjoy a freshly brewed espresso, cappuccino, latte macchiato and more.



- Material Plastic
- Content bean container 1000 g
- Designed for 80 cups / day
- Output max. 40 cups à 120 ml / hour
- Programs 23, preset, individual write-over possible
Programming password protected
- Height-adjustable outlet 110 - 165 mm
- Setting possibilities 5 grinding levels
Coffee dosing
Water quantity
Water temperature
Water quantity
Video display
- Video display Individual playable via USB
Up to 10 videos can be saved
During coffee preparation and during breaks
1 video can be selected for all processes
- USB connection Yes
- Cleaning program Yes
- Properties Base plate with cutout for automatic ejection of slops (in conjunction with the slops ejector shaft KV1 - available as an option)
Milk temperature can be set in the program
Cleaning cycles memory
Cup counter (per program and total)
- Milk supply External via tube
- Water supply 3 options
Water tank
Fixed connection to water supply
Water supply via external container
- Water tank capacity 6 litre(s)
- Water connection Fixed connection to water supply 1/2"
- Residues container capacity Approx. 35 cups
- Including 2 milk hoses, 50 cm
1 water supply hose, 150 cm
1 water supply hose, 200 cm
- Important information This coffee machine has wearing parts.
Provided the coffee machine is properly maintained, it can generally be assumed that the following wearing parts will last up to the specified reference quantity of drinks:
Brewing unit: 50,000 poured drinks
Pump, Drainage valve, grinding mechanism and seals: 25,000 poured drinks
Failure of these wearing parts after reaching the respective reference quantity does not mean that the coffee machine is defective.
- Power load 2,7 kW | 230 V | 50/60 Hz
- Size W 390 x D 511 x H 582 mm
- Weight 19.4 kg



- ▶ 23 preset programs, can be overwritten with custom programs
- ▶ Cup counter
- ▶ Hot water function
- ▶ Hot milk function
- ▶ Decalcification signal



- ▶ Milk frother

Component parts

Dregs ejector chute KV1

- Material: Plastic
- Designed for: Bartscher fully automatic coffee machines KV1 Classic and KV1 Comfort, The dregs are disposed of directly into the waste bin
- Size: W 80 x D 155 x H 160 mm
- Weight: 0.09 kg
- GTIN: 4015613735658



190060

RRP* 11.- €

Water drain hose KV1

- Material: Rubber (NBR)
- Designed for: Bartscher fully automatic coffee machines KV1 Classic and KV1 Comfort
- Length: 1,5 m
- Properties: Can be used with the dregs container and ejector chute KV1
- Size: W 35 x D 1,500 x H 40 mm
- Weight: 0.37 kg
- GTIN: 4015613735696



190068

RRP* 36.- €

Water filter KV1

- Designed for: KV1 fully automatic coffee machines
- Output capacity: Approx. 75 litres at 10° d (total hardness)
- Size: W 40 x D 40 x H 165 mm
- Weight: 0.07 kg
- GTIN: 4015613747798



109865

RRP* 22.- €

Milk line detergent F1L

- Designed for: Fully automatic coffee
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Size: W 90 x D 63 x H 251 mm
- Weight: 1.01 kg
- Order quantity unit: 1 box (6 bottles)
- GTIN: 4015613773360



173282

RRP* 73.- €

Cleaning tabs KV-20

- Designed for: Coffee machines, Fully automatic coffee, Thermal jugs, Filter holder coffee machines
- Content: 20 x 2 blister packs with 10 cleaning tabs
- Model: Tab form
- HACCP compliant: Yes
- Size: W 30 x D 75 x H 180 mm
- Weight: 0.07 kg
- Order quantity unit: 1 sales display unit (20 retail packs)
- GTIN: 4015613773377



173283

RRP* 145.- €

Descaler F1L

- Designed for: Small appliances such as kettles and coffee machines etc.
- Content: 6 x 1 litre
- Model: Liquid, High concentrate
- HACCP compliant: Yes
- Size: W 90 x D 63 x H 251 mm
- Weight: 1.01 kg
- Order quantity unit: 1 box (6 bottles)
- GTIN: 4015613773322



173277

RRP* 52.- €

Milk refrigerator KV8,1L

- Material: Steel plate, Powder coated
- Material inside: Plastic ABS
- Size inside: W 160 x D 190 x H 280 mm
- Content: 8,1 litre(s)
- Cooling: Compressor, Circulating air
- Temperature range: 0 °C to 8 °C
- Temperature control: Electronic, In 1 °C steps
- Energy consumption: 218 kWh / an
- Energy efficiency class: A (EU No. 2019 / 2024)
- Ambient temperature: to 25 °C
- Opening for milk hose: 2 openings, left and right on the appliance, Ø 7 mm
- Door hinge side: Right
- Properties: Designed for 3 x 1 litre Tetra Pak®, for example, Direct milk supply via side openings on the appliance, LED lighting, separately switchable
- Power load: 0,075 kW | 230 V | 50/60 Hz
- Size: W 225 x D 450 x H 450 mm
- Weight: 13.8 kg
- GTIN: 4015613803500



190085

RRP* 649.- €

Milk container KV8,1L

- Designed for: Milk, Milk bag
- Material: Plastic ABS
- Content: 4,5 litre(s)
- Lid properties: Detachable
- Opening for milk hose: In the cover
- Size: W 175 x D 150 x H 240 mm
- Weight: 0.6 kg
- GTIN: 4015613780467



190083

RRP* 65.- €

Milk refrigerator KV6LTE

- Material: Plastic ABS
- Material inside: Aluminium
- Size inside: W 160 x D 135 x H 285 mm
- Content: 6 litre(s)
- Cooling: Thermoelectric
- Cooling output: 12 °C to 15 °C below ambient temperature
- Ambient temperature: to 22 °C
- Opening for milk hose: 2 openings, left and right on the appliance, Ø 7 mm
- Door hinge side can be changed: Yes
- Properties: Designed for 2 x 1 litre Tetra Pak®, for example, Direct milk supply via side openings on the appliance
- Including: 12 V adapter cable for car
- Power DC: 12 V
- Power load: 0,052 kW | 220 V | 50 Hz
- Size: W 220 x D 270 x H 350 mm
- Weight: 3.09 kg
- GTIN: 4015613768410



190079

RRP* 165.- €

Portafilter coffee machines



Coffee machine Coffeeline B10



To experience real coffee pleasure, a portafilter coffee machine from Bartscher is your best bet, because it really allows the taste nuances of your coffee to develop to their fullest. It's incomparable and cannot be replaced by any other method of preparing coffee, giving a unique and delectable freshly-brewed coffee aroma.

- Material: Steel plate
Painted
- Design: Sieve carrier
- Number of boilers: 1
- Hot water taps: 1
- Programs: 3
- Automatic boiler filling: Yes
- Automatic brewing group cleaning: Yes
- Automatic water intake through solenoid valve: Yes
- Pre-brewing: Yes
- Hot water release regulation: Yes
- Pressure display via manometer: Yes
- Timer: Yes
- Digital display: Yes
- Display: Boiler temperature adjustment
Drink selection and programming
Start of cleaning program
Timer
Pre-brewing
Warning notes
- Properties: LED lighting, separately switchable
Diverse coffee specialty settings
- Including: 1 drain hose, 150 cm
1 portafilter with 1 outlet
2 portafilters with 2 outlets
1 supply hose, 55 cm



- Including: 3 portafilters with 2 outlets

	Content	Brewing group(s)	Steam taps	Power load	Equipment connection	Size	Weight	Code-No.	RRP*	GTIN
Coffeeline B10	6 litres	1	1 Cool-Touch	2,8 kW 230 V 50 Hz	Pluggable	W 550 mm D 575 mm H 465 mm	48 kg	190230	3,649.- €	4015613815077
Coffeeline B20	11.5 litres	2	2 Cool-Touch	3,35 kW 230 V 50-60 Hz	Pluggable	W 800 mm D 600 mm H 500 mm	62 kg	190231	4,649.- €	4015613802718
Coffeeline B30	17.5 litres	3	2 Cool-Touch	4,35 kW 400 V 50 Hz	3 NAC	W 990 mm D 595 mm H 465 mm	74 kg	190232	5,849.- €	4015613815084

Component parts

Portafilter Coffeeline 2110

- Material: Plastic, Brass, Chrome-plated
- Model: 1-cup outlet
- Approx. content of ground coffee: 21 g
- Size: W 220 x D 80 x H 70 mm
- Weight: 0.58 kg
- GTIN: 4015613815145



190234

RRP* 59.- €

Portafilter Coffeeline 2120

- Material: Plastic, Brass, Chrome-plated
- Model: 2-cup outlet
- Approx. content of ground coffee: 21 g
- Size: W 220 x D 80 x H 70 mm
- Weight: 0.62 kg
- GTIN: 4015613815152



190235

RRP* 65.- €

Portafilter Coffeeline 2100

- Material: Plastic, Brass, Chrome-plated
- Model: Bottomless
- Approx. content of ground coffee: 21 g
- Including: 1 sieve
- Size: W 70 x D 220 x H 45 mm
- Weight: 0.43 kg
- GTIN: 4015613815978



190236

RRP* 49.- €

Coffee grounds drawer S285

- Material: Stainless steel
- Content coffee grounds: Approx. 55 portions
- Properties: Can be expanded flexibly, very easy to mount
- Size: W 280 x D 425 x H 85 mm
- Weight: 4.7 kg
- GTIN: 4015613815114



190233

RRP* 279.- €

Tamper aluminium

- Material: Aluminium
- Diameter: 57 mm
- Size: W 57 x D 57 x H 92 mm
- Weight: 0.22 kg
- GTIN: 4015613656380



190179

RRP* 42.- €

Coffee grinder model Tauro



- Rpm max.
- Overheating protection
- Properties



1300 r. / min.

Yes

Collection tray for up to 600 g of ground coffee

Grinding mechanism Ø 60 mm

Space II



Content bean container

Power load

Size

Weight

Code-No.

RRP*

GTIN

	Content bean container	Power load	Size	Weight	Code-No.	RRP*	GTIN
model Tauro	1 kg	0,275 kW 230 V 50-60 Hz	W 165 mm D 390 mm H 510 mm	8 kg	190175	539.- €	4015613492445
model Space II	2 kg	0,352 kW 230 V 50 Hz	W 200 mm D 390 mm H 600 mm	8.4 kg	190174	569.- €	4015613658957

Tauro Digital coffee grinder

190225

RRP* 649.- €

GTIN 4015613806228



Fresh coffee at the press of a button – this digital coffee grinder is the perfect accessory for top coffee quality, providing the desired quantity of freshly ground beans on-demand.



- Content bean container
- Dosing regulation
- Grinding fineness



- Rpm max.
- Overheating protection
- Display
- Properties

1 kg

5 - 12 g

Manual

Stepless control

1650 r. / min.

Yes

Yes

Continuous grinding function for variable quantities

Multilingual touchscreen

Memory function for 1 or 2 cups

0,275 kW | 230 V | 50/60 Hz

W 215 x D 385 x H 515 mm

7.9 kg

- Power load

- Size

- Weight



Water filter system



Water filter system K1600 EW

109881

RRP* 105.- €

GTIN 4015613630731



- Output capacity 1,600 litres / at 10° KH (carbonate hardness)
- Water connection 1/2"
- Water pressure 1.5 - 6 bar
- Water intake temperature from 5 °C
- Water intake temperature to 30 °C
- Design Disposable system
For horizontal and vertical installation
- Designed for Coffee machines
Fully automatic coffee
- Size W 200 x D 140 x H 320 mm
- Weight 1.7 kg

Water filter system K1500L EW

109879

RRP* 219.- €

GTIN 4015613710891



- Output capacity 1,500 litres / at 10° KH (carbonate hardness)
- Water connection 3/8"
- Water pressure 2 - 8 bar
- Water intake temperature from 4 °C
- Water intake temperature to 30 °C
- Design Disposable system
For horizontal and vertical installation
- Designed for Coffee machines
- Including 1 bypass setting key (regulation of flow volume)
1 filter candle
1 hose
- Size W 100 x D 125 x H 365 mm
- Weight 1.52 kg

Replacement filter candle f. 109879

- Size: W 95 x D 95 x H 315 mm
- Weight: 1.3 kg
- GTIN: 4015613501147

109857

RRP* 135.- €


Water meter W1-8B

- Material: Plastic
- Water intake temperature from: 4 °C
- Water intake temperature to: 30 °C
- Water connection: 3/8"
- Water pressure: 1 - 8 bar
- Output capacity: 15 - 500 l/h
- Designed for: Water filter system K1500L
- Operated via: Batteries (2 x AA)
- Including: 2 AA batteries, Holder on filter for control unit, Wall holder for control panel
- Size: W 80 x D 42 x H 54 mm
- Weight: 0.24 kg
- GTIN: 4015613792798

109898

RRP* 189.- €





Water filter system K3600L

109847

RRP* 259.- €

GTIN 4015613743899



- Output capacity 3,600 litres / at 10° KH (carbonate hardness)
- Water connection 3/8"
- Water pressure 3 bar
- Water intake temperature from 2 °C
- Water intake temperature to 30 °C
- Design Disposable system
For vertical installation
- Designed for Coffee machines
Combined steamer
- Including 1 filter head
1 wall holder
1 water filter cartridge
2x 3/8" adapter to 10 mm Ø plastic hose
3.36 kg
- Size
- Weight

Replacement cartridge KE3600L

- Material: Plastic
- Output capacity: 0 - 3 litres / minute, 3,600 litres / at 10° KH (carbonate hardness)
- Water intake temperature from: 2 °C
- Water intake temperature to: 30 °C
- Designed for: Water filter system K3600L
- Size: W 130 x D 130 x H 420 mm
- Weight: 3.06 kg
- GTIN: 4015613743905



109848

RRP* 229.- €

Water meter W3B-1

- Material: Plastic
- Water intake temperature from: 2 °C
- Water intake temperature to: 30 °C
- Water connection: 1/4"
- Water pressure: 3 bar
- Designed for: Water filter system K3600L
- Operated via: Batteries (2 x AA)
- Including: 2 AA batteries, 1/4" to 1/8" adapter, 1/4" adapter for 10 mm Ø plastic hose, Wall holder for control panel
- Size: W 110 x D 65 x H 95 mm
- Weight: 0.25 kg
- GTIN: 4015613744117



109849

RRP* 179.- €

Component parts

Connecting set filter candle 3/8

- Material: Steel
- Set comprises: 1 flat seal, 1 hat filter
1 hose 3/8" x 3/8", length 1.5 m
- Size: W 10 x D 1,500 x H 10 mm
- Weight: 0.3 kg
- GTIN: 4015613501161



109864

RRP* 42.- €

Tea station 1145SH



Hot water for tea, instant coffee or other infused drinks: Whether in the hotel room, in waiting areas or in customer meetings. With the tea caddy, everything is tidy and immediately at hand - from tea bags to spoons.

- Material: Plastic
- Recess for kettle: Ø 145 mm
- Properties: 3 storage compartments for tea, instant coffee, sugar and spoons/stirrers
Cable in the base
- Including: 1 drip tray
- Designed for: 1 kettle
- Important information: Kettle 0.8L | Black, high-gloss
Kettle 0.6L | Black, matt
- Size: Delivered without kettle
W 465 x D 225 x H 30 mm
- Weight: 0.91 kg

	Colour	Code-No.	RRP*	GTIN
Tea station 1145SH	Black High-glos	200120	29.- €	4015613768403
Tea station 1145M	Black Matt	200121	29.- €	4015613768397

Kettle 0,8L



- Minimum brewing quantity
- Temperature range to
- Length cable

0,3 litre(s)
100 °C
70 cm



	Material	Colour	Content	Limescale filter	Power load	Size	Weight	Code-No.	RRP*	GTIN
Kettle 0,8L	Plastic	Black High-glos	0,8 litre(s)	yes	1,2 kW 230 V 50/60 Hz	W 140 mm D 200 mm H 195 mm	0.65 kg	200108	27.50 €	4015613761558
Kettle 0,6L	Plastic Stainless steel	Black Matt	0,6 litre(s)	yes	0,8 kW 230 V 50/60 Hz	W 145 mm D 200 mm H 190 mm	0.82 kg	200111	45.- €	4015613768380

Kettle 1,7L



- Content
- Temperature range to
- Limescale filter
- Power load

1,7 litre(s)
100 °C
yes
Can be removed
2,2 kW | 230 V | 50/60 Hz



	Minimum brewing quantity	Length cable	Size	Weight	Code-No.	RRP*	GTIN
Kettle 1,7L	0,3 litre(s)	71 cm	W 165 mm D 210 mm H 240 mm	0.96 kg	200095	33.- €	4015613731285
Kettle 1.7 L GL	0,5 litre(s)	64 cm	W 160 mm D 230 mm H 235 mm	1.3 kg	200096	34.- €	4015613731292

Samovar



Samovar 3L

191001

RRP* 205.- €

GTIN 4015613488790



- Content
- Heating element
- Temperature range
- Overheating protection
- Warm-keeping function
- Glasses / cup height max.
- Including

3 litre(s)
1 heating coil, 1.5 kW
30 °C to 100 °C
Yes
Yes
140 mm
1 tea pot, content 1.2 litres
1 tea strainer



- Power load
- Size
- Weight

1,5 kW | 230 V | 50 Hz
W 305 x D 210 x H 490 mm
1.7 kg

Samovar 3,2L

191004

RRP* 109.- €

GTIN 4015613622521



- Content
- Heating element

3,2 litre(s)
2 heating coils, 1.85 kW and 0.1 kW
Boils at 100°C with 1.85 kW and 0.1 kW heating element
Keeping warm at 70 °C with 0.1 kW heating coil
Yes
Yes
1 stoneware tea pot, content 0.8 litres
1 tea strainer



- Overheating protection
- Warm-keeping function
- Including

- Power load
- Size
- Weight

2 kW | 230 V | 50-60 Hz
W 270 x D 275 x H 495 mm
2.34 kg

Samovar 15L

191005

RRP* 1,798.- €

GTIN 4015613752877



- Content
- Heating element

15 litre(s)
2 heating coils, 2.3 kW and 0.7 kW
Boiling to 100 °C with 2.3 kW heating coil
Keeping warm at 90 °C with 0.7 kW heating coil
45 °C to 90 °C
Yes
Yes
180 mm
1 stainless steel teapot, volume of 2 litres
1 tea strainer



- Temperature range
- Overheating protection
- Warm-keeping function
- Glasses / cup height max.
- Including

- Power load
- Size
- Weight

3 kW | 230 V | 50/60 Hz
W 505 x D 415 x H 735 mm
9.66 kg

Hot water dispensers



Hot water dispenser 5L

200061

RRP* 98,- €

GTIN 4015613505541



- Content
- Temperature range

5 litre(s)

30 °C to 100 °C



- Power load

1,8 kW | 230 V | 50/60 Hz



- Size

W 280 x D 265 x H 400 mm



- Weight

1.8 kg

Hot water dispenser 6L

200085

RRP* 79,- €

GTIN 4015613697208



- Content
- Temperature range

6 litre(s)

30 °C to 100 °C



- Safety thermostat

Yes



- Power load

1,8 kW | 230 V | 50 Hz



- Size

W 270 x D 290 x H 400 mm

- Weight

1.77 kg

Hot water dispenser 8,5L

200069

RRP* 115,- €

GTIN 4015613649849



- Content
- Temperature range

8,5 litre(s)

30 °C to 100 °C



- Double-walled

Yes



- Power load

1,6 kW | 230 V | 50/60 Hz



- Size

W 225 x D 225 x H 470 mm

- Weight

2.7 kg

Hot water dispenser 9L

200073

RRP* 249.- €

GTIN 4015613676517



• Content

9 litre(s)

• Temperature range

30 °C to 95 °C



• Safety thermostat

Yes

• Double-walled

Yes



• Properties

Detachable drip tray

Hinged handles



• Power load

2,8 kW | 230 V | 50/60 Hz

• Size

W 305 x D 350 x H 490 mm

• Weight

4.4 kg

Hot water dispenser 9L-FWA

200086

RRP* 425.- €

GTIN 4015613697789



• Content

9 litre(s)

• Temperature range

30 °C to 95 °C



• Safety thermostat

Yes

• Double-walled

Yes



• Water connection

Fixed connection to water supply 3/4"

• Automatic refill can be switched off

Yes



• Overflow protection

Yes



• Important information

From a water hardness of 5° d.H upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar

• Including

Water hose

• Power load

2,8 kW | 230 V | 50/60 Hz

• Size

W 320 x D 260 x H 500 mm

• Weight

5.6 kg

Hot water dispenser 10L

200054

RRP* 139.- €

GTIN 4015613468778



• Content

10 litre(s)

• Temperature range

30 °C to 100 °C



• Power load

2,5 kW | 230 V | 50 Hz

• Size

W 213 x D 213 x H 505 mm



• Weight

2.3 kg



Hot water dispenser 28L

200063

RRP* 179.- €

GTIN 4015613592961



• Content

28 litre(s)

• Temperature range

30 °C to 100 °C



• Double-walled

Yes

• Power load

2,8 kW | 230 V | 50/60 Hz



• Size

W 400 x D 385 x H 635 mm

• Weight

5.3 kg



Mulled wine pots



Mulled wine dispenser 1300

200119

RRP* 2,898.- €

GTIN 4015613763255



Mulled wine dispenser for larger quantities of wine. Avoids the hassle of decanting and preheating wine and keeping it warm for extended periods of time. The mulled wine dispenser has two taps and two separately controllable pumps. It is ready for use in just a few minutes.

- Continuous dispensing capacity Max. 130 litres / hour
- Temperature range to 85 °C
- Heat-up time 1 to 3 minutes
- Depending on the ambient temperature
- Number of taps 2
- Tap design 1 pump per tap
- Pump design Integrated electric feed pump
- Can be switched separately
- Including 2 suction tubes
- 2 tube connectors
- Power load 9 kW | 400 V | 50 Hz
- Equipment connection 3 NAC
- Size W 287 x D 690 x H 398 mm
- Weight 27.6 kg

Mulled wine pot 7L

200065

RRP* 103.- €

GTIN 4015613612409



- Content max. 9 litre(s)
- Useful content 7 litre(s)
- Temperature range 30 °C to 80 °C
- Power load 2,2 kW | 230 V | 50/60 Hz
- Size W 275 x D 260 x H 490 mm
- Weight 2 kg

Mulled wine "Multitherm", 20L

A200050

RRP* 205.- €

GTIN 4015613396873



- Hot drinks for any occasion.
- Ideal to keep warm: Mulled wine, jagertee or hot water for tea.
- Useful content 20 litre(s)
- Temperature range 30 °C to 90 °C
- Including 3 labels: Glühwein, Jagertee, Heisswasser - hot water - Tee
- Power load 2 kW | 230 V | 50/60 Hz
- Size W 355 x D 350 x H 610 mm
- Weight 4.7 kg

Mulled wine pot, bl.w.canner GE 28

200049

RRP* 119.- €

GTIN 4015613592794



- Material lid

Plastic



- Content max.
- Useful content

28 litre(s)
21 litre(s)



- Temperature range
- Including
- Power load
- Size
- Weight

30 °C to 100 °C
1 grille, Ø 320 mm
1,8 kW | 230 V | 50 Hz
W 370 x D 370 x H 500 mm
5,4 kg

Mulled wine pot, bl.w. canner 25L,SS



- Temperature range
- Including
- Power load

30 °C to 100 °C
1 grille, Ø 320 mm
2 kW | 230 V | 50/60 Hz



	Content max.	Useful content	Size	Weight	Code-No.	RRP*	GTIN
Mulled wine pot, bl.w. canner 25L,SS	25,4 litre(s)	25 litre(s)	W 379 mm D 420 mm H 473 mm	5.2 kg	A200052	189.- €	4015613443195
Mulled wine pot, bl.w. canner 30L,SS	31,4 litre(s)	30 litre(s)	W 379 mm D 423 mm H 530 mm	5.6 kg	200057	209.- €	4015613499420

Component parts

Heat-retaining lid for A200050

- Material: Stainless steel
- Diameter surface: 347 mm
- Designed for: Approx. 10 - 15 cups
- Size: W 354 x D 354 x H 45 mm
- Weight: 0.74 kg
- GTIN: 4015613503493

200058

RRP* 23.- €

Heat-retaining lid 200057/A200052

- Material: Stainless steel
- Diameter surface: 355 mm
- Designed for: Approx. 10 - 15 cups
- Size: W 395 x D 395 x H 40 mm
- Weight: 0.82 kg
- GTIN: 4015613503509

200059

RRP* 25.- €



Chocolate dispenser 5L



Perfect enjoyment: Heat up chocolate and keep it warm without burning it and without lumps.



- Material

Plastic
Polycarbonate
Stainless steel
Stainless steel

- Material mixer
- Material mixer blades
- Glasses / cup height max.
- Temperature range
- Overheating protection
- Power load

Plastic
10 cm
0 °C to 85 °C
Yes
1 kW | 230 V | 50 Hz

	Content	Size	Weight	Code-No.	RRP*	GTIN
Chocolate dispenser 5L	5 litre(s)	W 280 x D 410 x H 465 mm	7.3 kg	900011	598.- €	4015613782355
Chocolate dispenser 9,5L	9,5 litre(s)	W 280 x D 410 x H 580 mm	7.5 kg	900004	739.- €	4015613633268

Beverages dispenser DEW5



STAINLESS STEEL

5 L

- Containers
- Cooling

Material: Plastic
Dimensions: Ø 170 mm, height 285 mm
Ice pipes



▶ Detachable ice pipe for filling with ice-cubes



▶ Content: 2 x 5 litres

	Content	Size	Weight	Code-No.	RRP*	GTIN
DEW5	5 litre(s)	W 215 x D 327 x H 510 mm	3.2 kg	150996	135.- €	4015613761978
DEW5 Duo	10 litre(s)	W 420 x D 300 x H 510 mm	5.8 kg	150997	255.- €	4015613754949

Beverages dispenser DTE5

150983

RRP* 245.- €

GTIN 4015613610726



- Containers

Material: Polycarbonate
Dimensions: Ø 170 mm, height 280 mm
5 litre(s)

CNS

- Content
- Cooling
- Power load
- Size

Thermoelectric
0,06 kW | 230 V | 50 Hz
W 220 x D 330 x H 520 mm
4.2 kg

5 L



- Weight

Insulated dispenser 8L

150990

RRP* 235.- €

GTIN 4015613681931



STAINLESS STEEL

8 L

- Content
- Designed for
- Glasses / cup height max.
- Double-walled
- Temperature loss / hour approx.
- Properties

8 litre(s)
Cold or hot drinks
20,5 cm
Yes
1 °C
Double-walled vacuum insulation
Drain cock, detachable
Easy refilling thanks to split lid
Drip tray is easy to detach
W 235 x D 350 x H 635 mm
5 kg

- Size
- Weight

Insulated dispenser 9L-1

150981

RRP* 49.- €

GTIN 4015613468662



STAINLESS STEEL

9 L

- Content
- Designed for
- Glasses / cup height max.
- Double-walled
- Temperature loss / hour approx.
- Carrying handle
- Size
- Weight

9 litre(s)
Cold or hot drinks
10 cm
Yes
4 °C
Yes
W 261 x D 226 x H 385 mm
2 kg

Glass carafe 0,75L

190139

RRP* 20,- €

GTIN 4015613745534



- Material
 - Glass
 - Stainless steel
 - Rubber
- Useful content
- Lid properties
 - 0,75 litre(s)
 - Lid with pouring mechanism
 - Automatic cover flap
 - Detachable
 - Integrated screen
- Size
- Weight
 - W 100 x D 100 x H 295 mm
 - 0.61 kg

Citrus juicer 71C

150188

RRP* 519,- €

GTIN 3700200071011

SANTOS



- ⚡ • Material
 - Plastic
- Rpm max.
 - 80 r. / min. (50 Hz)
- ⏻ • Pressing cone
 - 1 uniform size
 - Detachable
 - Plastic
- Power load
 - 0,04 kW | 230 V | 50/60 Hz
- Size
 - W 175 x D 236 x H 320 mm
- Weight
 - 3.47 kg

Citrus juicer 38G

150187

RRP* 639,- €

GTIN 3700200038007

SANTOS



- ⚡ • Material
 - Aluminium
- Rpm max.
 - 1,500 r. / min. (50 Hz)
 - 1,800 r. / min. (60 Hz)
- ⏻ • Pressing cone
 - 3 different sizes
 - Replaceable
 - Plastic
- Power load
 - 0,13 kW | 230 V | 50/60 Hz
- Size
 - W 303 x D 170 x H 360 mm
- Weight
 - 5.26 kg

Citrus Press CS1, electric

150146

RRP* 329,- €

GTIN 4015613587226



- ⚡ • Material
 - Cast aluminium
 - Stainless steel
- Rpm max.
 - 980 r. / min.
- ⏻ • Pressing cone
 - Detachable
 - Stainless steel
 - Dishwasher-suitable
- Juice container
 - Detachable
 - Stainless steel
 - Dishwasher-suitable
- Power load
 - 0,23 kW | 230 V | 50/60 Hz
- Size
 - W 220 x D 330 x H 375 mm
- Weight
 - 8.6 kg

Juice extractors



Juicer Top Juicer

150145

RRP* 115.- €

GTIN 4015613544564



Pure fruit enjoyment: Vitamin-rich juice in a flash. Really easy juicing of whole fruits (e.g. apples) or vegetables without prior cutting.



• Rpm max.

18,000 r. / min.

• Speed control

2 levels



• Diameter filling shaft

75 mm

• Properties

Attached parts are dishwasher-suitable (except basic unit)

Fine sieve made of stainless steel for perfect fruit enjoyment

Extracting juice from whole fruits (e.g. apple) or vegetables easily

High-performance, low-noise motor

XXL filling chute

• Including

1 plastic beaker with splash-guard, content: 1 litre

1 cleaning brush

• Power load

0,7 kW | 230 V | 50/60 Hz

• Size

W 210 x D 310 x H 400 mm

• Weight

4.4 kg

Juicer 700

150184

RRP* 152.- €

GTIN 4015613735412



The powerful juicer works at a speed of 20,000 rpm to turn vegetables and fruit into delicious juice that is full of minerals and vitamins. It is also incredibly easy to clean because all parts can be placed in the dishwasher.



• Rpm max.

20,000 r. / min.

• Speed control

2 levels



• Diameter filling shaft

70 mm

• Safety switch

Yes

• Properties

High-performance, low-noise motor

Fine sieve made of stainless steel for perfect fruit enjoyment

Attached parts are dishwasher-suitable (except basic unit)

• Including

1 plastic beaker, content: 1 litre

• Power load

0,8 kW | 230 V | 50 Hz

• Size

W 300 x D 240 x H 430 mm

• Weight

4.25 kg

Juicer Powerfresh

150197

RRP* 898,- €

GTIN 4015613758640



For professional high-yield juicing. Together with the large filling shaft and pulp container, the powerful motor enables easy juicing of whole fruits or even vegetables.



- Material
 - Plastic
 - Stainless steel
- Rpm max. 3,000 r. / min. (50 Hz)
- Speed control 1 level
- Diameter filling shaft 80 mm
- Safety switch Yes
- Properties
 - XXL filling shaft for whole fruits (e.g. apples) or vegetables
 - Spout height: 210 mm
 - Closable spout
 - Storage capacity Trester container: 7 litres
 - Fine stainless steel filter
 - High-performance, low-noise motor
 - Attached parts are dishwasher-suitable (except basic unit)
- Power load 0,7 kW | 230 V | 50/60 Hz
- Size W 260 x D 450 x H 505 mm
- Weight 12.9 kg



▶ High-performance, low-noise motor
▶ 3,000 rpm



▶ XXL filling chute, 80 mm
▶ For whole fruits and vegetables



▶ A clean solution
▶ Closable spout

Juicer 50

150186

RRP* 2,249,- €

GTIN 3700200050009



- Rpm max. 3,000 r. / min. (50 Hz)
3,600 r. / min. (60 Hz)
- Speed control 1 level
- Diameter filling shaft 79,5 mm
- Safety switch Yes
- Properties
 - Powerful, quiet asynchronous induction motor (800 W)
 - Extracting juice from whole fruits (e.g. apple) or vegetables easily
 - Production: Up to 100 litres per hour
 - Stainless steel basket with filtration (0.5 mm) for a high yield and high-quality juice
 - Exclusive Ezy-clean™ system: Basin, pulp container and lid removable and dishwasher-safe
 - Spout height: 200 mm



- Power load 0,8 kW | 230 V | 50/60 Hz
- Size W 480 x D 450 x H 260 mm
- Weight 14.5 kg



SANTOS



▶ Powerful and efficient induction motor
▶ Up to 3,600 rpm
▶ Basket with stainless steel filter
▶ Up to 100 litres per hour



▶ Exclusive Ezy-clean™ system
▶ Basin, pulp container and lid removable and dishwasher-safe



▶ Spout height: 200 mm

Blender 1,5L

A135034

RRP* 55.- €

GTIN 4015613734538



Be it refreshing milkshakes, delicious smoothies or simply chopped fruit and vegetables - In the 1.5 liter glass vessel, various food can be chopped and mashed either in 2 levels or optionally with a pulse function.



- Design knife Stainless steel
- Material mixing beaker Glass
- Content 1,8 litre(s)
- Filling quantity 1,5 litre(s)
- Rpm max. 22000 r. / min.
- Speed control 2 levels
- Pulse function Yes
- Safety switch yes
- Power load 0,5 kW | 230 V | 50 Hz
- Size W 187 x D 197 x H 391 mm
- Weight 3 kg

Multi-Blender

150151

RRP* 159.- €

GTIN 4015613632902



This blender is not only impressively powerful, even crushing ice with ease. The appliance also has a generous volume, good stability and is easy to use.



- Design knife CNS 18/10
- Material mixing beaker Plastic
- Content 3,2 litre(s)
- Filling quantity 2,15 litre(s)
- Rpm max. 6073 r. / min.
- Speed control 3 levels
- Pulse function Yes
- Safety switch On the lid
- Power load 1 kW | 230 V | 50 Hz
- Size W 215 x D 215 x H 460 mm
- Weight 3.2 kg

Blender PRO 2,5L

150159

RRP* 255.- €

GTIN 4015613671123



A powerful motor and the simple operation of the blender help make smoothies, soups, cocktails, sauces, dressings and desserts.



- Material Plastic ABS
- Design knife Stainless steel
- Material mixing beaker Plastic
- Content 2,5 litre(s)
- Filling quantity 2 litre(s)
- Rpm max. 25000 r. / min.
- Speed control Via rpm controller
- Pulse function Yes
- Safety switch yes
- Including 1 stamper
- Power load 1,5 kW | 230 V | 50/60 Hz
- Size W 225 x D 225 x H 555 mm
- Weight 4.45 kg

Noise insulation hood PRO 2,5L

- Material: Plastic
- Designed for: Blender PRO 2,5L
- Opening for filling shaft: Yes, with cover flap
- Opening for cable outlet: Yes
- Size: W 285 x D 390 x H 545 mm
- Weight: 4 kg
- GTIN: 4015613768687



150176

RRP* 149.- €

Blender 2,6L

150175

RRP* 219,- €

GTIN 4015613735924



The mere fact that this blender manages 30,000 rotations per minute puts it ahead of the game. And it comes with 3 preset programs and an additional pulse function. Combined with the high power, this means that it is quick and easy to create smoothies, soups, sauces, iced drinks, crushed ice, etc.



- Design knife Stainless steel
- Material mixing beaker 6-wing
- Content Plastic
- Filling quantity 2,6 litre(s)
- Rpm max. 2 litre(s)
- Speed control 30000 r. / min.
- Programs Stepless
- Pulse function Smoothies / juices
- Safety switch Soups / sauces
- Including Crushed ice / iced drinks
- Power load Yes
- Size On the tank
- Weight 1 stamper
- 2,2 kW | 230 V | 50/60 Hz
- W 220 x D 215 x H 485 mm
- 5.2 kg



- ▶ 3 preset programs
- ▶ Smoothies / juices
- ▶ Soups / sauces
- ▶ Crushed ice / iced drinks



- ▶ Blade design
- ▶ Stainless steel, 6-blade

Blender PRO TOUCH 2,5L



The high-performance blender with a noise protection hood allows the preparation of smoothies shakes, cocktails, soups, desserts and also crushed ice. Users and guests alike appreciate the pleasantly quiet blender in the kitchen but especially near the counter.



- Material Plastic ABS
- Design knife Stainless steel
- Material mixing beaker 6-wing
- Content Polycarbonate
- Filling quantity Transparent
- Rpm max. 2,875 litre(s)
- Pulse function 2,5 litre(s)
- Safety switch 28000 r. / min.
- Noise protection hood Yes
- Including On the tank
- Power load On the lid
- Size 1 stamper
- Weight Yes
- 1,68 kW | 230 V | 50/60 Hz
- W 240 x D 300 x H 565 mm
- 9.1 kg

PRO TOUCH 2,5L



- ▶ 3 settable programs
- ▶ Time and speed

PRO XTRA 2,5L



- ▶ Design knife
- ▶ Stainless steel, 6-blade

	Speed control	Control unit	Code-No.	RRP*	GTIN
PRO XTRA 2,5L	Stepless	Rocket switch	150182	389,- €	4015613734569
PRO TOUCH 2,5L	9 levels	Touch	150193	409,- €	4015613747774

Food Processor FP1000

150148

RRP* 225.- €

GTIN 4015613610535



- Material
- Set comprises
- Material mixing beaker
- Content mixing beaker
- Filling quantity mixing beaker
- Rpm max.
- Speed control
- Pulse function
- Mixing bowl

- Safety switch
- Including

- Power load
- Size
- Weight

Aluminium
1 motor block
1 mixing beaker
1 mixing bowl
Glass
2 litre(s)
1,6 litre(s)
18000 r. / min.
2 levels
Yes
Filling chute 54 x 74 mm
Contents: 2 litres
Plastic
yes
1 stainless steel sickle knife
1 plastic sickle knife
1 cutter disk for grater (0.3 mm)
1 cutter disk for grater (1 mm, 3.5 mm)
1 cutting disk for slices (2 mm, 3 mm)
1 kW | 230 V | 50 Hz
W 230 x D 250 x H 435 mm
6.1 kg

Bar mixer, 0,7L

135100

RRP* 82.- €

GTIN 4015613470641



- Material
- Material mixing rod
- Material mixing disk
- Material mixing beaker
- Content
- Number of mixers
- Speed control
- Power load
- Size
- Weight

Stainless steel | Chrome-plated | Plasti
Stainless steel
Plastic
Chrome-nickel steel
0,7 litre(s)
1
2 levels
0,085 kW | 230 V | 50 Hz
W 135 x D 185 x H 365 mm
1.4 kg

Bartscher dual bar mixer Turbo

135102

RRP* 345.- €

GTIN 4015613563626



- Material mixing rod
- Material mixing disk
- Material mixing beaker
- Content
- Filling quantity
- Number of mixers
- Mixers can be switched separately
- Speed control
- Power load
- Size
- Weight

CNS 18/10
CNS 18/10
CNS 18/10
1 litre(s)
0,7 litre(s)
2
Yes
2 levels
0,8 kW | 230 V | 50/60 Hz
W 330 x D 195 x H 480 mm
7.5 kg

Drink Mixer 650ml

135105

RRP* 235.- €

GTIN 4015613529523



- Material
- Material mixing rod
- Material mixing disk
- Material mixing beaker
- Content
- Filling quantity
- Number of mixers
- Speed control
- Power load
- Size
- Weight

Steel plate
Painted
Stainless steel
Stainless steel
Stainless steel
0,95 litre(s)
0,65 litre(s)
1
2 levels
0,4 kW | 230 V | 50 Hz
W 160 x D 205 x H 500 mm
6.2 kg

Ice crushers



Ice crusher 4ICE+

135023

RRP* 91.- €

GTIN 4015613683171



Excellent for preparing cocktails, drinks and frozen desserts, as well as for optimum presentation of fruit and food or for cooling beverages.



- Production max. 15 kg / h
- Storage capacity collection tray 1,75 kg
- Safety switch 2
- Power load 0,08 kW | 230 V | 50 Hz
- Size W 172 x D 290 x H 460 mm
- Weight 3.5 kg

Ice crusher 2000

135026

RRP* 469.- €

GTIN 4015613738123



This powerful ice crusher can produce up to 120 kg of crushed ice per hour for caipirinhas, mojitos, iced coffee and other drinks. The non-slip feet and contact switch on the lid of the ice container ensure top safety for this powerful appliance.



- Production max. 120 kg / h
- Content of ice container 3 litre(s)
- Safety switch Magnetic contact switch on lid
- Model With ice chute
- Max. height of collection tray 165 mm
- Important information Collection tray not included in delivery
- Power load 0,2 kW | 230 V | 50/60 Hz
- Size W 300 x D 185 x H 520 mm
- Weight 5.4 kg



Ice Crusher, stainless steel

135012

RRP* 729.- €

GTIN 4015613479118



- Production max. 60 kg / h
- Storage capacity collection tray 1 kg



- Safety switch 2
- Power load 0,06 kW | 230 V | 50 Hz
- Size W 173 x D 380 x H 385 mm
- Weight 14 kg



Bartscher

FURNITURE | FURNISHINGS | OUTDOOR

Whether in a commercial kitchen, guest room or outdoor gastronomy - the equipment is crucial. They don't just need to offer storage space, but must also be easy to clean. Here you will find form & function harmoniously united.

Wall shelf set, 1200x355 complete

603012

RRP* 225.- €

GTIN 4015613442600



- Material
- Set comprises

Stainless steel
1 pair adjustment rails (length 530 mm)
2 pair of brackets
2 wall shelves



- Number of shelves
- Size Shelves
- Height-adjustable shelves
- Load-bearing capacity per shelf, max.
- Total load-bearing capacity, max.
- Including
- Delivery state
- Assembly type
- Size
- Weight

2
W 1200 x D 355 mm
Yes
120 kg
240 kg
Attachment material
Building kit (simple assembly)
Connecting system
W 1,200 x D 360 x H 530 mm
12.6 kg

Wall-mounting shelf 600x355x27, SS



- Material
- Number of shelves
- Height-adjustable shelves
- Modular kit principle - required for installation

Stainless steel
1
Yes
1 to 2 wall shelves - available in many sizes
1 pair of brackets (per wall shelf)
1 pair adjustment rails
Building kit (simple assembly)
Connecting system



- Delivery state
- Assembly type

	Total load-bearing capacity, max.	Size	Weight	Code-No.	RRP*	GTIN
Wall-mounting shelf 600x355x27, SS	100 kg	W 600 x D 355 x H 27 mm	2.7 kg	603001	56.- €	4015613442730
Wall-mounting shelf 800x355x27, SS	100 kg	W 800 x D 355 x H 27 mm	3.1 kg	603002	65.- €	4015613442747
Wall-mounting shelf 1000x355x27, SS	120 kg	W 1,000 x D 355 x H 27 mm	3.9 kg	603003	77.- €	4015613442754
Wall-mounting shelf 1200x355x27, SS	120 kg	W 1,200 x D 355 x H 27 mm	4.6 kg	603004	94.- €	4015613442761
Wall-mounting shelf 1400x355x27, SS	120 kg	W 1,400 x D 355 x H 27 mm	5.3 kg	603005	111.- €	4015613442778
Wall-mounting shelf 1600x355x27, SS	120 kg	W 1,600 x D 355 x H 27 mm	6 kg	603006	122.- €	4015613442785
Wall-mounting shelf 1800x355x27, SS	140 kg	W 1,800 x D 355 x H 27 mm	6.8 kg	603007	139.- €	4015613442792
Wall-mounting shelf 2000x355x27, SS	160 kg	W 2,000 x D 355 x H 27 mm	9.1 kg	603008	152.- €	4015613442808

Component parts

1 pair of adjusting bars, 530mm

- Size: W 55 x D 530 x H 10 mm
- Weight: 0.92 kg
- GTIN: 4015613442815

600061

RRP* 21.- €

Consoles 1 pair

- Size: W 355 x D 35 x H 90 mm
- Weight: 0.85 kg
- GTIN: 4015613442822

600601

RRP* 24.- €

Plate shelf 800x200, SS



- Set comprises

1 plate board
2 side panels
Attachment material
Stainless steel
1
Attachment material
Building kit (simple assembly)
Connecting system



- Material



- Number of shelves
- Including
- Delivery state
- Assembly type

	Load-bearing capacity max.	Size	Weight	Code-No.	RRP*	GTIN
Plate shelf 800x200, SS	100 kg	W 800 x D 200 x H 200 mm	2.6 kg	362080	68.- €	4015613432069
Plate shelf 1000x200, SS	80 kg	W 1,000 x D 200 x H 190 mm	3.1 kg	362100	79.- €	4015613432083
Plate shelf 1200x200, SS	70 kg	W 1,200 x D 200 x H 200 mm	3.6 kg	362120	89.- €	4015613432090
Plate shelf 1400x200, SS	70 kg	W 1,400 x D 200 x H 200 mm	4 kg	362140	99.- €	4015613432106
Plate shelf 800x300, SS	60 kg	W 800 x D 300 x H 300 mm	3.2 kg	363080	86.- €	4015613432113
Plate shelf 1000x300, SS	60 kg	W 1,000 x D 300 x H 300 mm	4.2 kg	363100	101.- €	4015613432137
Plate shelf 1200x300, SS	50 kg	W 1,200 x D 300 x H 150 mm	5 kg	363120	116.- €	4015613432144
Plate shelf 1400x300, SS	40 kg	W 1,400 x D 300 x H 150 mm	5.8 kg	363140	131.- €	4015613432151

Spice shelf, 4x1/6GN



- Set comprises

1 Spice shelf
2 side panels
Stainless steel
1
Yes
Attachment material
Building kit (simple assembly)
Screw system
GN containers



- Material
- Number of shelves



- GN container stopper
- Including
- Delivery state
- Assembly type
- Not included in delivery

	Capacity GN	Load-bearing capacity max.	Size	Weight	Code-No.	RRP*	GTIN
Spice shelf, 4x1/6GN	4 x 1/6 GN	40 kg	W 800 x D 200 x H 150 mm	3.2 kg	389080	175.- €	4015613599427
Spice shelf, 5x1/6GN	5 x 1/6 GN	50 kg	W 1,000 x D 200 x H 150 mm	3.7 kg	389100	198.- €	4015613599441
Spice shelf, 6x1/6GN	6 x 1/6 GN	60 kg	W 1,200 x D 200 x H 200 mm	4.3 kg	389120	219.- €	4015613599458
Spice shelf, 7x1/6GN	7 x 1/6 GN	70 kg	W 1,400 x D 200 x H 200 mm	4.9 kg	389140	235.- €	4015613599465

Top shelf, 3x1/3GN, D150

465156

RRP* 165.- €

GTIN 4015613602417



- Material
- Capacity GN
- Depth GN container max.
- Delivery state
- Not included in delivery
- Size
- Weight

Stainless steel
3 x 1/3 GN
150 mm
Welded
GN containers
W 980 x D 250 x H 210 mm
4.2 kg

Top shelf, W800, 1 shelf



- Material
- Number of shelves
- Properties
- Delivery state

Stainless steel
1
Edges turned down all-round
Setting feet in square tubing 25 x 25 mm
Permanently mounted

	Load-bearing capacity max.	Size	Weight	Code-No.	RRP*	GTIN
Top shelf, W800, 1 shelf	90 kg	W 800 x D 350 x H 400 mm	5 kg	315080	239.- €	4015613599472
Top shelf, W1000, 1 shelf	86 kg	W 1,000 x D 350 x H 400 mm	6 kg	315100	249.- €	4015613599489
Top shelf, W1200, 1 shelf	81 kg	W 1,200 x D 350 x H 400 mm	6.5 kg	315120	259.- €	4015613599496
Top shelf, W1400, 1 shelf	77 kg	W 1,400 x D 350 x H 400 mm	7 kg	315140	265.- €	4015613599502
Top shelf, W1600, 1 shelf	72 kg	W 1,600 x D 350 x H 400 mm	7.5 kg	315160	285.- €	4015613599519
Top shelf, W1800, 1 shelf	68 kg	W 1,800 x D 350 x H 400 mm	8.5 kg	315180	305.- €	4015613599526
Top shelf, W2000, 1 shelf	65 kg	W 2,000 x D 350 x H 400 mm	9.5 kg	315200	315.- €	4015613599533

Top shelf, W800, 2 shelves



- Material
- Number of shelves
- Properties
- Delivery state

Stainless steel
2
Edges turned down all-round
Setting feet in square tubing 25 x 25 mm
Permanently mounted

	Total load-bearing capacity, max.	Size	Weight	Code-No.	RRP*	GTIN
Top shelf, W800, 2 shelves	170 kg	W 800 x D 350 x H 650 mm	11 kg	325080	439.- €	4015613599540
Top shelf, W1000, 2 shelves	163 kg	W 1,000 x D 350 x H 650 mm	13 kg	325100	459.- €	4015613599557
Top shelf, W1200, 2 shelves	154 kg	W 1,200 x D 350 x H 650 mm	14.5 kg	325120	469.- €	4015613599564
Top shelf, W1400, 2 shelves	147 kg	W 1,400 x D 350 x H 650 mm	16 kg	325140	485.- €	4015613599571
Top shelf, W1600, 2 shelves	139 kg	W 1,600 x D 350 x H 650 mm	17.5 kg	325160	519.- €	4015613599588
Top shelf, W1800, 2 shelves	131 kg	W 1,800 x D 350 x H 650 mm	19.5 kg	325180	559.- €	4015613599595
Top shelf, W2000, 2 shelves	125 kg	W 2,000 x D 350 x H 650 mm	21.5 kg	325200	589.- €	4015613599601

Work tables



Work table 690, W1300, 2 IS

601153

RRP* 259.- €

GTIN 4015613400198



• Material

Stainless steel



• Total load-bearing capacity, max.

Steel

• Load-bearing capacity worktop, max.

Coated

• Load-bearing capacity intermediate shelf, max.

550 kg

• Design base shelf

250 kg

• Load-bearing base shelf, max.

150 kg

• Height-adjustable base shelf

Grid

• Height adjustable

150 kg

• Delivery state

Yes

• Assembly type

880 mm to 900 mm

• Size

Building kit (simple assembly)

• Weight

Connecting system

W 1,300 x D 690 x H 900 mm

24.6 kg

Work table 700, W1000, IS



• Material

Stainless steel



• Total load-bearing capacity, max.

280 kg



• Load-bearing capacity worktop, max.

160 kg

• Load-bearing base shelf, max.

120 kg

• Height-adjustable base shelf

Yes

• Height adjustable

860 mm to 900 mm

• Delivery state

Building kit (simple assembly)

• Assembly type

Connecting system

	Size	Weight	Code-No.	RRP*	GTIN
Work table 700, W1000, IS	W 1,000 x D 700 x H 900 mm	22.1 kg	601710	379.- €	4015613431970
Work table 700, W1200, IS	W 1,200 x D 700 x H 900 mm	25.1 kg	601712	449.- €	4015613432038

Work table 700, W1000



- Material
- Height adjustable
- Properties



- Delivery state
- Assembly type

Stainless steel
 850 mm to 900 mm
 Scotch-Brite sanding
 Setting feet in square tubing 40 x 40 mm
 Prepared boreholes for mounting intermediate shelf
 Preliminary boreholes for mounting an intermediate shelf
 Building kit (simple assembly)
 Screw system



	Tilting	Total load-bearing capacity, max.	Size	Weight	Code-No.	RRP*	GTIN
Work table 700, W1000	-	430 kg	W 1,000 x D 700 x H 850 mm	38 kg	311107	439.- €	4015613651651
Work table 700, W1200	-	390 kg	W 1,200 x D 700 x H 850 mm	45 kg	311127	485.- €	4015613651668
Work table 700, W1400	-	350 kg	W 1,400 x D 700 x H 850 mm	50 kg	311147	539.- €	4015613651682
Work table 700, W1600	-	311 kg	W 1,600 x D 700 x H 850 mm	56 kg	311167	569.- €	4015613651699
Work table 700, W1800	-	290 kg	W 1,800 x D 700 x H 850 mm	63 kg	311187	605.- €	4015613651705
Work table 700, W1000, SB	100 mm	430 kg	W 1,000 x D 700 x H 850 mm	38.2 kg	312107	455.- €	4015613663715
Work table 700, W1200, SB	100 mm	390 kg	W 1,200 x D 700 x H 850 mm	45.4 kg	312127	498.- €	4015613663722
Work table 700, W1400, SB	100 mm	350 kg	W 1,400 x D 700 x H 850 mm	50.5 kg	312147	559.- €	4015613663739
Work table 700, W1600, SB	100 mm	311 kg	W 1,600 x D 700 x H 850 mm	56.7 kg	312167	589.- €	4015613663746
Work table 700, W1800, SB	100 mm	290 kg	W 1,800 x D 700 x H 850 mm	63.9 kg	312187	625.- €	4015613663753

Component parts

Shelf 700, W1000

- Material: Stainless steel
- Size: W 980 x D 680 x H 40 mm
- Weight: 5.6 kg
- GTIN: 4015613663760

310107

RRP* 125.- €

Shelf 1200

- Material: Stainless steel
- Size: W 1,180 x D 680 x H 40 mm
- Weight: 6.7 kg
- GTIN: 4015613663777

310127

RRP* 135.- €

Shelf 700, W1400

- Material: Stainless steel
- Size: W 1,380 x D 680 x H 40 mm
- Weight: 7.8 kg
- GTIN: 4015613663784

310147

RRP* 159.- €

Shelf 700, W1600

- Material: Stainless steel
- Size: W 1,580 x D 680 x H 40 mm
- Weight: 8.6 kg
- GTIN: 4015613663791

310167

RRP* 179.- €

Shelf 700, W1800

- Material: Stainless steel
- Size: W 1,780 x D 680 x H 40 mm
- Weight: 9.7 kg
- GTIN: 4015613663807

310187

RRP* 198.- €

Swivel castors 4A for work tables

- Swivel casters: 4 swivel casters, 2 with brake
- Load-bearing capacity max., each: 150 kg
- Size: W 55 x D 130 x H 160 mm
- Weight: 3 kg
- GTIN: 4015613602288



308243

RRP* 209.- €

Work table 600, W1000



- Material
- Height adjustable
- Properties
- Delivery state
- Available on request

Stainless steel
 850 mm to 900 mm
 40 mm edges turned down
 Scotch-Brite sanding
 Setting feet in square tubing 40 x 40 mm
 Welded
 Special production
 The list price corresponds to the next higher standard dimension

	Tilting	Total load-bearing capacity, max.	Size	Weight	Code-No.	RRP*	GTIN
Work table 600, W1000	-	430 kg	W 1,000 x D 600 x H 850 mm	28.5 kg	307106	419.- €	4015613599946
Work table 600, W1100	-	410 kg	W 1,100 x D 600 x H 850 mm	30 kg	307116	445.- €	4015613599953
Work table 600, W1200	-	390 kg	W 1,200 x D 600 x H 850 mm	32 kg	307126	465.- €	4015613599960
Work table 600, W1300	-	369 kg	W 1,300 x D 600 x H 850 mm	33.5 kg	307136	485.- €	4015613599984
Work table 600, W1400	-	350 kg	W 1,400 x D 600 x H 850 mm	35.5 kg	307146	505.- €	4015613599991
Work table 600, W1500	-	330 kg	W 1,500 x D 600 x H 850 mm	36 kg	307156	525.- €	4015613600000
Work table 600, W1600	-	311 kg	W 1,600 x D 600 x H 850 mm	38.5 kg	307166	549.- €	4015613600017
Work table 600, W1600 - W1800	-	290 kg	W 1,800 x D 600 x H 850 mm	45 kg	307186	585.- €	4015613530666
Work table 600, W2000	-	270 kg	W 2,000 x D 600 x H 850 mm	51 kg	307206	619.- €	4015613600024
Work table 600, W1000, SB	40 mm	430 kg	W 1,000 x D 600 x H 850 mm	29.5 kg	308106	459.- €	4015613600123
Work table 600, W1100, SB	40 mm	410 kg	W 1,100 x D 600 x H 850 mm	31 kg	308116	479.- €	4015613600130
Work table 600, W1200, SB	40 mm	390 kg	W 1,200 x D 600 x H 850 mm	33 kg	308126	505.- €	4015613600147
Work table 600, W1300, SB	40 mm	369 kg	W 1,300 x D 600 x H 850 mm	34.5 kg	308136	525.- €	4015613600154
Work table 600, W1400, SB	40 mm	350 kg	W 1,400 x D 600 x H 850 mm	36.5 kg	308146	549.- €	4015613600161
Work table 600, W1500, SB	40 mm	330 kg	W 1,500 x D 600 x H 850 mm	35.5 kg	308156	579.- €	4015613600178
Work table 600, W1600, SB	40 mm	311 kg	W 1,600 x D 600 x H 850 mm	39.5 kg	308166	609.- €	4015613600185
Work table 600, W1800, SB	40 mm	290 kg	W 1,800 x D 600 x H 850 mm	46 kg	308186	645.- €	4015613600192
Work table 600, W2000, SB	40 mm	270 kg	W 2,000 x D 600 x H 850 mm	52 kg	308206	685.- €	4015613600208

Component parts

Drawer 1x1/1GN

- Material: Stainless steel
- Norm-format drawers: 1/1 GN
- Properties: For installation on site
- Size: W 400 x D 585 x H 193 mm
- Weight: 8.8 kg
- GTIN: 4015613600314



315105

RRP* 249.- €

Drawers block 3x1/1GN

- Material: Stainless steel
- Number of drawers: 3
- Norm-format drawers: 1/1 GN
- Properties: For installation on site
- Size: W 400 x D 585 x H 570 mm
- Weight: 23.5 kg
- GTIN: 4015613600321



315306

RRP* 629.- €

Swivel castors 4A for work tables

- Swivel casters: 4 swivel casters, 2 with brake
- Load-bearing capacity max., each: 150 kg
- Size: W 55 x D 130 x H 160 mm
- Weight: 3 kg
- GTIN: 4015613602288



308243

RRP* 209.- €

Work table 700, W1000



- Material
- Height adjustable
- Properties
- Delivery state
- Available on request

Stainless steel
 850 mm to 900 mm
 40 mm edges turned down
 Scotch-Brite sanding
 Setting feet in square tubing 40 x 40 mm
 Welded
 Special production
 The list price corresponds to the next higher standard dimension

	Tilting	Total load-bearing capacity, max.	Size	Weight	Code-No.	RRP*	GTIN
Work table 700, W1000	-	445 kg	W 1,000 x D 700 x H 850 mm	29.4 kg	307107	445.- €	4015613600031
Work table 700, W1100	-	424 kg	W 1,100 x D 700 x H 850 mm	31 kg	307117	465.- €	4015613600048
Work table 700, W1200	-	403 kg	W 1,200 x D 700 x H 850 mm	32 kg	307127	485.- €	4015613600055
Work table 700, W1300	-	382 kg	W 1,300 x D 700 x H 850 mm	34.5 kg	307137	509.- €	4015613600062
Work table 700, W1400	-	362 kg	W 1,400 x D 700 x H 850 mm	36 kg	307147	525.- €	4015613600079
Work table 700, W1500	-	342 kg	W 1,500 x D 700 x H 850 mm	37 kg	307157	549.- €	4015613600086
Work table 700, W1600	-	322 kg	W 1,600 x D 700 x H 850 mm	39 kg	307167	569.- €	4015613600093
Work table 700, W1800	-	300 kg	W 1,800 x D 700 x H 850 mm	45 kg	307187	615.- €	4015613600109
Work table 700, W2000	-	280 kg	W 2,000 x D 700 x H 850 mm	45.5 kg	307207	659.- €	4015613600116
Work table 700, W1000, SB	40 mm	445 kg	W 1,000 x D 700 x H 850 mm	30 kg	308107	475.- €	4015613600215
Work table 700, W1100, SB	40 mm	424 kg	W 1,100 x D 700 x H 850 mm	32 kg	308117	495.- €	4015613600222
Work table 700, W1200, SB	40 mm	403 kg	W 1,200 x D 700 x H 850 mm	33.2 kg	308127	519.- €	4015613600239
Work table 700, W1300, SB	40 mm	382 kg	W 1,300 x D 700 x H 850 mm	35.5 kg	308137	555.- €	4015613600246
Work table 700, W1400, SB	40 mm	362 kg	W 1,400 x D 700 x H 850 mm	37 kg	308147	575.- €	4015613600253
Work table 700, W1500, SB	40 mm	342 kg	W 1,500 x D 700 x H 850 mm	38.5 kg	308157	598.- €	4015613600260
Work table 700, W1600, SB	40 mm	322 kg	W 1,600 x D 700 x H 850 mm	45.2 kg	308167	619.- €	4015613600277
Work table 700, W1800, SB	40 mm	300 kg	W 1,800 x D 700 x H 850 mm	50.5 kg	308187	679.- €	4015613600284
Work table 700, W2000, SB	40 mm	280 kg	W 2,000 x D 700 x H 850 mm	60 kg	308207	719.- €	4015613600291

Component parts

Drawer 1 x 1/1 GN for work tables se

- Material: Stainless steel
- Norm-format drawers: 1/1 GN
- Properties: For installation on site
- Size: W 400 x D 685 x H 193 mm
- Weight: 9 kg
- GTIN: 4015613606514



315107

RRP* 259.- €

Drawers block 3 x 1/1 GN for work ta

- Material: Stainless steel
- Number of drawers: 3
- Norm-format drawers: 1/1 GN
- Properties: For installation on site
- Size: W 400 x D 685 x H 570 mm
- Weight: 23.5 kg
- GTIN: 4015613606521



315307

RRP* 669.- €

Swivel castors 4A for work tables

- Swivel casters: 4 swivel casters, 2 with brake
- Load-bearing capacity max., each: 150 kg
- Size: W 55 x D 130 x H 160 mm
- Weight: 3 kg
- GTIN: 4015613602288



308243

RRP* 209.- €

Wall cupboard open 400, W1000



- Material
- Height inside
- Height-adjustable immediate shelves
- Properties
- Delivery state

Stainless steel
580 mm
Yes
Scotch-Brite sanding
Permanently mounted

	Size	Weight	Code-No.	RRP*	GTIN
Wall cupboard open 400, W1000	W 1,000 x D 400 x H 660 mm	17 kg	313105	459.- €	4015613599618
Wall cupboard open 400, W1200	W 1,200 x D 400 x H 660 mm	20 kg	313125	475.- €	4015613599625
Wall cupboard open 400, W1400	W 1,400 x D 400 x H 660 mm	23 kg	313145	525.- €	4015613599632
Wall cupboard open 400, W1600	W 1,600 x D 400 x H 660 mm	25 kg	313165	565.- €	4015613599649
Wall cupboard open 400, W1800	W 1,800 x D 400 x H 660 mm	27 kg	313185	609.- €	4015613599656
Wall cupboard open 400, W2000	W 2,000 x D 400 x H 660 mm	33 kg	313205	649.- €	4015613599663

Wall cupboard SID 400, W1200



- Material
- Height inside
- Height-adjustable immediate shelves
- Properties
- Delivery state

Stainless steel
580 mm
Yes
Sliding doors, sound-proofed
Scotch-Brite sanding
Permanently mounted

	Size	Weight	Code-No.	RRP*	GTIN
Wall cupboard SID 400, W1200	W 1,200 x D 400 x H 660 mm	27 kg	314125	609.- €	4015613599670
Wall cupboard SID 400, W1400	W 1,400 x D 400 x H 660 mm	31 kg	314145	659.- €	4015613599687
Wall cupboard SID 400, W1600	W 1,600 x D 400 x H 660 mm	35 kg	314165	739.- €	4015613599694
Wall cupboard SID 400, W1800	W 1,800 x D 400 x H 660 mm	38 kg	314185	819.- €	4015613599700

Drawer cabinet 700S3



- Material
- Number of drawers
- Norm-format drawers
- Depth GN container max.
- Load-bearing capacity of each drawer, max
- Height adjustable
- Properties
- Delivery state
- Size

CNS 18/10
3
1/1 GN
150 mm
50 kg
850 mm to 900 mm
Fully retractable
Welded
W 400 x D 700 x H 850 mm



	Tilting	Weight	Code-No.	RRP*	GTIN
Drawer cabinet 700S3	-	36.8 kg	337307	1,089.- €	4015613671222
Drawer cabinet 700S3A	40 mm	37.2 kg	338307	1,139.- €	4015613671239

Rubbish bin cupboard 700M1



- Material
- Inner waste bin

CNS 18/10
Stainless steel
Can be removed
With handles on the side
28 litre(s)
850 mm to 900 mm
Welded
W 400 x D 700 x H 850 mm



	Tilting	Weight	Code-No.	RRP*	GTIN
Rubbish bin cupboard 700M1	-	28 kg	316347	789.- €	4015613641591
Rubbish bin cupboard 700A1A	40 mm	28.1 kg	317347	829.- €	4015613699479

Cupboard 600, W800, 2SwD, SS



- Material
- Number of intermediate shelves
- Height-adjustable immediate shelves
- Height adjustable
- Door hinge side can be changed
- Properties

Stainless steel
3
Yes
1990 mm to 2055 mm
No
Feet in square tubing 40 x 40 mm
Shelves turned down 40 mm all-round and reinforced with a cross member
Scotch-Brite sanding
Permanently mounted
Special production
The list price corresponds to the next higher standard dimension

- Delivery state
- Available on request

	Type of door	Load-bearing capacity per intermediate shelf, max.	Size	Weight	Code-No.	RRP*	GTIN
Cupboard 600, W800, 2SwD, SS	Leaf door(s)	135 kg	W 800 mm D 600 mm H 2,000 mm	78 kg	386080	1,739.- €	4015613600604
Cupboard 700, W1000, 2SwD, SS	Leaf door(s)	130 kg	W 1,000 mm D 700 mm H 2,000 mm	94 kg	387100	1,949.- €	4015613600611
Cupboard 600, W1200, 2SID, SS	Sliding door(s)	115 kg	W 1,200 mm D 600 mm H 2,000 mm	95 kg	398120	1,949.- €	4015613600697
Cupboard 600, W1400, 2SID, SS	Sliding door(s)	100 kg	W 1,400 mm D 600 mm H 2,000 mm	106 kg	398140	2,059.- €	4015613600703
Cupboard 600, W1600, 2SID, SS	Sliding door(s)	85 kg	W 1,600 mm D 600 mm H 2,000 mm	118 kg	398160	2,209.- €	4015613600741
Cupboard 700, W1400, 2SID, SS	Sliding door(s)	100 kg	W 1,400 mm D 700 mm H 2,000 mm	115 kg	399140	2,189.- €	4015613600758
Cupboard 700, W1600, 2SID, SS	Sliding door(s)	85 kg	W 1,600 mm D 700 mm H 2,000 mm	127 kg	399160	2,469.- €	4015613600765

Cupboard 700, W1000



- Material
- Height-adjustable immediate shelves
- Type of door
- Height adjustable
- Properties

- Delivery state
- Available on request

Stainless steel
 Yes
 Sliding door(s)
 850 mm to 900 mm
 40 mm edges turned down
 Feet in square tubing 40 x 40 mm
 Scotch-Brite sanding
 Permanently mounted
 Special production
 The list price corresponds to the next higher standard dimension



	Tilting	Load-bearing capacity worktop, max.	Size	Weight	Code-No.	RRP*	GTIN
Cupboard 700, W1000	-	315 kg	W 1,000 x D 700 x H 850 mm	59 kg	337107	1,079.- €	4015613600413
Cupboard 700, W1200	-	288 kg	W 1,200 x D 700 x H 850 mm	68 kg	337127	1,139.- €	4015613600420
Cupboard 700, W 1400	-	210 kg	W 1,400 x D 700 x H 850 mm	77 kg	337147	1,209.- €	4015613612447
Cupboard 700, W1600	-	240 kg	W 1,600 x D 700 x H 850 mm	86 kg	337167	1,319.- €	4015613612454
Cupboard 700, W1800	-	223 kg	W 1,800 x D 700 x H 850 mm	95 kg	337187	1,439.- €	4015613600444
Cupboard 700, W2000	-	210 kg	W 2,000 x D 700 x H 850 mm	103 kg	337207	1,529.- €	4015613600451
Cupboard, W1000, SB, SID, IS	40 mm	315 kg	W 1,000 x D 700 x H 850 mm	59.2 kg	338107	1,119.- €	4015613600468
Cupboard, W1200, SB, SID, IS	40 mm	288 kg	W 1,200 x D 700 x H 850 mm	68.3 kg	338127	1,198.- €	4015613595788
Cupboard, W1400, SB, SID, IS	40 mm	210 kg	W 1,400 x D 700 x H 850 mm	77.4 kg	338147	1,269.- €	4015613612461
Cupboard, W1600, SB, SID, IS	40 mm	240 kg	W 1,600 x D 700 x H 850 mm	86.6 kg	338167	1,389.- €	4015613612478
Cupboard, W1800, SB, SID, IS	40 mm	223 kg	W 1,800 x D 700 x H 850 mm	95.7 kg	338187	1,519.- €	4015613600482
Cupboard, W2000, SB, SID, IS	40 mm	210 kg	W 2,000 x D 700 x H 850 mm	103.8 kg	338207	1,598.- €	4015613600499

Component parts

Swivel castors 4AW

- Swivel casters: 4 swivel casters, 2 with brake
- Load-bearing capacity max., each: 150 kg
- Size: W 75 x D 140 x H 160 mm
- Weight: 2.6 kg
- GTIN: 4015613600307



308242

RRP* 209.- €

Stainl.steel polish.spray 500ml can

- Content / can: 500 ml
- Size: W 68 x D 68 x H 237 mm
- Weight: 0.45 kg
- Order quantity unit: 1 box of 12 cans
- GTIN: 4015613584454
- Minimum order quantity: 2 boxes



173031

RRP* 225.- €

Hot cupboard 700, W1000



- Material: Stainless steel
- Number of intermediate shelves: 1
- Height-adjustable immediate shelves: No
- Temperature range: 20 °C to 80 °C
- Number of doors: 2
- Type of door: Sliding door(s)
Single-sided
- Height adjustable: 850 mm to 900 mm
- Properties: 40 mm edges turned down
Feet in square tubing 40 x 40 mm
Scotch-Brite sanding
Permanently mounted
Special production
The list price corresponds to the next higher standard dimension
- Delivery state: 2 kW | 230 V | 50/60 Hz
- Available on request
- Power load



► Swivel castors 4AW - Code-No. 308242
page 278

	Tilting	Size	Weight	Code-No.	RRP*	GTIN
Hot cupboard 700, W1000	-	W 1,000 x D 700 x H 850 mm	69 kg	347107	1,609.- €	4015613600505
Hot cupboard 700, W1200	-	W 1,200 x D 700 x H 850 mm	77 kg	347127	1,679.- €	4015613600512
Hot cupboard 700, W1400	-	W 1,400 x D 700 x H 850 mm	86 kg	347147	1,749.- €	4015613612485
Hot cupboard 700, W1600	-	W 1,600 x D 700 x H 850 mm	95 kg	347167	1,859.- €	4015613600529
Hot cupboard 700, W1800	-	W 1,800 x D 700 x H 850 mm	104 kg	347187	1,959.- €	4015613600536
Hot cupboard 700, W2000	-	W 2,000 x D 700 x H 850 mm	112 kg	347207	2,069.- €	4015613600543
Hot cupboard 700, W1000, SB	40 mm	W 1,000 x D 700 x H 850 mm	69.2 kg	348107	1,649.- €	4015613600550
Hot cupboard 700, W1200, SB	40 mm	W 1,200 x D 700 x H 850 mm	77.3 kg	348127	1,719.- €	4015613600567
Hot cupboard 700, W1400, SB	40 mm	W 1,400 x D 700 x H 850 mm	86.4 kg	348147	1,779.- €	4015613612492
Hot cupboard 700, W1600, SB	40 mm	W 1,600 x D 700 x H 850 mm	95.5 kg	348167	1,879.- €	4015613600574
Hot cupboard 700, W1800, SB	40 mm	W 1,800 x D 700 x H 850 mm	104.6 kg	348187	1,998.- €	4015613600581
Hot cupboard 700, W2000, SB	40 mm	W 2,000 x D 700 x H 850 mm	112.7 kg	348207	2,149.- €	4015613600598

Hot cupboard 700-4T 1000



- Number of doors: 4
- Type of door: Sliding door(s)
On both sides



	Tilting	Size	Weight	Code-No.	RRP*	GTIN
Hot cupboard 700-4T 1000	-	W 1,000 x D 700 x H 850 mm	71 kg	346107	1,649.- €	4015613736068
Hot cupboard 700-4T 1200	-	W 1,200 x D 700 x H 850 mm	84 kg	346127	1,709.- €	4015613722009
Hot cupboard 700-4T 1200	-	W 1,400 x D 700 x H 850 mm	92 kg	346147	1,759.- €	4015613736075
Hot cupboard 700-4T 1600	-	W 1,600 x D 700 x H 850 mm	103 kg	346167	1,809.- €	4015613736082
Hot cupboard 700-4T 1800	-	W 1,800 x D 700 x H 850 mm	113 kg	346187	2,009.- €	4015613736099
Hot cupboard 700-4T 2000	-	W 2,000 x D 700 x H 850 mm	125 kg	346207	2,198.- €	4015613736105

Sinks / Sink centres



Hand wash basin W10-KB Plus

401621

RRP* 355.- €

GTIN 4015613673523



Hygienic and simple – sink W10-KB Plus with practical knee operation and integrated soap dispenser provides optimal hygienic conditions.

- | | |
|------------------------------------|---|
| • Material | Chrome-nickel steel |
| • Type | Wall-mounting |
| • Diameter basin | 350 mm |
| • Height tank | 170 mm |
| • Beaker capacity | 13,5 litre(s) |
| • With knee operation | Yes |
| • Water dispensed via a knee lever | Approx. 15 seconds |
| • Sink tap | Swivel fitting 140 mm |
| • Water connection | Cold and/or warm water connection 1/2" |
| • Water outlet | 1 1/4" |
| • Tilting | 345 mm |
| • With soap dispenser | Yes |
| • Soap dispenser | Material: Plastic
Filling capacity: 300 ml |
| • Size | W 400 x D 404 x H 577 mm |
| • Weight | 7.1 kg |



Hand wash basin, mixer

401618

RRP* 569.- €

GTIN 4015613428635



- | | |
|-------------------|------------------------------|
| • Material | Stainless steel |
| • Size basin | W 370 x D 280 x H 120 mm |
| • Beaker capacity | 12,4 litre(s) |
| • Size drain | W 405 x D 340 x H 170 mm |
| • Drain capacity | 23,4 litre(s) |
| • Sink tap | Mixer tap 1/2" |
| • Including | 1 folding grille
1 siphon |
| • Size | W 510 x D 700 x H 850 mm |
| • Weight | 18.8 kg |

Sink with 1 basin

306380

RRP* 689.- €

GTIN 4015613615868



- Material: Stainless steel
- Tilting: 40 mm
- Number of tanks: 1
- Size basin: W 340 x D 400 x H 250 mm
- Beaker capacity: 34 litre(s)
- Water outlet: 1 1/2"
- Height adjustable: 850 mm to 900 mm
- Properties: 40 mm edges turned down
Feet in square tubing 40 x 40 mm
Scotch-Brite sanding
Model with a construction depth of 600 mm
- Available on request
- Size: W 500 x D 700 x H 850 mm
- Weight: 14.4 kg

Sink centre, 700, W1200, basin L



- Material: Stainless steel
- Tilting: 40 mm
- Number of tanks: 1
- Size basin: W 500 x D 500 x H 250 mm
- Beaker capacity: 62 litre(s)
- Water outlet: 1 1/2"
- Height adjustable: 850 mm to 900 mm
- Properties: 40 mm edges turned down
Feet in square tubing 40 x 40 mm
Scotch-Brite sanding
Model with a construction depth of 600 mm
- Available on request

	Draining board	Size	Weight	Code-No.	RRP*	GTIN
Sink centre, 700, W1200, basin L	Right	W 1,200 x D 700 x H 850 mm	33.2 kg	306320	898.- €	4015613600772
Sink centre, 700, W1200, basin R	Left	W 1,200 x D 700 x H 850 mm	33.2 kg	306620	898.- €	4015613600789
Sink centre, 700, W1400, basin L	Right	W 1,400 x D 700 x H 850 mm	38 kg	306330	989.- €	4015613600796
Sink centre, 700, W1400, basin R	Left	W 1,400 x D 700 x H 850 mm	38 kg	306630	989.- €	4015613600802

Sink centre, 700, W1600, 2 basins L



- Material: Stainless steel
- Tilting: 40 mm
- Number of tanks: 2
- Size basin: W 500 x D 500 x H 250 mm
- Beaker capacity: 62 litre(s)
- Water outlet: 1 1/2"
- Height adjustable: 850 mm to 900 mm
- Properties: 40 mm edges turned down
Feet in square tubing 40 x 40 mm
Scotch-Brite sanding
Model with a construction depth of 600 mm
- Available on request

	Draining board	Size	Weight	Code-No.	RRP*	GTIN
Sink centre, 700, W1600, 2 basins L	Right	W 1,600 x D 700 x H 850 mm	49 kg	306300	1,289.- €	4015613600819
Sink centre, 700, W1600, 2 basins R	Left	W 1,600 x D 700 x H 850 mm	49 kg	306600	1,289.- €	4015613600826
Sink centre, 700, W1800, 2 basins L	Right	W 1,800 x D 700 x H 850 mm	54 kg	306310	1,359.- €	4015613600833
Sink centre, 700, W1800, 2 basins R	Left	W 1,800 x D 700 x H 850 mm	54 kg	306610	1,359.- €	4015613600840

Sink centre, 700, W1200, basin L



- Material: Stainless steel
- Tilting: 40 mm
- Number of tanks: 1
- Size basin: W 400 x D 500 x H 250 mm
- Beaker capacity: 50 litre(s)
- Water outlet: 1 1/2"
- Height adjustable: 850 mm to 900 mm
- Properties: 40 mm edges turned down
Installation of dishwashers below the draining board possible
Feet in square tubing 40 x 40 mm
Scotch-Brite sanding
Model with a construction depth of 600 mm
- Available on request
- Size: W 1,200 x D 700 x H 850 mm
- Weight: 26.8 kg

	Draining board	Code-No.	RRP*	GTIN
Sink centre, 700, W1200, basin L	Right	306340	949.- €	4015613600857
Sink centre, 700, W1200, basin R	Left	306640	949.- €	4015613600864

Sink centre, 700, W1600, 2 basins L



- Material: Stainless steel
- Tilting: 40 mm
- Number of tanks: 2
- Water outlet: 1 1/2"
- Height adjustable: 850 mm to 900 mm
- Properties: 40 mm edges turned down
Installation of dishwashers below the draining board possible
Feet in square tubing 40 x 40 mm
Scotch-Brite sanding
Model with a construction depth of 600 mm
- Available on request

	Size basin	Beaker capacity	Draining board	Size	Weight	Code-No.	RRP*	GTIN
Sink centre, 700, W1600, 2 basins L	W 400 mm D 500 mm H 250 mm	50 litre(s)	Right	W 1,600 mm D 700 mm H 850 mm	41 kg	306350	1,229.- €	4015613600871
Sink centre, 700, W1600, 2 basins R	W 400 mm D 500 mm H 250 mm	50 litre(s)	Left	W 1,600 mm D 700 mm H 850 mm	41 kg	306650	1,229.- €	4015613600888
Sink centre, 700, W1800, 2 basins L	W 500 mm D 500 mm H 250 mm	62 litre(s)	Right	W 1,800 mm D 700 mm H 850 mm	45 kg	306360	1,289.- €	4015613600895
Sink centre, 700, W1800, 2 basins R	W 500 mm D 500 mm H 250 mm	62 litre(s)	Left	W 1,800 mm D 700 mm H 850 mm	45 kg	306660	1,289.- €	4015613600901

Component parts

Standpipe 44/247

- Size: W 44 x D 44 x H 247 mm
- Weight: 0.24 kg
- GTIN: 4015613721354

306552

RRP* 65.- €

Novy-exhaust hood, W600, SS





CNS 18/10

- Material
- Material filter
- Flame protection filter
- Fan regulation
- Lighting

CNS 18/10
Aluminium
Type B
3-level
yes
Can be switched separately
Attachment material

- Including



Novy-exhaust hood, W600, SS

- Number of filters 1
- Number of fan motors/exhaust air outputs 1
- Motor Power 0 m3/h to 350 m3/h
- Lamps (number + watt) 1 x 15 W
- Power load 0,08 kW | 230 V | 50 Hz
- Size W 600 x D 520 x H 170 mm
- Weight 13 kg
- GTIN 4015613119243

100060

RRP* 809.- €

Novy-exhaust hood, W900, SS

- Number of filters 2
- Number of fan motors/exhaust air outputs 2
- Motor Power 0 m3/h to 700 m3/h
- Lamps (number + watt) 1 x 18 W
- Power load 0,16 kW | 230 V | 50 Hz
- Size W 900 x D 520 x H 170 mm
- Weight 20.2 kg
- GTIN 4015613119298

100090


RRP* 1,459.- €

Novy-exhaust hood, W1000, SS

- Number of filters 2
- Number of fan motors/exhaust air outputs 2
- Motor Power 0 m3/h to 700 m3/h
- Lamps (number + watt) 1 x 18 W
- Power load 0,16 kW | 230 V | 50 Hz
- Size W 1,000 x D 520 x H 170 mm
- Weight 21.1 kg
- GTIN 4015613119311

100100

RRP* 1,529.- €




Component parts

Adapter for hoods 900 and 1000 mm

- Material: Metal, Galvanised
- Properties: Connection of two outputs (Ø 125 mm) on an output (Ø 150 mm)
- Size: W 300 x D 150 x H 250 mm
- Weight: 1.4 kg
- GTIN: 4015613119342

100103

RRP* 155.- €



Wall-mounted hood 700, W1000



- Material
- Material filter
- Flame protection filter
- Lighting
- Properties

- Power load
- Available on request

CNS 18/10
 CNS 18/10
 Type A
 yes
 Blare-free light installed with grease protection cover
 Filter carrier with additional grease collection channel
 230 V | 50-60 Hz
 Ceiling hood
 Wall hood series 1100
 Other sizes

	Number of filters	Lamps (number + watt)	Power	Size	Weight	Code-No.	RRP*	GTIN
Wall-mounted hood 700, W1000	2	1 x 18 W	0,018 kW	W 1,000 x D 700 x H 450 mm	23 kg	258100	1,039.- €	4015613600987
Wall-mounted hood 700, W1200	2	1 x 18 W	0,018 kW	W 1,200 x D 700 x H 450 mm	27 kg	258120	1,109.- €	4015613600994
Wall-mounted hood 700, W1400	2	1 x 36 W	0,036 kW	W 1,400 x D 700 x H 450 mm	31 kg	258140	1,189.- €	4015613601007
Wall-mounted hood 700, W1600	3	1 x 36 W	0,036 kW	W 1,600 x D 700 x H 450 mm	33 kg	258160	1,269.- €	4015613601014
Wall-mounted hood 700, W1800	3	1 x 36 W	0,036 kW	W 1,800 x D 700 x H 450 mm	36 kg	258180	1,409.- €	4015613601021
Wall-mounted hood 700, W2000	4	1 x 58 W	0,058 kW	W 2,000 x D 700 x H 450 mm	40 kg	258200	1,569.- €	4015613601038
Wall-mounted hood 900, W1000	2	1 x 18 W	0,018 kW	W 1,000 x D 900 x H 450 mm	28 kg	265100	1,079.- €	4015613601120
Wall-mounted hood 900, W1200	2	1 x 18 W	0,018 kW	W 1,200 x D 900 x H 450 mm	30 kg	265120	1,159.- €	4015613601137
Wall-mounted hood 900, W1400	2	1 x 36 W	0,036 kW	W 1,400 x D 900 x H 450 mm	32 kg	265140	1,225.- €	4015613601144
Wall-mounted hood 900, W1600	3	1 x 36 W	0,036 kW	W 1,600 x D 900 x H 450 mm	35 kg	265160	1,298.- €	4015613601151
Wall-mounted hood 900, W1700	3	1 x 36 W	0,036 kW	W 1,700 x D 900 x H 450 mm	35 kg	265170	1,389.- €	4015613692593
Wall-mounted hood 900, W1800	3	1 x 36 W	0,036 kW	W 1,800 x D 900 x H 450 mm	38 kg	265180	1,469.- €	4015613601168
Wall-mounted hood 900, W2000	4	1 x 58 W	0,058 kW	W 2,000 x D 900 x H 450 mm	41 kg	265200	1,519.- €	4015613601175
Wall-mounted hood 900, W2200	4	1 x 58 W	0,058 kW	W 2,200 x D 900 x H 450 mm	45 kg	265220	1,709.- €	4015613601182

Wall-mounted hood 700 w. motor, W1000



- Material CNS 18/10
- Material filter CNS 18/10
- Flame protection filter Type A
- Cut-out for the motor 232 x 208 mm
- Motor output 184 W
- Number of fan motors/exhaust air outputs 1
- Fan regulation Via an external controller
- Lighting yes
- Properties Blare-free light installed with grease protection cover
Filter carrier with additional grease collection channel
- Power load 230 V | 50-60 Hz
- Important information Can only be commissioned with an additional controller
- Available on request Ceiling hood
Other sizes
Wall hood series 1100

	Number of filters	Lamps (number + watt)	Power	Size	Weight	Code-No.	RRP*	GTIN
Wall-mounted hood 700 w. motor, W1000	2	1 x 18 W	0,202 kW	W 1,000 x D 700 x H 450 mm	25 kg	257100	1,569.- €	4015613607115
Wall-mounted hood 700 w. motor, W1200	2	1 x 18 W	0,202 kW	W 1,200 x D 700 x H 450 mm	35 kg	257120	1,629.- €	4015613673509
Wall-mounted hood 700 w. motor, W1300	2	1 x 18 W	0,202 kW	W 1,300 x D 700 x H 450 mm	35 kg	257130	1,669.- €	4015613600918
Wall-mounted hood 700 w. motor, W1400	2	1 x 18 W	0,202 kW	W 1,400 x D 700 x H 450 mm	37 kg	257140	1,698.- €	4015613600925
Wall-mounted hood 700 w. motor, W1500	2	1 x 18 W	0,202 kW	W 1,500 x D 700 x H 450 mm	39 kg	257150	1,739.- €	4015613600932
Wall-mounted hood 700 w. motor, W1600	3	1 x 18 W	0,202 kW	W 1,600 x D 700 x H 450 mm	41 kg	257160	1,789.- €	4015613600949
Wall-mounted hood 700 w. motor, W1700	3	1 x 18 W	0,202 kW	W 1,700 x D 700 x H 450 mm	42 kg	257170	1,859.- €	4015613600956
Wall-mounted hood 700 w. motor, W1800	3	1 x 18 W	0,202 kW	W 1,800 x D 700 x H 450 mm	43 kg	257180	1,919.- €	4015613600963
Wall-mounted hood 700 w. motor, W2000	4	1 x 36 W	0,22 kW	W 2,000 x D 700 x H 450 mm	47 kg	257200	2,049.- €	4015613600970
Wall-mounted hood 900 w. motor, W1300	2	1 x 18 W	0,202 kW	W 1,300 x D 900 x H 450 mm	37 kg	264130	1,709.- €	4015613601045
Wall-mounted hood 900 w. motor, W1400	2	1 x 18 W	0,202 kW	W 1,400 x D 900 x H 450 mm	39 kg	264140	1,759.- €	4015613601052
Wall-mounted hood 900 w. motor, W1500	2	1 x 18 W	0,202 kW	W 1,500 x D 900 x H 450 mm	41 kg	264150	1,798.- €	4015613601069
Wall-mounted hood 900 w. motor, W1600	3	1 x 18 W	0,202 kW	W 1,600 x D 900 x H 450 mm	42 kg	264160	1,829.- €	4015613601076
Wall-mounted hood 900 w. motor, W1700	3	1 x 18 W	0,202 kW	W 1,700 x D 900 x H 450 mm	44 kg	264170	1,898.- €	4015613601083
Wall-mounted hood 900 w. motor, W1800	3	1 x 18 W	0,202 kW	W 1,800 x D 900 x H 450 mm	45 kg	264180	1,998.- €	4015613601090
Wall-mounted hood 900 w. motor, W2000	4	1 x 36 W	0,22 kW	W 2,000 x D 900 x H 450 mm	49 kg	264200	2,189.- €	4015613601106
Wall-mounted hood 900 w. motor, W2200	4	1 x 36 W	0,22 kW	W 2,200 x D 900 x H 450 mm	52 kg	264220	2,329.- €	4015613601113

Component parts

Control, steplessly variable

- Material: Plastic
- Designed for: Extractor hoods with 1 phase
- Size: W 130 x D 90 x H 75 mm
- Weight: 0.2 kg
- GTIN: 4015613603056



220110

RRP* 179.- €

Patio heaters



Heater W2000 E

825215

RRP* 229.- €

GTIN 4015613651415



The ideal source of heat for inside and outside. The heating tubes of this powerful heater immediately generate a pleasant warmth.



• Material

Aluminium



• Heat source

Infrared heated tube(s)

• Heated tubes

1 x 2 kW

• Heating radius

2 m

• Cable

Output behind on spot

Length 1.7 metres

• Including

1 remote control

1 wall holder for flexible assembly: can be turned by up to 90°, can be tilted by 90°

• Power load

2 kW | 230 V | 50/60 Hz

• Size

W 615 x D 60 x H 100 mm

• Weight

1.6 kg

Infrared heating tube 2000W

- Heating output: 2000 W
- Size: W 12 x D 340 x H 12 mm
- Weight: 0.06 kg
- GTIN: 4015613665955

825219

RRP* 31.- €

Heater W3000 E

825214

RRP* 339.- €

GTIN 4015613639086



• Material

Aluminium



• Heat source

Infrared heated tube(s)



• Heated tubes

2 x 1.5 kW

• Number of heating levels

2

• Cable

Output behind on spot

Length 1.8 metres

• Including

1 remote control

1 wall holder for easy assembly: can be tilted by 90°

• Power load

3 kW | 230 V | 50/60 Hz

• Size

W 1,050 x D 200 x H 100 mm

• Weight

2.2 kg

Infrared heating tube 1500 W, right

- Heating output: 1500 W
- Size: W 12 x D 340 x H 12 mm
- Weight: 0.08 kg
- GTIN: 4015613660219

825217

RRP* 31.- €

Infrared heating tube 1500 W, left

- Heating output: 1500 W
- Size: W 12 x D 340 x H 12 mm
- Weight: 0.06 kg
- GTIN: 4015613660226

825218

RRP* 31.- €

Heater holder W3000

- Material: Steel, Painted
- Important information: Only suitable for horizontal mounting
- Size: W 182 x D 60 x H 56 mm
- Weight: 0.51 kg
- GTIN: 4015613693101



825222

RRP* 23.- €

Heater ST2000 E

825207

RRP* 98.- €

GTIN 4015613500249



• Heat source

Quartz radiant heater



• Heated tubes

1 x 2 kW



• Number of heating levels

3

• Cable

Output at top on spot

Length approx. 7 metres

1800 mm to 2100 mm

• Height adjustable

• Power load

2 kW | 230 V | 50 Hz

• Size

W 550 x D 500 x H 2,100 mm

• Weight


8.8 kg

Heater ST3000 3-E360

825223

RRP* 498.- €

GTIN 4015613694795



• Material

Aluminium

Steel



• Heat source

Infrared heated tube(s)



• Heated tubes

3 x 1 kW

• Heating radius

12 m

• Number of heating levels

1

• Cable

Output on base

Length 1.85 m

• Including

1 remote control

• Power load

3 kW | 230 V | 50/60 Hz

• Size

W 610 x D 610 x H 2,100 mm

• Weight

19.6 kg

Infrared heating tubes 1000W

- Heating output: 1000 W
- Size: W 12 x D 12 x H 345 mm
- Weight: 0.05 kg
- GTIN: 4015613717142

825226

RRP* 31.- €

Heater ST13500 G

825131

RRP* 319.- €

GTIN 4015613457970



• Material

Stainless steel



• Heat source

Gas flame



• Gas type

Liquid gas

• Ignition type

Piezo ignition

• Ignition guard

Yes

• Diameter aluminium reflectors

780 mm

• Properties

Mobile

• Not included in delivery

Connection set

• Power

13,5 kW

• Size

W 780 x D 780 x H 2,220 mm

• Weight

18 kg

Gas connection kit

- Set comprises: 1 Low-pressure controller, 1 hose, 1 hose rupture guard
- Important information: Only suitable for outdoor use
- Size: W 64 x D 180 x H 35 mm
- Weight: 1.5 kg
- GTIN: 4015613419015



825152

RRP* 98.- €

Multi-table 1830-W

601179

RRP* 125.- €

GTIN 4015613649535



- Material
- Material feet

Plastic HDPE
Steel, painted
Powder coated
Rubber
150 kg
W 1,830 x D 760 x H 740 mm
14.7 kg



Banquet fitted cover 1830-W

- Material: Polyester 90 %, Elastan 10 %
- Can be washed: Up to 40 °C
- Size: W 1,830 x D 760 x H 730 mm
- Weight: 0.08 kg
- GTIN: 4015613697734



601196

RRP* 61.- €

Multi-bench 1820-W

601180

RRP* 65.- €

GTIN 4015613649559



- Material
- Material feet

Plastic HDPE
Steel, painted
Powder coated
Rubber
300 kg
W 1,820 x D 280 x H 435 mm
7.6 kg



Component parts

Fitted cover set Multi 1830-W

- Set comprises: 1 table fitted cover, 2 bench fitted covers
- Material: Polyester 90 %, Elastan 10 %
- Designed for: Tables and benches, 4-leg, Table foot diameter max.: 25 mm, Table height max.: 730 mm, Table-top dimensions max.: 1830 x 760 mm, Bench foot dimensions, max.: 260 x 50 mm, Bench height, max.: 440 mm, Seat area dimensions, max.: 1840 x 295 mm
- Can be washed: Up to 40 °C
- Size: W 1,850 x D 290 x H 440 mm
- Weight: 1.4 kg
- GTIN: 4015613697741



601197

RRP* 93.- €

Party - Bistro Table, folding

601177

RRP* 135.- €

GTIN 4015613505268



- Material: Polyethylene
- Material feet: Chrome-plated
- Diameter table top: 700 mm
- Height table top: 675 mm
- Size: 1,170 mm
- Weight: W 700 x D 700 x H 1,170 mm
- Weight: 9 kg



Bistro table slip cover set 700

- Set comprises: Protected cover for table top, Fitted cover for bar table
- Material: Micropolyester 90 %, Elastan 10 %
- Can be washed: Up to 40 °C
- Size: W 700 x D 700 x H 1,170 mm
- Weight: 0.41 kg
- GTIN: 4015613673448



601168

RRP* 41.- €

Protective cover for slip cover 700

- Material: Micropolyester 90 %, Elastan 10 %
- Can be washed: Up to 40 °C
- Size: W 700 x D 700 x H 50 mm
- Weight: 0.08 kg
- GTIN: 4015613673455



601169

RRP* 16.- €

Wall-mounted ashtray, black

- Material: Steel plate, Painted
- Content: 1 litre(s)
- Design: Wall-mounting
- Lockable: Yes
- Properties: Easy to empty via the front flap
- Size: W 160 x D 90 x H 200 mm
- Weight: 1.1 kg
- GTIN: 4015613470542



860000

RRP* 23.50 €

Wall-mounted ashtray, silver

- Material: Stainless steel
- Content: 6,5 litre(s)
- Design: Wall-mounting
- Properties: Easy to empty via the front flap
- Size: W 280 x D 140 x H 373 mm
- Weight: 2.8 kg
- GTIN: 4015613470559



860001

RRP* 85.- €

Standing ashtray, silver

- Material: Stainless steel
- Content: 5,5 litre(s)
- Lockable: Yes
- Properties: Easy to empty via the front flap
- Size: W 240 x D 240 x H 870 mm
- Weight: 8.5 kg
- GTIN: 4015613470566



860002

RRP* 198.- €

Poster stand A1

- Material: Aluminium, Plastic
- Material feet: Plastic
- Poster size max.: DIN A1 (594 x 841 mm)
- Dimensions of display area: 570 x 820 mm
- Can be loaded from both sides: Yes
- Can be used in: Inner and protected outer area
- Size: W 640 x D 105 x H 1,060 mm
- Weight: 5.2 kg
- GTIN: 4015613804415



181134

RRP* 159.- €

Menu board "Bartscher Bistro"

- Material: Real wood
- Dimensions label surface: W 530 x H 795 mm
- Can be written on both sides: Yes
- Properties: Can be written on with chalk/chalk markers (not included in delivery), Writing surface: HDF plate, UV paint coating, Wood from sustainable farming operation
- Delivery state: Permanently mounted
- Size: W 660 x D 565 x H 1,210 mm
- Weight: 7.4 kg
- GTIN: 4015613610559



181137

RRP* 169.- €



TRANSPORT | STORAGE

Clever logistics save time:

Depending on the model, our sturdy trolleys provide secure equipment for trays, GN containers or standard bakery sheets. They are versatile and can be moved comfortably and quietly thanks to buffered rubber wheels.

Sealing machine 23180

300800

RRP* 1,198.- €

GTIN 4015613767796



Whether „to go“, for out-of-home business for for catering: When sealed, hot and cold meals are best prepared for transport and protected against germs. No spillage, no mixing of individual foodstuffs – this ensures more hygiene, cleanliness and freshness for transport and storage.

- Max. sealing temperature 150 °C
- Heat-up time 7 - 8 minutes
- Max. tray size W 180 x D 225 x H 50 mm
- Max. film width 185 mm
- Length cable 1,5 m
- Power load 0,7 kW | 230 V | 50 Hz
- Size W 240 x D 570 x H 275 mm
- Weight 12 kg

Component parts

Sealing frame 23180-1

- Material: Aluminium
- Designed for: Menu trays 23180-1
- Size: W 233 x D 220 x H 15 mm
- Weight: 0.46 kg
- GTIN: 4015613767802



300801

RRP* 145.- €

Sealing frame 23180-2

- Material: Aluminium
- Designed for: Menu trays 23180-2
- Size: W 233 x D 220 x H 15 mm
- Weight: 0.5 kg
- GTIN: 4015613767819



300802

RRP* 155.- €

Sealing frame 23180-3

- Material: Aluminium
- Designed for: Menu trays 23180-3
- Size: W 233 x D 220 x H 15 mm
- Weight: 0.54 kg
- GTIN: 4015613767826



300803

RRP* 165.- €

Menu tray 23180-1

- Order quantity unit: 50 units
- Material: Polypropylene
- Max. filling quantity: 1400 ml
- Designed for: Hot and cold food
- Suitable for use in microwaves: Yes
- Size: W 180 x D 225 x H 50 mm
- Weight: 1 kg
- GTIN: 4015613767840



300804

RRP* 15.50 €

Menu tray 23180-2

- Order quantity unit: 50 units
- Material: Polypropylene
- Max. filling quantity: 1070 ml (490 ml, 580 ml)
- Designed for: Hot and cold food
- Suitable for use in microwaves: Yes
- Size: W 180 x D 225 x H 40 mm
- Weight: 1.1 kg
- GTIN: 4015613767833



300805

RRP* 15.50 €

Menu tray 23180-3

- Order quantity unit: 50 units
- Material: Polypropylene
- Max. filling quantity: 980 ml (210 ml, 300 ml, 470 ml)
- Designed for: Hot and cold food
- Suitable for use in microwaves: Yes
- Size: W 180 x D 225 x H 40 mm
- Weight: 1 kg
- GTIN: 4015613767857



300806

RRP* 15.50 €

Sealing film 23180

- Set comprises: 2 rolls
- Material: Plastic (PET), Plastic (LDPE)
- Designed for: Hot and cold food
- Width roll: 18,5 cm
- Length roll: 250 m
- Film thickness: 0,1 cm
- Size: W 161 x D 161 x H 186 mm
- Weight: 2.8 kg
- GTIN: 4015613767864



300807

RRP* 109.- €



Thermo transport container 20L, SS



- Content
- Temperature loss / hour approx.
- Double-walled
- Pressure relief valve
- Properties

20 litre(s)
6 °C
Yes
Yes
Lid can be completely detached
Lid with 4 clamping clips and silicone seal



	Drain cock	Size	Weight	Code-No.	RRP*	GTIN
20L, SS	No	W 343 x D 343 x H 345 mm	6.6 kg	100080	285.- €	4015613544281
20L Plus	Yes	W 343 x D 395 x H 345 mm	7.1 kg	100085	339.- €	4015613615011

Thermo transport container GN110-1

300134

RRP* 259.- €

GTIN 401561377603



- Material
- Content
- Designed for
- Heat resistant
- Gastronorm
- Depth GN container max.
- Double-walled
- Double-layered lid
- Temperature loss / hour approx.
- Pressure relief valve
- Stackable
- Size
- Weight

PE plastic
25 litre(s)
Cold or hot food
-40 °C to 90 °C
1/1 GN
150 mm
Yes
No
5 °C
Yes
Yes
W 630 x D 430 x H 320 mm
10.6 kg

Thermo transport container GN110-12

300133

RRP* 359.- €

GTIN 4015613769509



- Material
- Content
- Designed for
- Heat resistant
- Number of drawers
- Gastronorm
- Depth GN container max.
- Double-walled
- Door double-walled
- Temperature loss / hour approx.
- Pressure relief valve
- Door hinge side
- Stackable
- Size
- Weight

PE plastic
90 litre(s)
Cold or hot food
-40 °C to 90 °C
12
1/1 GN
150 mm
Yes
No
5 °C
Yes
Left
Yes
W 650 x D 450 x H 635 mm
16.3 kg

Component parts

Transport cart TBGN110

- Material: Plastic
- Size utility space: W 490 x D 660 mm
- Total load-bearing capacity, max.: 100 kg
- Delivery state: Permanently mounted
- Size: W 720 x D 540 x H 194 mm
- Weight: 6.2 kg
- GTIN: 4015613769516



300135

RRP* 179.- €

*RRP= Recommended Retail Price - all prices are recommendations only. The reseller is free to set his own sales prices | Subject to technical amendments.

Serving trolley TS "Adjutant"

A300049

RRP* 145.- €

GTIN 4015613433578



-  • Material
Aluminium
Plastic
-  • Number of shelves
3
- Total load-bearing capacity, max.
120 kg
- Swivel casters
4 swivel casters
- Delivery state
Building kit (simple assembly)
- Size
W 830 x D 415 x H 940 mm
- Weight
9.1 kg

Clearing container set "Adjutant"

- Waste bin: Contents: approx. 30 litres
- Cutlery holders: Contents: approx. 9 litres
- Size: W 335 x D 237 x H 560 mm
- Weight: 2.7 kg
- GTIN: 4015613454986



A300047

RRP* 49.- €

Serving trolley TS200



-  • Material
Chrome-nickel steel
- Swivel casters
4 swivel casters, 2 with brake
-  • Wheel buffer
4 units, plastic
- Delivery state
Building kit (simple assembly)



Number of shelves Total load-bearing capacity, max.

Size

Weight

Code-No.

RRP*

GTIN

	Number of shelves	Total load-bearing capacity, max.	Size	Weight	Code-No.	RRP*	GTIN
TS200	2	100 kg	W 920 x D 600 x H 945 mm	10 kg	A300062	142.- €	4015613433509
TS301	3	90 kg	W 920 x D 600 x H 945 mm	13.4 kg	A300073	165.- €	4015613671611
TS501	5	100 kg	W 920 x D 600 x H 1,540 mm	18 kg	300065	269.- €	4015613534633

Serving trolley TS200-M1

A300056

RRP* 198.- €

GTIN 4015613455730



-  • Number of shelves
2
- Size clearing basin inside
W 760 x D 440 x H 100 mm
-  • Total load-bearing capacity, max.
100 kg
- Swivel casters
4 swivel casters, 2 with brake
- Wheel buffer
4 units, plastic
-  • Delivery state
Building kit (simple assembly)
- Size
W 920 x D 600 x H 945 mm
- Weight
14.1 kg

Cutlery trolley TBST200

A300111

RRP* 159.- €

GTIN 4015613770994



-  • Model
1 shelf
2 cutlery trays
-  • Shelf design
Stainless steel | W 590 x D 310 mm
- Design of cutlery trays
Plastic | 4 troughs | Can be removed
W 511 x D 286 x H 110 mm
-  • Total load-bearing capacity, max.
60 kg
- Swivel casters
4 swivel casters, 2 with brake
- Wheel buffer
4 units, plastic
- Delivery state
Building kit (simple assembly)
- Size
W 594 x D 305 x H 1,205 mm
- Weight
10.6 kg



- Designed for Euronorm boxes E1, E2, E3 (butchers / bakery)
- Number of drawers 3
- Format drawers 600 x 400 mm
- Distance between trays Top 118 mm (E1)
Middle 380 mm (E1, E2, E3)
Bottom 250 mm (E1, E2)
- Total load-bearing capacity, max. 100 kg
- Load-bearing capacity per drawer max. 40 kg
- Swivel casters 4 swivel casters, 2 with brake
- Wheel buffer 4 units, plastic
- Properties Frame in square tubing 25.8 x 25.8 mm
- Delivery state Building kit (simple assembly)
- Size W 720 x D 500 x H 965 mm
- Weight 9.4 kg

Gastronorm trolley AGN700-1/1



- Material Stainless steel
- Distance between trays 80 mm
- Can be loaded from both sides Yes
- Swivel casters 4 swivel casters, 2 with brake
- Wheel buffer 4 units, plastic
- Properties One container lock each on the front and rear side.
Frame in square tubing
GN containers
Sheets
Grilles
- Not included in delivery Building kit (simple assembly)
- Delivery state

AGN700-2/1



AGN1500-1/1



▶ Space-saving storage option of several Gastronorm trolley

AGN1800-1/1



AGN1800-2/1



	Number of drawers	Designed for	Total load-bearing capacity, max.	Worktop surface	Size	Weight	Code-No.	RRP*	GTIN
AGN700-1/1	7	1/1 GN	60 kg	yes	W 450 mm D 620 mm H 1,010 mm	13 kg	300098	185.- €	4015613686431
AGN700-2/1	7	2/1 GN	90 kg	yes	W 655 mm D 740 mm H 1,010 mm	15.8 kg	300093	239.- €	4015613659244
AGN1500-1/1	15	1/1 GN	150 kg	No	W 440 mm D 615 mm H 1,710 mm	20.6 kg	300107	279.- €	4015613734972
AGN1800-1/1	18	1/1 GN	80 kg	No	W 450 mm D 613 mm H 1,895 mm	20.2 kg	300181	289.- €	4015613671628
AGN1800-2/1	18	2/1 GN	80 kg	yes	W 765 mm D 785 mm H 1,750 mm	30.2 kg	300185	398.- €	4015613769813

*RRP= Recommended Retail Price - all prices are recommendations only. The reseller is free to set his own sales prices | Subject to technical amendments.

Euronorm trolley AEN700-6040



- Material
- Designed for
- Distance between trays
- Can be loaded from both sides
- Swivel casters
- Wheel buffer
- Properties



- Not included in delivery

- Delivery state

Stainless steel
 Euronorm 600 x 400 mm
 80 mm
 Yes
 4 swivel casters, 2 with brake
 4 units, plastic
 One container lock each on the front and rear side.
 Frame in square tubing 25 x 25 mm
 Containers
 Sheets
 Grilles
 Building kit (simple assembly)



	Number of drawers	Total load-bearing capacity, max.	Worktop surface	Size	Weight	Code-No.	RRP*	GTIN
AEN700-6040	7	60 kg	yes	W 535 mm D 685 mm H 1,010 mm	14 kg	300089	209.- €	4015613686448
18EN60400	18	80 kg	No	W 535 mm D 685 mm H 1,185 mm	22 kg	300182	315.- €	4015613714493

Component parts

Cover hood AGN700-1/1

- Material: Plastic (PVC)
- Designed for: Gastronorm trolley AGN700-1/1
- Model: With 4 zips
- Weather-resistant: -15 °C to 50 °C
- UV-resistant: yes, Up to 500 hours of solar radiation
- Size: W 465 x D 635 x H 860 mm
- Weight: 0.46 kg
- GTIN: 4015613759227



300123

RRP* 19.- €

Cover hood AGN1800-1/1

- Material: Plastic (PVC)
- Designed for: Gastronorm trolley AGN1800-1/1
- Model: With 4 zips
- Weather-resistant: -15 °C to 50 °C
- UV-resistant: yes, Up to 500 hours of solar radiation
- Size: W 630 x D 465 x H 1,745 mm
- Weight: 0.81 kg
- GTIN: 4015613746913



300183

RRP* 29.- €

Cover hood AEN700-6040

- Material: Plastic (PVC)
- Designed for: Euronorm trolley AEN700-6040
- Model: With 4 zips
- Weather-resistant: -15 °C to 50 °C
- UV-resistant: yes, Up to 500 hours of solar radiation
- Size: W 550 x D 700 x H 860 mm
- Weight: 0.51 kg
- GTIN: 4015613759210



300122

RRP* 21.- €

Cover hood 18EN60400

- Material: Plastic (PVC)
- Designed for: Euronorm trolley 18EN60400
- Model: With 4 zips
- Weather-resistant: -15 °C to 50 °C
- UV-resistant: yes, Up to 500 hours of solar radiation
- Size: W 700 x D 550 x H 1,745 mm
- Weight: 0.93 kg
- GTIN: 4015613747712



300184

RRP* 31.- €

Tray trolley TT1600



Versatile transport trolley with 16 drawers – Be it to transport loaded GN containers 1/1 GN or to clear trays in canteen norm format.



• Designed for



- Can be loaded from both sides
- Swivel casters
- Wheel buffer
- Delivery state

1/1 GN containers (not GN trays)
Canteen norm trays (443 x 343 mm)
Yes
4 swivel casters, 2 with brake
4 units, plastic
Building kit (simple assembly)



	Number of drawers	Format drawers	Total load-bearing capacity, max.	Size utility space	Height railing	Size	Weight	Code-No.	RRP*	GTIN
TT1600	16	500 x 360 mm	48 kg	W 775 mm D 530 mm	150 mm	W 925 mm D 620 mm H 1,700 mm	38 kg	300083	629.- €	4015613587615
TT2000	20	464 x 565 mm	80 kg	W 950 mm D 535 mm	160 mm	W 1,155 mm D 680 mm H 1,840 mm	39.6 kg	300187	549.- €	4015613769820

Tray trolley AT1000-GN

300149

RRP* 1,198.- €

GTIN 4015613709185



The sturdy clearing trolley impresses with its strong load capacity and the extra large trays in 1/1 GN format.



• Material

• Designed for

• Number of drawers

• Format drawers

• Distance between trays

• Can be loaded from both sides

• Total load-bearing capacity, max.

• Load-bearing capacity per drawer max.

• Swivel casters

• Wheel buffer

• Delivery state

• Size

• Weight

Aluminium
Stainless steel
Plastic
Fast-Food trays
Serving trays
10
1/1 GN
530 x 325 mm
115 mm
Yes
60 kg
10 kg
4 swivel casters, 2 with brake
4 units, plastic
Building kit (simple assembly)
W 460 x D 690 x H 1,675 mm
21.6 kg

Component parts

Tray GN110-S

- Material: Plastic (polypropylene)
- Colour: Black
- Worktop surface: Structured
- Norm format: 1/1 GN
- Stackable: Yes
- Dishwasher safe: Yes
- Size: W 530 x D 325 x H 20 mm
- Weight: 0.59 kg
- GTIN: 4015613695303



701053

RRP* 12.- €

Tray KN45350-HG

- Material: Plastic (polypropylene)
- Colour: Light grey
- Worktop surface: Structured
- Norm format: Canteen norm
- Stackable: Yes
- Dishwasher safe: Yes
- Size: W 450 x D 355 x H 20 mm
- Weight: 0.39 kg
- GTIN: 4015613695310



701054

RRP* 11.- €

Dishwasher basket trolley ASP700

300147

RRP* 198.- €

GTIN 4015613709178



With 7 trays, the dishwasher basket trolley, which can be loaded from both sides, offers space-saving storage and clearing space. The basket guard prevents the dishwasher baskets from sliding, tipping or falling out.



• Number of drawers 7



• Designed for Dishwasher baskets 500 x 500 mm

• Format drawers 505 x 545 mm

• Distance between trays 200 mm

• Can be loaded from both sides Yes

• Total load-bearing capacity, max. 100 kg

• Swivel casters 4 swivel casters, 2 with brake

• Wheel buffer 4 units, plastic

• Properties Frame in square tubing 25 x 25 mm
One basket guard each on the front and back

• Delivery state Building kit (simple assembly)

• Size W 565 x D 555 x H 1,750 mm

• Weight 15.8 kg

Beverage crate trolley TGK400

300084

RRP* 698.- €

GTIN 4015613587608



• Designed for Max. 8 standardised bottle crates (400 x 300 mm)



• Number of grille shelves 4

• Size grid shelves W 1000 x D 360 mm

• Distance between the grille shelves 345 mm



• Total load-bearing capacity, max. 120 kg

• Swivel casters 4 swivel casters, 2 with brake

• Wheel buffer 4 units, plastic

• Delivery state Building kit (simple assembly)

• Size W 1,080 x D 570 x H 1,610 mm

• Weight 35 kg

Platform trolley TP100

300142

RRP* 229.- €

GTIN 4015613523705



• Size Carrying capacity W 560 x D 940 mm

• Total load-bearing capacity, max. 200 kg



• Swivel casters 2 casters, 2 swivel casters

• Delivery state Building kit (simple assembly)

• Size W 560 x D 1,050 x H 925 mm

• Weight 14.4 kg

Store-Shelf 4150



- Material

Steel
Chrome-plated



- Number of shelves
- Height-adjustable shelves
- Delivery state
- Set comprises

4
Yes
Building kit (simple assembly)
4 shelves
4 corner posts (plug system)
Connecting system

- Assembly type

Connecting system

Total load-bearing capacity, max. Load-bearing capacity per shelf, max.

	Total load-bearing capacity, max.	Load-bearing capacity per shelf, max.	Size	Weight	Code-No.	RRP*	GTIN
4150	150 kg	37,5 kg	W 750 x D 350 x H 1,520 mm	10.3 kg	601151	98.- €	4015613391274
4200	200 kg	50 kg	W 910 x D 460 x H 1,845 mm	14.3 kg	601182	149.- €	4015613391250
4500	500 kg	125 kg	W 1,210 x D 610 x H 1,840 mm	25.6 kg	601192	255.- €	4015613667294

Wine rack 5200

601161

RRP* 129.- €

GTIN 4015613391816



- Material

Steel
Chrome-plated



- Number of shelves
- Capacity cylinder max.

5
Total: 100 - 130 bottles
Per shelf: 9 bottles

- Total load-bearing capacity, max.
- Load-bearing capacity per shelf, max.
- Height-adjustable shelves
- Delivery state
- Set comprises

200 kg
50 kg
Yes
Building kit (simple assembly)
5 bottle grille shelves
4 corner posts (plug system)
Connecting system

- Assembly type
- Size
- Weight

W 900 x D 350 x H 1,390 mm
12.5 kg

Shelf system Kit 4, B1070

603175

RRP* 359.- €

GTIN 4015613699219



The shelf cannot just be used in all restaurant areas, it is also highly versatile: instead of shelves, GN containers can also be used instead.



- Material

Aluminium
Plastic

- Number of shelves
- Height-adjustable shelves
- Total load-bearing capacity, max.
- Load-bearing capacity per shelf, max.
- GN-capable
- Gastronorm

4
Yes
150 kg
50 kg
Yes
1/3 GN
1/2 GN
2/3 GN
1/1 GN

- Properties

Practical second use by using GN containers instead of shelves
Shelves dishwasher-suitable

- Set comprises

2 shelf stands
8 insert shelves

- Delivery state
- Assembly type
- Including
- Size
- Weight

Building kit (simple assembly)
Connecting system
Installation materials
W 1,140 x D 360 x H 1,790 mm
14.4 kg

Shelving system Kit 1, B960



• Material

Aluminium



• Number of shelves

Copolymer

• Width shelves

4
902 mm

• Height-adjustable shelves

Yes

• Total load-bearing capacity, max.

600 kg

• Load-bearing capacity per shelf, max.

165 kg

• GN-capable

Yes

• Application area

Humid rooms

Canteens

Refrigerated rooms

Refrigeration cell

Sterile goods stores

Freezer cell

• Properties

Practical second use by using GN containers instead of shelves

• Delivery state

Building kit (simple assembly)

• Assembly type

Connecting system

• Including

Installation materials



Shelving system Kit 1, B960

- Size Shelves: W 902 x D 360 mm
- Gastronorm: 1/1 GN, 1/2 GN, 1/3 GN, 2/3 GN
- Set comprises: 2 shelf stands, 12 insert shelves
- Size: W 960 x D 360 x H 1,800 mm
- Weight: 12 kg
- GTIN: 4015613529066



603151

RRP* 539.- €

Shelving system Kit 2, B1080

- Size Shelves: W 1022 x D 560 mm
- Gastronorm: 2/1 GN, 1/1 GN, 2/4 GN
- Set comprises: 2 shelf stands, 16 insert shelves
- Size: W 1,080 x D 560 x H 1,800 mm
- Weight: 19.7 kg
- GTIN: 4015613529059



603150

RRP* 649.- €

Shelving system Kit 3, B1500

- Size Shelves: W 1442 x D 360 mm
- Gastronorm: 1/1 GN, 1/2 GN, 1/3 GN, 2/3 GN
- Set comprises: 2 shelf stands, 16 insert shelves
- Size: W 1,500 x D 360 x H 1,800 mm
- Weight: 17.6 kg
- GTIN: 4015613529073



603152

RRP* 679.- €

Component parts

Connection strip set Kit 360

- Set comprises: 4 strips
- Material: Aluminium
- Size frame: W 35 x D 365 x H 55 mm
- Combination possibilities: Shelf system kit 1 and 3
- Size: W 330 x D 364 x H 550 mm
- Weight: 0.36 kg
- GTIN: 4015613731964



603159

RRP* 107.- €

Connection strip set Kit 560

- Set comprises: 4 strips
- Material: Aluminium
- Size frame: W 35 x D 565 x H 55 mm
- Combination possibilities: Shelf system kit 2
- Size: W 35 x D 565 x H 55 mm
- Weight: 1.3 kg
- GTIN: 4015613731957



603158

RRP* 115.- €





PREPARATION

They do not stand out in the stressful kitchen everyday life, but are indispensable helpers in preparation: Simple things such as vegetable slicers, meat grinders, slicers – nothing runs smoothly without them!



Versatile, for mixing, mashing, chipping, whisking and stirring. Practical and can be simply reinserted for the various functions

- Set comprises
 - 1 mixing rod
 - 1 whisk, chrome
 - 1 container (800 ml)
 - 2 special containers with sickle knife (500 ml + 1,250 ml)
 - 1 lid for special container
 - 2 non-slip coaster
 - 1 wall holder
- Length mixing rod: 207 mm
- Rpm mixer max.: 17000 r. / min.
- Rpm whisk max.: 17000 r. / min.
- Speed control: 5 levels
- Length cable: 1,2 m
- Including: Wall holder
- Power load: 0,7 kW | 230 V | 50 Hz
- Size: W 330 x D 245 x H 260 mm
- Weight: 2.1 kg

Stick mixer MX 235



Powerful, sturdy and easy to use mixer rod for mashing and mixing warm and cold food. Also ideal for bakeries and confectioneries to process chocolate, sauces and creams.

- Material mixing rod: CNS 18/10
- Length mixing rod: 235 mm
- Rpm mixer max.: 15000 r. / min.
- Processing max.: Approx 20 litres
- Length cable: 1,8 m
- Power load: 0,25 kW | 230 V | 50-60 Hz
- Weight: 1.4 kg



	Speed control	Size	Code-No.	RRP*	GTIN
MX 235	1 level	W 75 mm D 75 mm H 520 mm	130115	429.- €	4015613610634
MX 235 Plus	Stepless	W 75 mm D 135 mm H 515 mm	130116	479.- €	4015613640129

Component parts - Stick mixer MX 235 Plus

Whisk MX 235 Plus SB170

- Material: CNS 18/10, Plastic
- Length whisk: 170 mm
- Size: W 90 x D 90 x H 290 mm
- Weight: 0.4 kg
- GTIN: 4015613640488



130117

RRP* 169.- €

Emulsifier MX 235 Plus EM235

- Material: CNS 18/10, Plastic
- Length emulsifier: 235 mm
- Size: W 75 x D 75 x H 265 mm
- Weight: 0.4 kg
- GTIN: 4015613640495



130118

RRP* 189.- €



Motor block STM3 350



Extremely flexible – set the mixing rod to your individual needs. The freely configurable combination possibilities of motor blocks of varying performance levels, mixing rods in various lengths, a whisk and a wall holder for mashing, mixing and chopping of warm and cold food leave nothing to be desired.

- Material: Plastic
- Speed control: 9 levels Turbo
- Length cable: 2,1 m
- Power load: 230 V | 50 Hz

	Rpm max.	Power load	Size	Weight	Code-No.	RRP*	GTIN
STM3 350	11000 r. / min.	0,35 kW	W 115 x D 180 x H 360 mm	2.9 kg	130130	439.- €	4015613670645
STM3 450	15000 r. / min.	0,45 kW	W 130 x D 190 x H 380 mm	3.3 kg	130131	529.- €	4015613670652
STM3 650	13000 r. / min.	0,65 kW	W 130 x D 190 x H 400 mm	3.9 kg	130132	679.- €	4015613670676

Mixing bar STM3 300



Extremely flexible – set the mixing rod to your individual needs. The freely configurable combination possibilities of motor blocks of varying performance levels, mixing rods in various lengths, a whisk and a wall holder for mashing, mixing and chopping of warm and cold food leave nothing to be desired.

- Material: CNS 18/10
- Design knife: Ø 60 mm, 3 cutters

	Length mixing rod	Processing max.	Size	Weight	Code-No.	RRP*	GTIN
STM3 300	300 mm	Approx 30 litres	W 90 x D 90 x H 330 mm	1.3 kg	130133	179.- €	4015613670683
STM3 400	400 mm	Approx 80 litres	W 90 x D 90 x H 430 mm	1.5 kg	130134	198.- €	4015613670690
STM3 500	500 mm	Approx 150 litres	W 90 x D 90 x H 530 mm	1.8 kg	130135	229.- €	4015613670706
STM3 600	600 mm	Approx 250 litres	W 90 x D 90 x H 630 mm	2 kg	130136	249.- €	4015613670713

Component parts

Whisk STM3 245

- Material: CNS 18/10
- Length whisk: 245 mm
- Size: W 100 x D 125 x H 365 mm
- Weight: 1.1 kg
- GTIN: 4015613670737



130137

RRP* 259.- €

Wall holder STM3 WH1

- Material: CNS 18/10
- Not included in delivery: Attachment material
- Size: W 140 x D 135 x H 90 mm
- Weight: 0.17 kg
- GTIN: 4015613670744



130138

RRP* 34.- €

Hand blender holder 600

- Material: Stainless steel
- Hand blender diameter: 25 - 40 mm
- Pot diameter max: 600 mm
- Size: W 255 x D 625 x H 70 mm
- Weight: 1.2 kg
- GTIN: 4015613699639



130140

RRP* 269.- €

Kitchen machines / Dough mixers



Planetary mixer 0.75kg/5L AS

101915

RRP* 749.- €

GTIN 4015613779263



Small but professional – despite a production quantity of 0.75 kg, this food processor is in no way inferior to its larger cousins when it comes to quality. Thanks to the stepless speed control, it can be used to whip, mix, and knead in accordance with your exact requirements.



- Material Cast aluminium
- Material mixing bowl(s) Stainless steel
- Production quantity dough 0,75 kg / 5 litres
- Speed control Stepless
- Safety switch Yes
- Mixing bowl detachable Yes
- Including
 - 1 Flat stirrer, cast aluminium
 - 1 Dough hook, stainless steel
 - 1 whisk, stainless steel, cast aluminium
 - 1 Protective grating, stainless steel
- Power load 0,25 kW | 230 V | 50/60 Hz
- Size W 230 x D 260 x H 415 mm
- Weight 14.8 kg

Planetary mixer 1,2kg/7L AS

101923

RRP* 919.- €

GTIN 4015613663531



- Material Aluminium
- Painted
- Material mixing bowl(s) Stainless steel
- Production quantity dough 1,2 kg / 7 litres
- Speed control 5 levels
- Safety switch Yes
- Time setting 1 to 30 minutes
- Mixing bowl detachable Yes
- Including
 - 1 Whisk, stainless steel
 - 1 Dough hook, stainless steel
 - 1 Flat beater, stainless steel, aluminum alloy
- Power load 0,65 kW | 230 V | 50 Hz
- Size W 440 x D 335 x H 510 mm
- Weight 20.6 kg

Planetary mixer 3kg/10L AS



- Material
- Material mixing bowl(s)
- Speed control
- Safety switch
- Mixing bowl detachable
- Including

Cast iron
Steel
Painted
Stainless steel
3 levels
Yes
Yes
1 flat beater, stainless steel
1 Dough hook, stainless steel
1 whisk, stainless steel, aluminium
1 Protective grating, stainless steel



	Production quantity dough	Power load	Size	Weight	Code-No.	RRP*	GTIN
3kg/10L AS	3 kg / 10 litres	0,45 kW 230 V 50/60 Hz	W 380 mm D 440 mm H 615 mm	53.2 kg	101916	1,149.- €	4015613779270
7,5kg/20L AS	7.5 kg / 20 litres	1,1 kW 230 V 50/60 Hz	W 530 mm D 496 mm H 800 mm	79.4 kg	101933	1,649.- €	4015613735115
9kg/30L AS	9 kg / 30 litres	1,1 kW 230 V 50/60 Hz	W 470 mm D 530 mm H 855 mm	81.4 kg	101917	1,798.- €	4015613779287

Dough kneading machine 12kg/16L



- Material
- Speed control
- Properties

Coated
Scratch-resistant
1 level
Suitable for firm dough
(e.g. pizza or bread dough)


	Production quantity dough	Power load	Size	Weight	Code-No.	RRP*	GTIN
12kg/16L	12 kg / 16 litres	0,75 kW 230 V 50 Hz	W 350 mm D 650 mm H 600 mm	58 kg	101954	1,939.- €	4015613473086
18kg/22L	18 kg / 22 litres	0,75 kW 230 V 50 Hz	W 390 mm D 670 mm H 600 mm	59 kg	101955	1,998.- €	4015613473093
25kg/32L	25 kg / 32 litres	1,5 kW 230 V 50 Hz	W 430 mm D 780 mm H 710 mm	93 kg	101956	2,298.- €	4015613473109
38kg/42L	38 kg / 42 litres	1,5 kW 230 V 50 Hz	W 480 mm D 800 mm H 710 mm	105 kg	101957	2,569.- €	4015613473116

Dough kneading machine 12kg/16L AS



Excellent for firm dough, such as pizza or bread

- Material Coated
Scratch-resistant
- Speed control 1 level
- Mixing bowl detachable Yes
- Properties Suitable for firm dough (e.g. pizza or bread dough)
With swivel head and detachable bowl
Bowl recognition via sensor
- Including 1 Dough hook, stainless steel
- Power load 2300 V | 50 Hz



	Production quantity dough	Power load	Size	Weight	Code-No.	RRP*	GTIN
12kg/16L AS	12 kg / 16 litres	0,75 kW	W 350 x D 650 x H 620 mm	65 kg	101864	2,559.- €	4015613593821
18kg/22L AS	18 kg / 22 litres	0,75 kW	W 390 x D 670 x H 620 mm	66 kg	101865	2,598.- €	4015613593838
25kg/32L AS	25 kg / 32 litres	1,5 kW	W 450 x D 780 x H 735 mm	107.2 kg	101866	3,149.- €	4015613593845
38kg/42L AS	38 kg / 42 litres	1,5 kW	W 480 x D 800 x H 730 mm	115 kg	101867	3,398.- €	4015613593852

Dough kneading machine 25kg/32L Plus



Well thought-through - all types of dough can be prepared in this dough kneading machine. The second speed control ensures that the consistency of the finished dough is maintained.

- Material Cast iron
Coated
- Material mixing bowl(s) Stainless steel
- Speed control 1 level + consistency protection
- Mixing bowl detachable Yes
- Safety switch Yes
- Properties Suitable for firm dough (e.g. pizza or bread dough)
With swivel head and detachable bowl
Bowl recognition via sensor
- Including 1 Dough hook, stainless steel
- Power load 1,5 kW | 400 V | 50 Hz
- Equipment connection 3 NAC

	Production quantity dough	Size	Weight	Code-No.	RRP*	GTIN
25kg/32L Plus	25 kg / 32 litres	W 450 x D 780 x H 735 mm	107 kg	101868	3,349.- €	4015613696775
38kg/42L Plus	38 kg / 42 litres	W 480 x D 800 x H 730 mm	114.8 kg	101869	3,598.- €	4015613690582

Component parts

Wheel set, 4 pieces

- Swivel casters: 2 casters, 2 swivel casters with brakes
- Load-bearing capacity max., each: 80 kg
- Suitable for kneading machine with swivel head
- Size: W 60 x D 140 x H 160 mm
- Weight: 1.9 kg
- GTIN: 4015613657974



101863

RRP* 85.- €



KitchenAid 5K45SSEWH, white, 4,28L



The reliable and powerful kitchen machine from KitchenAid not only impresses with its elegant appearance. 10 power levels and a wide selection of optional accessories make this classic a versatile kitchen helper.



- Material Cast aluminium
- Material mixing bowl(s) Stainless steel
- Content mixing bowl(s) 4,28 litre(s)
- Speed control 10 levels
- Including Manual
 - 1 flat stirrer
 - 1 dough hook
 - 1 whisk
 - 1 mixing bowl
- Size W 358 x D 221 x H 353 mm
- Weight 10.5 kg



► Tilting motor head



	Colour	Power load	Code-No.	RRP*	GTIN
KitchenAid 5K45SSEWH, white, 4,28L	White	0,275 kW 230 V 50/60 Hz	A150067	898.- €	4015613726489
KitchenAid 5K45SSEOB, black, 4,28L	Black	0,275 kW 230 V 50 Hz	A150063	898.- €	4015613720616

*RRP= Recommended Retail Price - all prices are recommendations only. The reseller is free to set his own sales prices | Subject to technical amendments.



- Material
- Colour
- Material mixing bowl(s)
- Content mixing bowl(s)
- Speed control
- Including

- Power load
- Size
- Weight

Cast metal
Nylon-coated
White
Stainless steel
4,28 litre(s)
10 levels
1 flat stirrer
1 mincer, plastic
1 dough hook
1 whisk
1 splash protection
2 mixing bowls
0,25 kW | 230 V | 50/60 Hz
W 358 x D 221 x H 353 mm
13.1 kg

Component parts

Flat beater for K45 5KSM45EWH

- Size: W 35 x D 140 x H 155 mm
- Weight: 0.27 kg
- GTIN: 4016098165398



A150020

RRP* 42.- €

Flat beater f.K45 5KSM45EWH

- With silicone edge: Yes
- Size: W 150 x D 155 x H 35 mm
- Weight: 0.3 kg
- GTIN: 4015613560052



1500508

RRP* 73.- €

Splash guard K45 5KPM5EWH

- With filling chute: Yes
- Can only be used in combination with: Bowl 4.28 litres, Bowl 4.83 litres
- Size: W 260 x D 65 x H 75 mm
- Weight: 0.12 kg
- GTIN: 4015613508153



A150044

RRP* 69.- €

Bowl 3L, K45, Kitchen Aid

- Content: 3 litre(s)
- Size: W 220 x D 220 x H 140 mm
- Weight: 0.5 kg
- GTIN: 4015613272573



A150038

RRP* 119.- €

Bowl 4,28L, K45, Kitchen Aid

- Content: 4,28 litre(s)
- Size: W 223 x D 245 x H 175 mm
- Weight: 0.67 kg
- GTIN: 4015613288031



A150042

RRP* 159.- €

Dough hook for 5KSM45EWH, KA

- Size: W 120 x D 120 x H 190 mm
- Weight: 0.3 kg
- GTIN: 4016098164605



A150016

RRP* 39.- €

Wire whisk for K45 5KSM45EWH

- Size: W 125 x D 125 x H 155 mm
- Weight: 0.2 kg
- GTIN: 4016098164070



A150014

RRP* 62.- €



KitchenAid 5KPM5EWH white, 4,83L

A1500507

RRP* 1,398.- €

GTIN 4015613330181



• Material

Cast metal



• Colour

Nylon-coated

• Material mixing bowl(s)

White

• Content mixing bowl(s)

Stainless steel

• Speed control

4,83 litre(s)

• Design

10 levels

• Including

Manual

With bowl lifter

1 flat stirrer

1 dough hook

1 whisk

1 splash protection

1 mixing bowl

• Power load

0,315 kW | 230 V | 50/60 Hz

• Size

W 264 x D 338 x H 411 mm

• Weight

13.4 kg

Component parts

Bowl 4,83L, K5, Kitchen Aid

- Content: 4,83 litre(s)
- Size: W 260 x D 235 x H 175 mm
- Weight: 1.1 kg
- GTIN: 4016098163868



A150013

RRP* 159.- €

Splash guard K45 5KPM5EWH

- With filling chute: Yes
- Can only be used in combination with: Bowl 4.28 litres, Bowl 4.83 litres
- Size: W 260 x D 65 x H 75 mm
- Weight: 0.12 kg
- GTIN: 4015613508153



A150044

RRP* 69.- €

Dough hook for 5KPM5EWH, KA

- Size: W 100 x D 100 x H 175 mm
- Weight: 0.22 kg
- GTIN: 4015613294094



A150018

RRP* 72.- €

Flat beater for 5KPM5EWH

- Size: W 35 x D 140 x H 185 mm
- Weight: 0.2 kg
- GTIN: 4016098165497



A150021

RRP* 69.- €

Wire whisk for 5KPM5EWH

- Size: W 120 x D 125 x H 185 mm
- Weight: 0.2 kg
- GTIN: 4016098164872



A150017

RRP* 79.- €

KitchenAid 5KSM7591X, silver, 6,9L

A150047

RRP* 1,639.- €

GTIN 4015613582467



- Material
- Colour
- Material mixing bowl(s)
- Content mixing bowl(s)
- Speed control
- Design
- Including

- Power load
- Size
- Weight

Die-cast zinc
Silver
Stainless steel
6,9 litre(s)
10 levels
With bowl lifter
1 flat stirrer
1 dough hook
1 whisk
1 splash protection
1 mixing bowl
0,5 kW | 230 V | 50/60 Hz
W 287 x D 371 x H 417 mm
12.2 kg

KitchenAid 5KPM5XEWH white, 6,9L

A1500510

RRP* 1,998.- €

GTIN 4015613593869



- Material
- Colour
- Material mixing bowl(s)
- Content mixing bowl(s)
- Speed control
- Design
- Safety switch
- Protective grid
- Including

- Power load
- Size
- Weight

Die-cast zinc
White
Stainless steel
6,9 litre(s)
10 levels
With bowl lifter
yes
Yes
1 filling chute
1 flat stirrer
1 dough hook
1 whisk
1 mixing bowl
0,325 kW | 230 V | 50-60 Hz
W 287 x D 371 x H 417 mm
12.2 kg

Component parts

Stainless steel bowl KA, 6,9L

- Content: 6,9 litre(s)
- Size: W 285 x D 250 x H 215 mm
- Weight: 3.8 kg
- GTIN: 4015613584478



A150048

RRP* 155.- €

Splash guard Heavy Duty 5KSM7591X

- With filling chute: Yes
- Can only be used in combination with:
Bowl 6.9 litres
- Size: W 250 x D 70 x H 180 mm
- Weight: 0.1 kg
- GTIN: 4015613586724



A150043

RRP* 59.- €

Dough hook for KA A150047

- Size: W 100 x D 80 x H 172 mm
- Weight: 0.4 kg
- GTIN: 4015613586717



A150034

RRP* 149.- €

Flat beater KA f. A150047

- Size: W 160 x D 36 x H 180 mm
- Weight: 0.5 kg
- GTIN: 4015613586700



A150033

RRP* 149.- €

Flat beater KA f. A150047

- With silicone edge: Yes
- Size: W 170 x D 180 x H 35 mm
- Weight: 0.21 kg
- GTIN: 4015613586731



A1500471

RRP* 89.- €

Wire whisk SS for KA A150047

- Size: W 160 x D 95 x H 180 mm
- Weight: 0.26 kg
- GTIN: 4015613586694



A150039

RRP* 89.- €

Component parts

Vegetable cutter, 3 drums, KA

- Set comprises:
 - 1 Bircher drum (corrugated drum),
 - 1 vegetable cutter, 1 drumming disk
- Matches the KitchenAid: 5KPM5EWH, Heavy Duty 5KSM7591X, K45 Universal 5KSM45EWH, K45 Universal 5KSM45EWH MP, Professional 1.3 HP 5KSM7990XEWH
- Size: W 110 x D 190 x H 230 mm
- Weight: 0.9 kg
- GTIN: 4016098174710



A150035

RRP* 129.- €

Vegetable cutter drums set , KA

- Set comprises:
 - 1 fine drum (for hard cheese, nuts, breadcrumbs),
 - 1 Potatoe grating drum for mashed potatoes, potatoe pancakes and onions,
 - 1 Stripping (Julienne) drum for long strips
- Matches the KitchenAid: 5KPM5EWH, Heavy Duty 5KSM7591X, K45 Universal 5KSM45EWH, K45 Universal 5KSM45EWH MP, Professional 1.3 HP 5KSM7990XEWH
- Can only be used in combination with: Vegetable cutters
- Size: W 83 x D 83 x H 155 mm
- Weight: 0.4 kg
- GTIN: 4016098174727



A150036

RRP* 102.- €

Meat grinder set KA

- Material: Stainless steel, Plastic
- Set comprises:
 - 1 attached tray, 1 stainless steel knife, 4-wing,
 - 1 cookie attachment, 1 stamper, 1 sausage filling horn,
 - 4 perforated disks (3 mm, 4.5 mm, 6 mm, 8 mm)
- Matches the KitchenAid: 5KSM7591X, 5K45SSEOB, 5K45SSEWH, 5KPM5EWH, 5KSM7990XEWH, 5KSM45EWHMP
- Size: W 152 x D 230 x H 240 mm
- Weight: 1.9 kg
- GTIN: 4015613805283



A150068

RRP* 319.- €

Meat grinder for KitchenAid

- Material: Plastic
- Set comprises:
 - 1 mincer, 1 disk, fine, 1 disk, coarse, 1 stamper
- Matches the KitchenAid: 5KPM5EWH, Heavy Duty 5KSM7591X, K45 Universal 5KSM45EWH, K45 Universal 5KSM45EWH MP, Professional 1.3 HP 5KSM7990XEWH
- Size: W 210 x D 100 x H 200 mm
- Weight: 0.9 kg
- GTIN: 4016098101372



A150000

RRP* 172.- €

Sausage stuffer for Kitchen Aid

- Material: Plastic
- Set comprises:
 - 1 taper Ø 95 mm, 1 taper Ø 159 mm
- Matches the KitchenAid: 5KPM5EWH, Heavy Duty 5KSM7591X, K45 Universal 5KSM45EWH, K45 Universal 5KSM45EWH MP, Professional 1.3 HP 5KSM7990XEWH
- Can only be used in combination with: Mincer, plastic
- Size: W 225 x D 80 x H 80 mm
- Weight: 0.9 kg
- GTIN: 4016098101396



A150002

RRP* 48.- €

Sausage filling tube for KitchenAid

- Material: Stainless steel
- Matches the KitchenAid: 5KPM5EWH, Heavy Duty 5KSM7591X, K45 Universal 5KSM45EWH, K45 Universal 5KSM45EWH MP, Professional 1.3 HP 5KSM7990XEWH
- Can only be used in combination with: Mincer, aluminium
- Size: W 57 x D 57 x H 135 mm
- Weight: 0.04 kg
- GTIN: 4016098166852



A150025

RRP* 56.- €

Meat grinder attachment, KitchenAid

- Material: Plastic
- Matches the KitchenAid: 5KPM5EWH, Heavy Duty 5KSM7591X, K45 Universal 5KSM45EWH, K45 Universal 5KSM45EWH MP, Professional 1.3 HP 5KSM7990XEWH
- Can only be used in combination with: Mincer, plastic and liquidising and mashing device
- Size: W 305 x D 75 x H 170 mm
- Weight: 0.45 kg
- GTIN: 4016098165336



A150019

RRP* 72.- €

Straining and mashing device for KA

- Material: Plastic
- Matches the KitchenAid: 5KPM5EWH, Heavy Duty 5KSM7591X, K45 Universal 5KSM45EWH, K45 Universal 5KSM45EWH MP, Professional 1.3 HP 5KSM7990XEWH
- Properties: Also ideal as a berry press
- Can only be used in combination with: Mincer, plastic
- Size: W 260 x D 95 x H 160 mm
- Weight: 0.7 kg
- GTIN: 4016098101433



A150006

RRP* 175.- €

Cookie press attachment

- Material: Stainless steel
- Matches the KitchenAid: 5KPM5EWH, Heavy Duty 5KSM7591X, K45 Universal 5KSM45EWH, K45 Universal 5KSM45EWH MP, Professional 1.3 HP 5KSM7990XEWH
- Properties: With 4 different baking forms
- Can only be used in combination with: Mincer, aluminium
- Size: W 60 x D 60 x H 35 mm
- Weight: 0.04 kg
- GTIN: 4016098166845



A150024

RRP* 53.- €

Component parts

Citrus Press for Kitchen Aid

- Material: Plastic
- Matches the KitchenAid: 5KPM5EWH, Heavy Duty 5KSM7591X, K45 Universal 5KSM45EWH, K45 Universal 5KSM45EWH MP, Professional 1.3 HP 5KSM7990XEWH
- Properties:
The integrated sieve collects the pulp and pips
- Size: W 125 x D 110 x H 160 mm
- Weight: 0.45 kg
- GTIN: 4016098101402



A150003

RRP* 89.- €

Grain mill, steel grinding device, KA

- Suitable for: Grains and cereals
- Matches the KitchenAid: 5KPM5EWH, Heavy Duty 5KSM7591X, K45 Universal 5KSM45EWH, K45 Universal 5KSM45EWH MP, Professional 1.3 HP 5KSM7990XEWH
- Properties:
Completely made of metal, therefore extremely stable, Grinds and crushes gently to preserve nutrients
- Size: W 210 x D 115 x H 190 mm
- Weight: 2.2 kg
- GTIN: 4016098101419



A150004

RRP* 389.- €

Grain mill, KA

- Matches the KitchenAid: 5KPM5EWH, Heavy Duty 5KSM7591X, K45 Universal 5KSM45EWH, K45 Universal 5KSM45EWH MP, Professional 1.3 HP 5KSM7990XEWH
- Size: W 332 x D 233 x H 125 mm
- Weight: 1 kg
- GTIN: 4015613263397



A150037

RRP* 195.- €

Grain flaker, KA

- Matches the KitchenAid: 5KPM5EWH, Heavy Duty 5KSM7591X, K45 Universal 5KSM45EWH, K45 Universal 5KSM45EWH MP, Professional 1.3 HP 5KSM7990XEWH
- Size: W 155 x D 210 x H 205 mm
- Weight: 0.9 kg
- GTIN: 4016098166883



A150029

RRP* 195.- €

Pasta rolling set, 3-pieces

- Set comprises:
1 ribbon noodle cutter
1 spaghetti cutter
1 pasta roller: For a dough plate width up to 150 mm, can be regulated in 8 thicknesses
1 cleaning brush
- Matches the KitchenAid: 5KPM5EWH, Heavy Duty 5KSM7591X, K45 Universal 5KSM45EWH MP, Professional 1.3 HP 5KSM7990XEWH
- Size: W 245 x D 97 x H 55 mm
- Weight: 3.4 kg
- GTIN: 4015613681412



A150062

RRP* 329.- €

Meat Grinder Alu II for KitchenAid

- Set comprises:
1 attached tray
1 perforated disk 3 mm
1 perforated disk 4.5 mm
1 perforated disk 8 mm
1 knife, 1 sausage filling horn 9.5 mm
1 sausage filling horn 19 mm
1 stamper
1 cleaning brush
- Size: W 140 x D 220 x H 225 mm
- Weight: 1.2 kg
- GTIN: 4015613720609



A150064

RRP* 259.- €



Vegetable cutters



Vegetable cutter GMS550

120325

RRP* 1,049.- €

GTIN 4015613528274



- Material
- Filling shaft



- Including

- Power load
- Size
- Weight

Cast aluminium
 1 x W 160 x T 74 mm
 1 x Ø 58 mm
 1 grater disc Z3a, 3 mm
 1 grater disc Z5a, 5 mm
 1 grater disc Z7a, 7 mm
 1 cutting disk E2a, 2 mm
 1 cutting disk E4a, 4 mm
 1 stamper
 0,55 kW | 230 V | 50 Hz
 W 240 x D 630 x H 500 mm
 29.2 kg

Vegetable cutter GMS580

120328

RRP* 1,959.- €

GTIN 4015613711355



Robust design and reliable application – thanks to the supplied eject disc, cut food is removed from the vegetable cutter without residues.



- Material
- Filling shaft
- Properties

- Including

- Power load
- Size
- Weight

Cast aluminium
 Stainless steel
 Plastic
 1 x W 83 x T 160 mm
 Stainless steel lid is dishwasher safe
 Simple assembly / disassembly of attached parts
 Magnetic switch
 1 eject disc
 1 slicing disc E2-580: Designed for slices, 2 mm slicing thickness
 1 stamper
 0,58 kW | 230 V | 50 Hz
 W 280 x D 490 x H 530 mm
 18.3 kg



Component parts

Cutting disc E1a

- Material: Aluminium
- Designed for: Disks
- Cutting thickness: 1 mm
- Size: W 204 x D 204 x H 35 mm
- Weight: 0.72 kg
- GTIN: 4015613721125



120316

RRP* 66.- €

Cutting disc E2a

- Material: Stainless steel, Plastic
- Designed for: Disks
- Cutting thickness: 2 mm
- Size: W 204 x D 204 x H 13 mm
- Weight: 0.34 kg
- GTIN: 4015613658117



120307

RRP* 55.- €

Cutting disc E4a

- Material: Stainless steel, Plastic
- Designed for: Disks
- Cutting thickness: 4 mm
- Size: W 204 x D 204 x H 13 mm
- Weight: 0.32 kg
- GTIN: 4015613658124



120308

RRP* 55.- €

Cutting disc E8a

- Material: Stainless steel, Plastic
- Designed for: Disks
- Cutting thickness: 8 mm
- Size: W 204 x D 204 x H 13 mm
- Weight: 0.65 kg
- GTIN: 4015613658131



120309

RRP* 66.- €

Cutting disc E10a

- Material: Aluminium, Stainless steel
- Designed for: Disks
- Cutting thickness: 10 mm
- Size: W 204 x D 204 x H 13 mm
- Weight: 0.62 kg
- GTIN: 4015613658148



120310

RRP* 66.- €

Cutting disc H3a

- Material: Aluminium, Stainless steel
- Designed for: Rods
- Cutting thickness: 3 mm
- Size: W 204 x D 204 x H 13 mm
- Weight: 0.67 kg
- GTIN: 4015613658155



120311

RRP* 89.- €

Cutting disc H4a

- Material: Aluminium, Stainless steel
- Designed for: Rods
- Cutting thickness: 4 mm
- Size: W 204 x D 204 x H 13 mm
- Weight: 0.67 kg
- GTIN: 4015613658209



120312

RRP* 89.- €

Cutting disc Z3a

- Material: Stainless steel, Plastic
- Designed for: Grater
- Cutting thickness: 3 mm
- Size: W 204 x D 204 x H 13 mm
- Weight: 0.32 kg
- GTIN: 4015613658223



120313

RRP* 55.- €

Cutting disc Z5a

- Material: Stainless steel, Plastic
- Designed for: Grater
- Cutting thickness: 5 mm
- Size: W 205 x D 205 x H 35 mm
- Weight: 0.33 kg
- GTIN: 4015613658230



120314

RRP* 55.- €

Cutting disc Z7a

- Material: Stainless steel, Plastic
- Designed for: Grater
- Cutting thickness: 7 mm
- Size: W 204 x D 204 x H 13 mm
- Weight: 0.31 kg
- GTIN: 4015613658247



120315

RRP* 55.- €

Cutting disk K5-AHB

- Material: Stainless steel, Plastic
- Designed for: Cheese grater
- Cutting thickness: 5 mm
- Properties: Non-stick coating, Cheese grater for gratins, baking or garnishing, You will achieve the best results with this cutting disk and pre-cooled cheese (6 °C to 8 °C).
- Size: W 203 x D 203 x H 35 mm
- Weight: 0.33 kg
- GTIN: 4015613637846



120302

RRP* 66.- €

Disc rack

- Material: Stainless steel
- Capacity: 10 - 18 cutting disks (depending on the model)
- Size: W 400 x D 245 x H 85 mm
- Weight: 0.7 kg
- GTIN: 4015613615417



A120255

RRP* 34.- €



Powerful vegetable cutter with an extra large filling chute for processing vegetables, fruit or cheese.

- Material
 - Cast aluminium
 - Stainless steel
 - Plastic
- Filling shaft
 - 1 x W 115 x D 75 mm
 - 1 x ø 52 mm
- Properties
 - Magnetic switch for collection tray and filling chute
 - Very large filling chute
 - Removable lid, suitable for dishwasher
 - 1 collection tray (1/3 GN, 175 mm deep)
 - 1 stamper
- Including
 - 0,617 kW | 230 V | 50 Hz
 - W 290 x D 530 x H 515 mm
 - 18.3 kg

Component parts

Collecting container GMS600

- Material: Plastic
- Format: 1/3 GN, 175 mm deep
- Size: W 325 x D 175 x H 195 mm
- Weight: 0.47 kg
- GTIN: 4015613682686



120353

RRP* 55.- €

Feed chute GMS600

- Material: Stainless steel
- Size: W 260 x D 115 x H 275 mm
- Weight: 1.4 kg
- GTIN: 4015613676111



120344

RRP* 72.- €

Cutting disk for slices DF1

- Designed for: Disks
- Cutting thickness: 1 mm
- Size: W 206 x D 206 x H 35 mm
- Weight: 0.61 kg
- GTIN: 4015613677163



120350

RRP* 89.- €

Cutting disk for slices DF2

- Designed for: Disks
- Cutting thickness: 2 mm
- Size: W 206 x D 206 x H 35 mm
- Weight: 0.66 kg
- GTIN: 4015613676012



120331

RRP* 79.- €

Cutting disk for slices DF4

- Designed for: Disks
- Cutting thickness: 4 mm
- Size: W 206 x D 206 x H 35 mm
- Weight: 0.68 kg
- GTIN: 4015613677170



120349

RRP* 69.- €

Cutting disk for slices DF5

- Designed for: Disks
- Cutting thickness: 5 mm
- Size: W 206 x D 206 x H 35 mm
- Weight: 0.56 kg
- GTIN: 4015613676029



120332

RRP* 69.- €

Cutting disk for slices DF8

- Designed for: Disks
- Cutting thickness: 8 mm
- Size: W 206 x D 206 x H 35 mm
- Weight: 0.61 kg
- GTIN: 4015613677187



120348

RRP* 69.- €

Cutting disk for slices DF10

- Designed for: Disks
- Cutting thickness: 10 mm
- Size: W 206 x D 206 x H 35 mm
- Weight: 0.47 kg
- GTIN: 4015613677194



120351

RRP* 69.- €

Cutting disk for slices DF14

- Designed for: Disks
- Cutting thickness: 14 mm
- Size: W 206 x D 206 x H 35 mm
- Weight: 0.43 kg
- GTIN: 4015613677200



120352

RRP* 69.- €

Component parts

Cutting disk for dices PS8

- Designed for: Cubes
- Cutting thickness: 8 x 8 mm
- Can only be used in combination with: Cutting disk for slices DF8
- Size: W 209 x D 209 x H 16 mm
- Weight: 0.7 kg
- GTIN: 4015613677248



120358

RRP* 159.- €

Cutting disk for dices PS10

- Designed for: Cubes
- Cutting thickness: 10 x 10 mm
- Can only be used in combination with: Cutting disk for slices DF10
- Size: W 210 x D 210 x H 16 mm
- Weight: 0.69 kg
- GTIN: 4015613676098



120342

RRP* 139.- €

Cutting disk for dices PS14

- Designed for: Cubes
- Cutting thickness: 14 x 14 mm
- Can only be used in combination with: Cutting disk for slices DF14
- Size: W 210 x D 210 x H 16 mm
- Weight: 0.66 kg
- GTIN: 4015613677255



120345

RRP* 125.- €

Cutting disk for grating DTV

- Designed for: Hard cheese, Cheese grater, Grater
- Cutting thickness: 1 mm
- Size: W 206 x D 206 x H 35 mm
- Weight: 0.55 kg
- GTIN: 4015613676081



120341

RRP* 65.- €

Cutting disk for grating DT2

- Designed for: Grater
- Cutting thickness: 2 mm
- Size: W 206 x D 206 x H 35 mm
- Weight: 0.55 kg
- GTIN: 4015613677224



120347

RRP* 89.- €

Cutting disk for grating DT4

- Designed for: Grater
- Cutting thickness: 4 mm
- Size: W 205 x D 205 x H 35 mm
- Weight: 0.54 kg
- GTIN: 4015613677231



120346

RRP* 89.- €

Cutting disk for grating DT7

- Designed for: Semi-hard cheese, Cheese grater, Grater
- Cutting thickness: 7 mm
- Size: W 206 x D 206 x H 35 mm
- Weight: 0.54 kg
- GTIN: 4015613676067



120337

RRP* 69.- €

Cutting disk for grating DTV8

- Designed for: Grater
- Cutting thickness: 8 mm
- Size: W 206 x D 206 x H 35 mm
- Weight: 0.47 kg
- GTIN: 4015613677217



120338

RRP* 95.- €

Cutting disk for grating DT9

- Designed for: Soft cheese, Cheese grater, Grater
- Cutting thickness: 9 mm
- Size: W 206 x D 206 x H 35 mm
- Weight: 0.47 kg
- GTIN: 4015613676074



120339

RRP* 79.- €

Cutting disk DQ4

- Designed for: Sticks / Julienne
- Cutting thickness: 4 mm
- Size: W 206 x D 206 x H 35 mm
- Weight: 0.73 kg
- GTIN: 4015613676036



120333

RRP* 119.- €

Cutting disk DQ8

- Designed for: Sticks / Julienne
- Cutting thickness: 8 mm
- Size: W 205 x D 205 x H 35 mm
- Weight: 0.68 kg
- GTIN: 4015613676043



120334

RRP* 119.- €

Mandoline slicer

500393

RRP* 65.- €

GTIN 4015613632308



- Cutting inserts

- Properties

- Including
- Size
- Weight

- 2 inserts for grater/rods (3.5 mm, 7 mm)
- 3 inserts for disks (1.5 mm, 2.5 mm, 3.5 mm)
- With 5 cutting inserts
- Inserts are dishwasher-suitable
- Residues holder, plastic
- Non-slip feet
- 1 holder for 4 inserts, plastic
- W 400 x D 130 x H 145 mm
- 0.95 kg

Cutter | Meat tenderisers | Meat grinders



Cutter T3N 3L

120831

RRP* 1,069.- €

GTIN 4015613539683



• Material

Aluminium



• Content

Polycarbonate



• Rpm max.

3 litre(s)

• Design knife

730 r. / min.

• Diameter filling shaft

2 blades (double knife)

• Dimensions stainless steel bowl

CNS 18/10

• Power load

45 mm

• Size

Ø 210 mm, height 110 mm

• Weight

0,37 kW | 230 V | 50 Hz

W 400 x D 320 x H 320 mm

12 kg

Meat tenderiser 1WS2000

A370254

RRP* 998.- €

GTIN 4015613758992



The advantages of tenderising boneless meat in the form of steaks are clear: A tender result with a reduced cooking time. Spices and marinades are better absorbed by the meat, making the food more flavourful.



• Material gears

Steel



• Output max.

200 kg / h

• Overload protection

Yes

• Safety switch

Yes

• Filling shaft dimensions

W 190 x D 25 mm

• Removable roller set

Yes

• Dishwasher-safe roller set

Yes

• Setting feet

Rubber, anti-slip

• Power load

0,35 kW | 230 V | 50 Hz

• Size

W 490 x D 222 x H 432 mm

• Weight

18 kg

Meat grinder FW10

370224

RRP* 289.- €

GTIN 4015613580739



• Material

Plastic



• Material grinder funnel

Stainless steel / cast aluminium

• Output max.

10 kg / hour

• Diameter disks

62 mm

• Overload protection

Yes

• Properties

Integrated compartment for storing the perforated disks

• Including

1 stainless steel knife, 4-wing

1 kebbe attachment (oriental dish)

1 cookie attachment

1 stamper

1 sausage filling horn

3 perforated disks (3 mm, 4.8 mm, 8 mm)

• Power load

0,85 kW | 230 V | 50/60 Hz

• Size

W 350 x D 205 x H 340 mm

• Weight

5 kg

Meat grinder 12SQO, 0,75 kW

370213

RRP* 1,229.- €

GTIN 4015613582849



- Material
- Material grinder funnel
- Material gears
- Output max.
- Diameter disks
- Overload protection
- Including

Aluminium
CNS 18/10
Steel
160 kg / hour
70 mm
Yes
1 perforated disk 6 mm
1 knife
1 stamper
0,75 kW | 230 V | 50 Hz
W 290 x D 460 x H 500 mm
20 kg

- Power load
- Size
- Weight

Perforated disk 12SQO/2

- Material: Stainless steel
- Diameter perforation: 2 mm
- Size: W 70 x D 70 x H 20 mm
- Weight: 0.18 kg
- GTIN: 4015613429700

A370201

RRP* 72.- €

Perforated disk 12SQO/4,5

- Material: Stainless steel
- Diameter perforation: 4,5 mm
- Size: W 70 x D 70 x H 20 mm
- Weight: 0.13 kg
- GTIN: 4015613429717

A370202

RRP* 49.- €

Perforated disk 12SQO/8

- Material: Stainless steel
- Diameter perforation: 8 mm
- Size: W 70 x D 70 x H 20 mm
- Weight: 0.13 kg
- GTIN: 4015613527086

A370207

RRP* 49.- €

Knife 12SQO

- Size: W 60 x D 60 x H 10 mm
- Weight: 0.04 kg
- GTIN: 4015613429731

A370204

RRP* 29.- €

Meat grinder FW200

370235

RRP* 2,649.- €

GTIN 4015613702216



Meat grinder with reverse run – for processing large quantities of meat of up to 200 kg per hour. The high-performance unit also impresses in combination with the optionally available hamburger press FW200.



- Material grinder funnel
- Material gears
- Output max.
- Diameter disks
- Diameter filling shaft
- Overload protection
- Including

Stainless steel
Stainless steel
200 kg / hour
82 mm
50 mm
No
1 perforated disk 4.5 mm
1 stainless steel knife, 4-wing
1 stamper
1,47 kW | 230 V | 50 Hz
W 500 x D 435 x H 445 mm
32 kg

- Power load
- Size
- Weight

Perforated disc FW200

- Material: Stainless steel
- Properties: 4.5 mm perforation
- Size: W 82 x D 82 x H 9 mm
- Weight: 0.22 kg
- GTIN: 4015613758503



370302

RRP* 42.- €

Knife FW200

- Material: Stainless steel
- Properties: 4-wing
- Size: W 120 x D 12 x H 52 mm
- Weight: 0.06 kg
- GTIN: 4015613758497



370301

RRP* 25.- €

Hamburger press FW200

- Material: Stainless steel, Plastic
- Patty size: Diameter: 110 mm, Thickness: 15 mm
- Patty weight: Approx 155 g
- Size: W 320 x D 175 x H 415 mm
- Weight: 3.9 kg
- GTIN: 4015613702223



370236

RRP* 649.- €



Meat grinder FW500



This meat grinder with extra large filling chute and ventilated motor produces up to 500 kg per hour. The removeable mincing unit enables HACCP-compliant storage in the refrigerator.



- Material grinder funnel
- Material gears
- Output max.
- Diameter disks
- Diameter filling shaft
- Overload protection
- Removeable mincer

Aluminium
Stainless steel
500 kg / hour
100 mm
76 mm
Yes
yes
Enables HACCP-compliant storage in the refrigerator
All attached stainless steel parts and the mincer are dishwasher-safe
Large filling chute
2,2 kW | 400 V | 50 Hz
3 NAC
Pluggable

• Properties

- Power load
- Equipment connection

	Unger system	Including	Size	Weight	Code-No.	RRP*	GTIN
FW500	No	1 perforated disk 6 mm 1 stainless steel knife, 4-wing	W 305 x D 470 x H 500 mm	40.8 kg	370238	2,779.- €	4015613739519
FW500US	Yes	2 perforated disks 6 mm 2 stainless steel 3-blade knives	W 415 x D 565 x H 680 mm	42.2 kg	370239	3,049.- €	4015613762463

Component parts

Knife FW500

- Material: Carbon steel
- Properties: 4-wing
- Size: W 90 x D 90 x H 13 mm
- Weight: 0.1 kg
- GTIN: 4015613775807



370242

RRP* 38.- €

Perforated disc FW500

- Material: Carbon steel
- Properties: Perforation 6 mm
- Size: W 97 x D 97 x H 9 mm
- Weight: 0.29 kg
- GTIN: 4015613775814



370243

RRP* 59.- €

Knife FW500US

- Material: Carbon steel
- Properties: 3-wing
- Size: W 80 x D 80 x H 15 mm
- Weight: 0.15 kg
- GTIN: 4015613775838



370246

RRP* 52.- €

Precutter FW500US

- Material: Carbon steel
- Size: W 99 x D 99 x H 20 mm
- Weight: 0.38 kg
- GTIN: 4015613775852



370247

RRP* 49.- €

Perforated disc FW500US/8

- Material: Carbon steel
- Properties: Perforation 8 mm
- Size: W 97 x D 97 x H 8 mm
- Weight: 0.3 kg
- GTIN: 4015613775876



370248

RRP* 49.- €

Perforated disc FW500US/4,5

- Material: Carbon steel
- Properties: 4.5 mm perforation
- Size: W 97 x D 97 x H 10 mm
- Weight: 0.29 kg
- GTIN: 4015613775890



370249

RRP* 45.- €



Potato peeling machine 5KG



- Speed control
- Water connection

1 level
3/4"



7,5KG



10KG

	Storage capacity	Output max.	Rpm max.	Power load	Size	Weight	Code-No.	RRP*	GTIN
5KG	5 kg	60 kg / hour	180 r. / min.	0,37 kW 230 V 50 Hz	W 610 mm D 520 mm H 560 mm	28 kg	A120181	2,198.- €	4015613433448
7,5 kg	7,5 kg	90 kg / hour	180 r. / min.	0,75 kW 230 V 50 Hz	W 400 mm D 770 mm H 870 mm	38 kg	A120186	2,498.- €	4015613433455
10KG	10 kg	130 kg / hour	1200 r. / min.	0,75 kW 230 V 50 Hz	W 670 mm D 540 mm H 860 mm	37.8 kg	120198	1,798.- €	4015613714899

Kitchen scale, 15kg, 5g



- Material
- Weighing range up to
- Tare
- Size weighing platform
- Operated via

Plastic ABS
15 kg

Yes
W 280 x D 220 mm

Rechargeable battery
Mains adapter

Spirit level (for correct alignment of the unit)
1 rechargeable battery

1 mains adapter

Suitable for weighing processes that are not subject to calibration requirements

0,004 kW | 230 V | 50 Hz

W 280 x D 330 x H 125 mm

2.8 kg

- Properties
- Including
- Important information

- Power load
- Size
- Weight

	Resolution	Code-No.	RRP*	GTIN
Kitchen scale, 15kg, 5g	5 g	A300117	198.- €	4015613587417
Kitchen scale, 15kg, 2g	2 g	A300118	219.- €	4015613587424

Digital scale, 60kg, 20g



- Tare
- Size weighing platform
- Operated via

Yes
W 320 x D 300 mm

Batteries (4 x AAA)
Mains adapter

Remote display for wall mounting, distance max. 1.4 m

1 mains adapter

Suitable for weighing processes that are not subject to calibration requirements

0,0018 kW | 230 V | 50 Hz

W 320 x D 305 x H 42 mm

3.2 kg

- Properties
- Including
- Important information

- Power load
- Size
- Weight

	Weighing range up to	Resolution	Code-No.	RRP*	GTIN
Digital scale, 60kg, 20g	60 kg	20 g	A300068	159.- €	4015613572437
Digital scale, 150kg, 50g	150 kg	50 g	A300151	169.- €	4015613572444

Slicers



Slicer 195 Plus



The design of the optimised slicing machine stands out thanks to many technical features. The high-performance oblique slicer in 5 different sizes has a holder for remainders, a blade sharpener, a cutting guide and a two-fold blade guard as well as a solenoid switch to guarantee safety.



- Material
 - Aluminium
 - Plexiglas
 - Plastic
- Design
 - Oblique cutter / gravity slice
- Designed for
 - Sausage
- With knife sharpener
 - Yes
- Blade guard
 - 2-fold
- Solenoid switch
 - Yes
- Cutting guide
 - Yes
- Holder for remainders
 - Yes



► Designed for cold cuts



► Efficient holder for remainders



► Clean cutting guide



► Practical blade sharpener

	Diameter knife	Cutting thickness	Cutting length	Cutting height	Rpm max.	Power load	Size	Weight	Code-No.	RRP*	GTIN
195 Plus	195 mm	1 - 12 mm	185 mm	130 mm	277 r. / min.	0,11 kW 230 V 50 Hz	W 335 mm D 440 mm H 340 mm	11.2 kg	174196	498.- €	4015613683188
220 Plus	220 mm	1 - 12 mm	205 mm	135 mm	191 r. / min.	0,13 kW 230 V 50 Hz	W 410 mm D 475 mm H 360 mm	14 kg	174221	539.- €	4015613683195
250 Plus	250 mm	1 - 12 mm	195 mm	140 mm	190 r. / min.	0,13 kW 230 V 50 Hz	W 435 mm D 510 mm H 385 mm	14.8 kg	174251	629.- €	4015613664064
275 Plus	275 mm	1 - 12 mm	180 mm	150 mm	190 r. / min.	0,13 kW 230 V 50 Hz	W 435 mm D 520 mm H 385 mm	16.9 kg	174276	719.- €	4015613673189
300 Plus	300 mm	1 - 15 mm	230 mm	175 mm	186 r. / min.	0,2 kW 230 V 50 Hz	W 480 mm D 630 mm H 461 mm	20.8 kg	174301	919.- €	4015613683201

*RRP= Recommended Retail Price - all prices are recommendations only. The reseller is free to set his own sales prices | Subject to technical amendments.

Component parts



Knife 195 Basic

- Design knife: Standard
- Designed for: Sausage
- Material: Stainless steel, Hard chrome-plated
- Diameter knife: 195 mm
- Size: W 195 x D 195 x H 13 mm
- Weight: 0.64 kg
- GTIN: 4015613702469

174019

RRP* 52.- €



Blade 195, serrated blade

- Design knife: Corrugated edge
- Designed for: Sausage
- Material: Stainless steel, Hard chrome-plated
- Diameter knife: 195 mm
- Size: W 195 x D 195 x H 13 mm
- Weight: 0.64 kg
- GTIN: 4015613658254

174050

RRP* 95.- €



Blade 195, non-stick coated

- Design knife: Non-stick coating
- Designed for: Sausage
- Material: Stainless steel, Teflon-coated
- Diameter knife: 195 mm
- Size: W 195 x D 195 x H 13 mm
- Weight: 0.64 kg
- GTIN: 4015613658261

174051

RRP* 109.- €

Knife 220 Basic

- Design knife: Standard
- Designed for: Sausage
- Material: Stainless steel, Hard chrome-plated
- Diameter knife: 220 mm
- Size: W 220 x D 220 x H 15 mm
- Weight: 0.9 kg
- GTIN: 4015613694924

174022

RRP* 56.- €

Blade 220, serrated blade

- Design knife: Corrugated edge
- Designed for: Sausage
- Material: Stainless steel, Hard chrome-plated
- Diameter knife: 220 mm
- Size: W 220 x D 220 x H 15 mm
- Weight: 0.67 kg
- GTIN: 4015613658278

174052

RRP* 98.- €

Blade 220, non-stick coated

- Design knife: Non-stick coating
- Designed for: Sausage
- Material: Stainless steel, Teflon-coated
- Diameter knife: 220 mm
- Size: W 220 x D 220 x H 15 mm
- Weight: 0.67 kg
- GTIN: 4015613658285

174053

RRP* 109.- €

Knife 250 Basic

- Design knife: Standard
- Designed for: Sausage
- Material: Stainless steel, Hard chrome-plated
- Diameter knife: 250 mm
- Size: W 250 x D 250 x H 18 mm
- Weight: 1.2 kg
- GTIN: 4015613702483

174023

RRP* 62.- €

Blade 250, serrated blade

- Design knife: Corrugated edge
- Designed for: Sausage
- Material: Stainless steel, Hard chrome-plated
- Diameter knife: 250 mm
- Size: W 250 x D 250 x H 18 mm
- Weight: 1.2 kg
- GTIN: 4015613658292

174054

RRP* 109.- €

Blade 250, non-stick coated

- Design knife: Non-stick coating
- Designed for: Sausage
- Material: Stainless steel, Teflon-coated
- Diameter knife: 250 mm
- Size: W 250 x D 250 x H 18 mm
- Weight: 1.2 kg
- GTIN: 4015613658308

174055

RRP* 119.- €

Knife 275 Basic

- Design knife: Standard
- Designed for: Sausage
- Material: Stainless steel, Hard chrome-plated
- Diameter knife: 275 mm
- Size: W 275 x D 275 x H 22 mm
- Weight: 1.5 kg
- GTIN: 4015613702438

174027

RRP* 139.- €

Blade 275, serrated blade

- Design knife: Corrugated edge
- Designed for: Sausage
- Material: Stainless steel, Hard chrome-plated
- Diameter knife: 275 mm
- Size: W 275 x D 275 x H 22 mm
- Weight: 1.5 kg
- GTIN: 4015613658315

174056

RRP* 198.- €

Blade 275, non-stick coated

- Design knife: Non-stick coating
- Designed for: Sausage
- Material: Stainless steel, Teflon-coated
- Diameter knife: 275 mm
- Size: W 275 x D 275 x H 22 mm
- Weight: 1.5 kg
- GTIN: 4015613658322

174057

RRP* 229.- €

Knife 300 Basic

- Design knife: Standard
- Designed for: Sausage
- Material: Stainless steel, Hard chrome-plated
- Diameter knife: 300 mm
- Size: W 300 x D 300 x H 23 mm
- Weight: 2.1 kg
- GTIN: 4015613702308

174033

RRP* 165.- €

Blade 300, serrated blade

- Design knife: Corrugated edge
- Designed for: Sausage
- Material: Stainless steel, Hard chrome-plated
- Diameter knife: 300 mm
- Size: W 300 x D 300 x H 23 mm
- Weight: 2.1 kg
- GTIN: 4015613658339

174058

RRP* 225.- €

Blade 300, non-stick coated

- Design knife: Non-stick coating
- Designed for: Sausage
- Material: Stainless steel, Teflon-coated
- Diameter knife: 300 mm
- Size: W 300 x D 300 x H 23 mm
- Weight: 2.1 kg
- GTIN: 4015613658346

174059

RRP* 235.- €

Slicer PRO 250-G



Powerful and low-maintenance – the gear slicer with integrated knife sharpener is designed for cutting cold meats and cheese. For demanding use in large kitchens and butcher shops.

- Material: Aluminium
- Design: Oblique cutter / gravity slice
Motorised machine
- Designed for: Sausage
Cheese
- With knife sharpener: Yes
- Blade guard: Single
- Cutting guide: Yes
- Holder for remainders: Yes



	Diameter knife	Cutting thickness	Cutting length	Cutting height	Rpm max.	Power load	Size	Weight	Code-No.	RRP*	GTIN
PRO 250-G	250 mm	1 - 15 mm	200 mm	160 mm	300 r. / min.	0,16 kW 230 V 50 Hz	W 410 mm D 560 mm H 400 mm	22.3 kg	174303	1,598.- €	4015613714486
PRO 300-G	300 mm	1 - 30 mm	250 mm	220 mm	270 r. / min.	0,4 kW 230 V 50 Hz	W 547 mm D 615 mm H 545 mm	36 kg	174302	3,049.- €	4015613702131

Component parts

Knife Basic PRO 250-G

- Design knife: Standard
- Designed for: Sausage
- Material: Steel
- Diameter knife: 250 mm
- Size: W 250 x D 250 x H 23 mm
- Weight: 1 kg
- GTIN: 4015613814254



174304

RRP* 229.- €

Knife 300 Basic

- Designed for: Sausage
- Design knife: Standard
- Material: Stainless steel, Hard chrome-plated
- Diameter knife: 300 mm
- Size: W 300 x D 300 x H 23 mm
- Weight: 2.1 kg
- GTIN: 4015613702308



174033

RRP* 165.- €

Blade 300, serrated blade

- Design knife: Corrugated edge
- Designed for: Sausage
- Material: Stainless steel, Hard chrome-plated
- Diameter knife: 300 mm
- Size: W 300 x D 300 x H 23 mm
- Weight: 2.1 kg
- GTIN: 4015613658339



174058

RRP* 225.- €

Blade 300, non-stick coated

- Design knife: Non-stick coating
- Designed for: Sausage
- Material: Stainless steel, Teflon-coated
- Diameter knife: 300 mm
- Size: W 300 x D 300 x H 23 mm
- Weight: 2.1 kg
- GTIN: 4015613658346



174059

RRP* 235.- €

Vacuum packaging machines



Vacuum packaging machine 305/15L

300748

RRP* 159,- €

GTIN 4015613710907



Varied functions for flexible use – whether for gentle or normal vacuuming, vacuuming with vacuuming containers, marinating or sealing.



- Length welding rod 305 mm
- Number of welded joints 1



- Welding duration can be regulated 2 levels
- Vacuum pump 15 l/min. (0.9 m³/h)
- Maximum vacuum -800 mbar
- Vacuuming intensity can be regulated yes
- Properties Roll holder with integrated blade
- Including 1 vacuuming film roll (width 22 cm, length 3 m)
1 vacuuming film roll (width 28 cm, length 3 m)
1 connecting hose (for external vacuuming)
- Power load 0,13 kW | 230 V | 50 Hz
- Size W 400 x D 180 x H 92 mm
- Weight 2.5 kg

Vacuum sealer roll set 220

- Set comprises: 2 vacuum film rolls
- Width roll: 22 cm
- Length roll: 5 m
- Size: W 220 x D 40 x H 40 mm
- Weight: 0.46 kg
- GTIN: 4015613474946



300418

RRP* 18,- €

Vacuum sealer roll set 280

- Set comprises: 2 vacuum film rolls
- Width roll: 28 cm
- Length roll: 5 m
- Size: W 280 x D 50 x H 50 mm
- Weight: 0.51 kg
- GTIN: 4015613474953



300419

RRP* 20,- €

Vacuum container

- Material: Plastic
- Content: 1,5 litre(s)
- Stackable: Yes
- Size: W 135 x D 135 x H 180 mm
- Weight: 0.3 kg
- GTIN: 4015613632445



300422

RRP* 34,- €

Vacuum machine 300P/MSD, 320mm

300305

RRP* 559,- €

GTIN 4015613469775



- Material Plastic
- Length welding rod 320 mm
- Number of welded joints 1



- Welding duration can be regulated 0 - 10 seconds
- Vacuum pump 0.9 m³ / hours
- Vacuuming intensity can be regulated No
- Vacuum control Electronic
- Power load 0,49 kW | 230 V | 50-60 Hz
- Size W 390 x D 310 x H 140 mm
- Weight 4.5 kg

Vacuum packaging machine 420/20L

300746

RRP* 498.- €

GTIN 4015613699257



- Length welding rod 420 mm
- Number of welded joints 2
- Welding duration can be regulated 2 levels
- Vacuum pump 20 L / min. (approx. 1.2 m³ / hours)
- Maximum vacuum -900 mbar
- Vacuum control Electronic
- Properties Roll holder with integrated blade
- Including 1 vacuuming film roll (40 cm x 6 m)
- Power load 0,36 kW | 230 V | 50 Hz
- Size W 500 x D 395 x H 140 mm
- Weight 6.6 kg

Vacuum machine 400M

300435

RRP* 1,349.- €

GTIN 4015613578491



- Length welding rod 400 mm
- Number of welded joints 1
- Welding duration can be regulated 3 levels
- Vacuum pump approx. 31.5 L / min. (1.9 m³ / hours)
- Maximum vacuum -850 mbar
- Vacuuming intensity can be regulated No
- Vacuum control Electronic
- Properties Fluids collection insert
Pressure display via manometer
Roll holder with integrated blade
- Including 1 vacuuming film roll (40 cm x 3 m)
1 connecting hose (for vacuuming with containers)
5 vacuuming bags (40 x 50 cm)
- Power load 0,38 kW | 230 V | 50 Hz
- Size W 550 x D 325 x H 270 mm
- Weight 12.5 kg

Component parts

Vacuuming sealer roll set 400

- Set comprises: 2 vacuum film rolls
- Width roll: 40 cm
- Length roll: 6 m
- Size: W 400 x D 65 x H 65 mm
- Weight: 0.86 kg
- GTIN: 4015613715742



300424

RRP* 24.50 €

Vacuum bag, structured

- Content: 20 litre(s)
- Bag size: 400 x 600 mm
- Design: Seersucker (ribbed on one side)
- Sous-Vide suitable: Yes
- Order quantity unit: 1 box (50 bags)
- Size: W 400 x D 600 x H 30 mm
- Weight: 2 kg
- GTIN: 4015613473345



300414

RRP* 51.- €

Vacuum bags G1,2L



- Designed for External vacuuming units
- Design Seersucker (ribbed on one side)
- Sous-Vide suitable Yes
- Properties 4-layer
Free from softeners
Taste and smell-neutral
Heat resistant to 95 °C
Food-safe
- Order quantity unit 1 box (50 bags)

	Content	Bag size	Size	Weight	Code-No.	RRP*	GTIN
G1,2L	1,2 litre(s)	160 x 250 mm	W 160 x D 250 x H 25 mm	0.32 kg	300411	11.50 €	4015613459196
G2,5L	2,5 litre(s)	200 x 300 mm	W 200 x D 300 x H 25 mm	0.5 kg	300412	14.- €	4015613459202
G7,5L	7,5 litre(s)	300 x 400 mm	W 300 x D 400 x H 25 mm	1.1 kg	300413	25.50 €	4015613459219



Vacuum packaging machine K 250/150L

300301

RRP* 2,949.- €

GTIN 4015613708355



Powerful and solid chamber vacuum machine with intuitive control. Enclosed insert plates achieve height compensation in the chamber as required.



- Material lid Plexiglas
- Length welding rod 250 mm
- Number of welded joints 1
- Welding duration can be regulated 6 levels
- Chamber dimensions W 256 x D 370 x H 125 mm
- Vacuum pump 150 L / min. (8-9 m³ / hours)
- Maximum vacuum -995 mbar
- Vacuuming intensity can be regulated No
- Including 2 insert plates for height compensation (250 x 300 x 17 mm)
- Power load 0,5 kW | 230 V | 50 Hz
- Size W 320 x D 540 x H 265 mm
- Weight 29 kg



Vacuum packaging machine 290/4

300744

RRP* 1,359.- €

GTIN 4015613651897



- Material lid Polymethyl methacrylate (PMMA)
- Length welding rod 290 mm
- Number of welded joints 1
- Welding duration can be regulated 0 - 6 seconds
- Chamber dimensions W 350 x D 300 x H 110 mm
- Vacuum pump approx. 77 L / min. (4.62 m³ / hours)
- Maximum vacuum -992 mbar
- Vacuuming intensity can be regulated In 5 levels and manual
- Vacuum control Electronic
- Power load 0,63 kW | 230 V | 50 Hz
- Size W 360 x D 500 x H 350 mm
- Weight 25 kg





Everything under control: The chamber vacuum packaging machine is equipped with a glass lid and a manometer to monitoring underpressure. A clamp bar in the chamber prevents the vacuuming bag from slipping.



- Material lid Glass
- Length welding rod 300 mm
- Number of welded joints 2
- Welding duration can be regulated 3 - 9 seconds
- Chamber dimensions W 305 x D 320 x H 90 mm
- Vacuum pump 60 L / min. (approx. 4 m³ / hours)
- Maximum vacuum -900 mbar
- Vacuuming intensity can be regulated yes
- Vacuum control Time-controlled
- Properties Vacuuming time: 20 - 99 seconds
Pressure display via manometer
Clip for vacuuming bag
- Including 30 vacuuming bags (280 x 330 mm)
- Power load 0,35 kW | 230 V | 50 Hz
- Size W 375 x D 440 x H 271 mm
- Weight 15.1 kg

Vacuum bags K1,2L



- Designed for Chamber vacuuming units
- Design Smooth
- Sous-Vide suitable Yes
- Properties 4-layer
Free from softeners
Taste and smell-neutral
Can be cooked up to 120 °C
Food-safe
- Order quantity unit 1 pack (100 bags)

	Content	Bag size	Size	Weight	Code-No.	RRP*	GTIN
K1,2L	1,2 litre(s)	160 x 250 mm	W 160 x D 250 x H 25 mm	0.32 kg	300311	18.- €	4015613610320
K2,5L	2,5 litre(s)	200 x 300 mm	W 200 x D 300 x H 25 mm	0.5 kg	300312	26.- €	4015613610337
K7,5L	7,5 litre(s)	300 x 350 mm	W 300 x D 350 x H 25 mm	1 kg	300313	46.50 €	4015613610344

Salad spinner K1-12L



For effective, reliable and hygienic preparation of crisp salads and fresh vegetables. Its advantages include easy handling and cleaning.



- Material Plastic
- Drive Crank handle
- Food-safe Yes
- Dishwasher safe Yes
- Special features Also suitable for drying vegetables



	Content	Water outlet	Size	Weight	Code-No.	RRP*	GTIN
K1-12L	12 litre(s)	—	W 320 x D 320 x H 440 mm	2.2 kg	120710	135.- €	4015613678245
K1-25L	25 litre(s)	Drain hose	W 420 x D 420 x H 520 mm	3.3 kg	120709	149.- €	4015613676586



Our favourite part is the detail:

Bartscher quality must be noticeable at all times – even if it is a simple pot or gastronorm container.

We present our extensive range to you on the following pages.

KITCHEN ACCESSORIES

GN-container, Basic Line



GN containers acc. to EN 631 made of rustproof chrome nickel steel with silk matt surface



- Material
- Norm
- Surface
- Stackable

Chrome-nickel steel
EN 631
Silk matt
Yes

Gastronorm	Depth container	Content	Size	Weight	Code-No.	RRP*	GTIN
1/1 GN	20 mm	3,4 litre(s)	W 530 x D 325 x H 20 mm	0.25 kg	711020	11.- €	4015613695556
1/1 GN	40 mm	5 litre(s)	W 530 x D 325 x H 40 mm	0.5 kg	711040	14.50 €	4015613695570
1/1 GN	65 mm	9 litre(s)	W 530 x D 325 x H 65 mm	0.6 kg	711065	16.- €	4015613695587
1/1 GN	100 mm	14 litre(s)	W 530 x D 325 x H 100 mm	0.7 kg	711100	19.- €	4015613695594
1/1 GN	150 mm	21 litre(s)	W 530 x D 325 x H 150 mm	0.8 kg	711150	27.- €	4015613695600
1/1 GN	200 mm	28 litre(s)	W 530 x D 325 x H 200 mm	0.9 kg	711200	34.- €	4015613695617
2/3 GN	20 mm	2,3 litre(s)	W 354 x D 325 x H 20 mm	0.15 kg	723020	9.- €	4015613695624
2/3 GN	40 mm	3 litre(s)	W 354 x D 325 x H 40 mm	0.2 kg	723040	10.- €	4015613695631
2/3 GN	65 mm	5,5 litre(s)	W 354 x D 325 x H 65 mm	0.25 kg	723065	12.50 €	4015613695648
2/3 GN	100 mm	9 litre(s)	W 355 x D 325 x H 100 mm	0.75 kg	723100	15.50 €	4015613695655
2/3 GN	150 mm	13 litre(s)	W 354 x D 325 x H 150 mm	0.5 kg	723150	20.50 €	4015613695662
2/3 GN	200 mm	18 litre(s)	W 354 x D 325 x H 200 mm	0.6 kg	723200	25.- €	4015613695679
1/2 GN	20 mm	1,6 litre(s)	W 325 x D 265 x H 20 mm	0.1 kg	712020	8.50 €	4015613695686
1/2 GN	40 mm	2 litre(s)	W 325 x D 265 x H 40 mm	0.2 kg	712040	9.50 €	4015613695693
1/2 GN	65 mm	4 litre(s)	W 325 x D 265 x H 65 mm	0.25 kg	712065	10.50 €	4015613695709
1/2 GN	100 mm	6,5 litre(s)	W 325 x D 265 x H 100 mm	0.55 kg	712100	13.50 €	4015613695716
1/2 GN	150 mm	9,5 litre(s)	W 325 x D 265 x H 150 mm	0.4 kg	712150	19.- €	4015613695723
1/2 GN	200 mm	12,5 litre(s)	W 325 x D 265 x H 200 mm	0.5 kg	712200	22.50 €	4015613695730
1/3 GN	20 mm	1,1 litre(s)	W 325 x D 176 x H 20 mm	0.24 kg	713020	7.- €	4015613695747
1/3 GN	40 mm	1,5 litre(s)	W 325 x D 176 x H 40 mm	0.1 kg	713040	9.- €	4015613695761
1/3 GN	65 mm	2,5 litre(s)	W 325 x D 176 x H 65 mm	0.15 kg	713065	10.50 €	4015613695778
1/3 GN	100 mm	4 litre(s)	W 325 x D 176 x H 100 mm	0.3 kg	713100	11.50 €	4015613695785
1/3 GN	150 mm	5,75 litre(s)	W 325 x D 176 x H 150 mm	0.69 kg	713150	16.50 €	4015613695792
1/3 GN	200 mm	7,8 litre(s)	W 325 x D 176 x H 200 mm	0.5 kg	713200	20.50 €	4015613695808
1/4 GN	20 mm	0,8 litre(s)	W 265 x D 162 x H 20 mm	0.07 kg	714020	5.75 €	4015613695822
1/4 GN	40 mm	1,6 litre(s)	W 265 x D 162 x H 40 mm	0.08 kg	714040	8.25 €	4015613695839
1/4 GN	65 mm	1,8 litre(s)	W 265 x D 162 x H 65 mm	0.12 kg	714065	9.- €	4015613695846
1/4 GN	100 mm	2,8 litre(s)	W 265 x D 162 x H 100 mm	0.2 kg	714100	10.- €	4015613695853
1/4 GN	150 mm	4 litre(s)	W 265 x D 162 x H 150 mm	0.4 kg	714150	14.- €	4015613695860
1/6 GN	65 mm	1 litre(s)	W 176 x D 162 x H 65 mm	0.07 kg	716065	7.25 €	4015613695877
1/6 GN	100 mm	1,6 litre(s)	W 176 x D 162 x H 100 mm	0.12 kg	716100	8.50 €	4015613695884
1/6 GN	150 mm	2,4 litre(s)	W 176 x D 162 x H 150 mm	0.2 kg	716150	11.50 €	4015613695891
1/9 GN	65 mm	0,6 litre(s)	W 176 x D 108 x H 65 mm	0.06 kg	719065	5.75 €	4015613695907
1/9 GN	100 mm	1 litre(s)	W 176 x D 108 x H 100 mm	0.1 kg	719100	8.50 €	4015613695914

Lid, Basic Line



Gastronorm	Weight	Code-No.	RRP*	GTIN
1/1 GN	0.3 kg	711311	14.- €	4015613695921
2/3 GN	0.3 kg	711323	13.- €	4015613695938
1/2 GN	0.25 kg	711312	11.- €	4015613695945
1/3 GN	0.2 kg	711313	8.50 €	4015613695969
1/4 GN	0.15 kg	711314	7.- €	4015613695976
1/6 GN	0.1 kg	711316	5.75 €	4015613695983
1/9 GN	0.08 kg	711319	4.25 €	4015613695990

GN container, Top Line



CNS 18/10
EN 631
High-gloss
Yes

Gastronorm	Depth container	Content	Size	Weight	Code-No.	RRP*	GTIN
2/1 GN	20 mm	6,9 litre(s)	W 650 x D 530 x H 20 mm	1.8 kg	A120020	35.- €	4015613273662
2/1 GN	40 mm	10 litre(s)	W 650 x D 530 x H 40 mm	1.7 kg	A120040	37.- €	4015613271040
2/1 GN	65 mm	18,5 litre(s)	W 650 x D 530 x H 65 mm	2.5 kg	A120065	42.- €	4015613271057
2/1 GN	100 mm	28,5 litre(s)	W 650 x D 530 x H 100 mm	3.1 kg	A120103	49.- €	4015613271811
2/1 GN	150 mm	42,5 litre(s)	W 650 x D 530 x H 150 mm	3 kg	A120153	72.- €	4015613271828
1/1 GN	20 mm	3,4 litre(s)	W 530 x D 325 x H 20 mm	0.9 kg	A121025	18.- €	4016098166722
1/1 GN	40 mm	5 litre(s)	W 530 x D 325 x H 40 mm	1.1 kg	A121040	20.50 €	4015613271064
1/1 GN	65 mm	9 litre(s)	W 530 x D 325 x H 65 mm	1.3 kg	A121065	24.- €	4016098162755
1/1 GN	100 mm	14 litre(s)	W 530 x D 325 x H 100 mm	1.4 kg	A121100	27.50 €	4016098162762
1/1 GN	150 mm	21 litre(s)	W 530 x D 325 x H 150 mm	1.7 kg	A120610	40.- €	4016098101204
1/1 GN	200 mm	28 litre(s)	W 530 x D 325 x H 200 mm	2.1 kg	A121200	52.- €	4015613271071
2/4 GN	20 mm	1,6 litre(s)	W 530 x D 162 x H 20 mm	0.5 kg	A128020	13.- €	4015613271118
2/4 GN	40 mm	2 litre(s)	W 530 x D 162 x H 40 mm	0.55 kg	A128040	16.- €	4015613271125
2/4 GN	65 mm	3,8 litre(s)	W 530 x D 162 x H 65 mm	0.75 kg	A128065	19.50 €	4015613271132
2/4 GN	100 mm	6 litre(s)	W 530 x D 162 x H 100 mm	1 kg	A128100	26.- €	4015613271149
2/4 GN	150 mm	9 litre(s)	W 530 x D 162 x H 150 mm	1.2 kg	A128150	36.- €	4015613271156
2/3 GN	20 mm	2,3 litre(s)	W 354 x D 325 x H 20 mm	0.55 kg	A125020	13.50 €	4015613271194
2/3 GN	40 mm	3 litre(s)	W 354 x D 325 x H 40 mm	0.75 kg	A125040	18.- €	4015613271200
2/3 GN	65 mm	5,5 litre(s)	W 354 x D 325 x H 65 mm	0.83 kg	A125065	20.- €	4015613271217
2/3 GN	100 mm	9 litre(s)	W 354 x D 325 x H 100 mm	1.1 kg	A125100	24.- €	4015613271224
2/3 GN	150 mm	13 litre(s)	W 354 x D 325 x H 150 mm	1.4 kg	A125150	34.- €	4015613271231
2/3 GN	200 mm	18 litre(s)	W 354 x D 325 x H 200 mm	1.6 kg	A125200	42.- €	4015613271248
1/2 GN	20 mm	1,6 litre(s)	W 325 x D 265 x H 20 mm	0.45 kg	A122020	10.50 €	4015613271088
1/2 GN	40 mm	2 litre(s)	W 325 x D 265 x H 40 mm	0.6 kg	A122040	12.- €	4015613271095
1/2 GN	65 mm	4 litre(s)	W 325 x D 265 x H 65 mm	0.6 kg	A122065	13.50 €	4016098162779
1/2 GN	100 mm	6,5 litre(s)	W 325 x D 265 x H 100 mm	0.7 kg	A122100	17.- €	4016098162786
1/2 GN	150 mm	9,5 litre(s)	W 325 x D 265 x H 150 mm	1.1 kg	A120620	25.50 €	4015613278988
1/2 GN	200 mm	12,5 litre(s)	W 325 x D 265 x H 200 mm	1.2 kg	A122200	35.- €	4015613271101
1/3 GN	20 mm	1,1 litre(s)	W 325 x D 176 x H 20 mm	0.25 kg	A123020	9.- €	4015613271255
1/3 GN	40 mm	1,5 litre(s)	W 325 x D 176 x H 40 mm	0.4 kg	A123040	10.50 €	4015613271262
1/3 GN	65 mm	2,5 litre(s)	W 325 x D 176 x H 65 mm	0.45 kg	A123065	12.- €	4016098162793
1/3 GN	100 mm	4 litre(s)	W 325 x D 176 x H 100 mm	0.55 kg	A123100	16.50 €	4016098162809
1/3 GN	150 mm	5,75 litre(s)	W 325 x D 176 x H 150 mm	0.6 kg	A123150	24.- €	4016098101266
1/3 GN	200 mm	7,8 litre(s)	W 325 x D 176 x H 200 mm	0.9 kg	A123200	30.- €	4015613271279
1/4 GN	20 mm	0,8 litre(s)	W 265 x D 162 x H 20 mm	0.2 kg	A124020	8.- €	4015613271163
1/4 GN	65 mm	1,8 litre(s)	W 265 x D 162 x H 65 mm	0.3 kg	A124065	10.50 €	4015613271170
1/4 GN	100 mm	2,8 litre(s)	W 265 x D 162 x H 100 mm	0.45 kg	A124100	12.- €	4016098170354
1/4 GN	150 mm	4 litre(s)	W 265 x D 162 x H 150 mm	0.65 kg	A120640	20.- €	4016098101297
1/4 GN	200 mm	5,5 litre(s)	W 265 x D 162 x H 200 mm	0.85 kg	A124200	25.- €	4015613271187
1/6 GN	65 mm	1 litre(s)	W 176 x D 162 x H 65 mm	0.2 kg	A126065	9.- €	4016098170385
1/6 GN	100 mm	1,6 litre(s)	W 176 x D 162 x H 100 mm	0.3 kg	A126100	11.- €	4016098170378
1/6 GN	150 mm	2,4 litre(s)	W 176 x D 162 x H 150 mm	0.35 kg	A120650	19.- €	4016098101327
1/6 GN	200 mm	3,4 litre(s)	W 176 x D 162 x H 200 mm	0.45 kg	A126200	28.- €	4015613271286
1/9 GN	65 mm	0,6 litre(s)	W 176 x D 108 x H 65 mm	0.1 kg	A129065	9.- €	4016098169181
1/9 GN	100 mm	1 litre(s)	W 176 x D 108 x H 100 mm	0.2 kg	A129100	10.50 €	4016098169198

GN container perforated, Top Line



CNS 18/10



- Material
- Norm
- Surface
- Design
- Stackable

CNS 18/10
EN 631
High-gloss
With perforation (holes)
Yes

Gastronorm	Depth container	Content	Size	Weight	Code-No.	RRP*	GTIN
1/1 GN	65 mm	9 litre(s)	W 530 x D 325 x H 65 mm	1.1 kg	A101065	35.- €	4016098175229
1/1 GN	100 mm	14 litre(s)	W 530 x D 325 x H 100 mm	1.4 kg	A101100	42.- €	4016098175236
1/1 GN	150 mm	21 litre(s)	W 530 x D 325 x H 150 mm	1.6 kg	A101150	57.- €	4016098175243
2/3 GN	65 mm	5,5 litre(s)	W 354 x D 325 x H 65 mm	0.9 kg	A103065	28.- €	4015613278940
2/3 GN	100 mm	9 litre(s)	W 354 x D 325 x H 100 mm	0.95 kg	A103100	38.- €	4015613487618
2/3 GN	150 mm	13 litre(s)	W 354 x D 325 x H 150 mm	1 kg	A103150	54.- €	4015613487625
1/2 GN	65 mm	4 litre(s)	W 325 x D 265 x H 65 mm	0.65 kg	A102065	22.- €	4016098175199
1/2 GN	100 mm	6,5 litre(s)	W 325 x D 265 x H 100 mm	0.7 kg	A102100	27.- €	4016098175205
1/2 GN	150 mm	9,5 litre(s)	W 325 x D 265 x H 150 mm	0.95 kg	A102150	33.- €	4016098175212

Lid



CNS 18/10

Gastronorm	Weight	Code-No.	RRP*	GTIN
1/1 GN	1 kg	A120615	20.50 €	4016098101211
2/3 GN	0.65 kg	A120634	12.50 €	4015613271293
1/2 GN	0.45 kg	A120625	12.- €	4016098101242
1/3 GN	0.3 kg	A120635	10.50 €	4016098101273
1/4 GN	0.2 kg	A120645	9.- €	4016098101303
1/6 GN	0.18 kg	A120655	7.- €	4016098101334
1/9 GN	0.1 kg	A120649	5.50 €	4016098169204

Lid with spoon recess



CNS 18/10

Gastronorm	Weight	Code-No.	RRP*	GTIN
1/1 GN	0.95 kg	A120616	22.- €	4016098101228
2/3 GN	0.6 kg	A120637	16.- €	4015613271309
1/2 GN	0.4 kg	A120626	14.- €	4016098101259
1/3 GN	0.3 kg	A120636	12.50 €	4016098101280
1/4 GN	0.25 kg	A120646	10.50 €	4016098101310
1/6 GN	0.15 kg	A120656	9.- €	4016098101341

Lid with sealing



CNS 18/10

Gastronorm	Weight	Code-No.	RRP*	GTIN
1/1 GN	0.95 kg	A120615D	46.- €	4015613409054
2/3 GN	0.55 kg	A120634D	39.- €	4015613409061
1/2 GN	0.4 kg	A120625D	30.- €	4015613409078
1/3 GN	0.3 kg	A120635D	25.- €	4015613409085
1/4 GN	0.2 kg	A120645D	22.- €	4015613409092
1/6 GN	0.1 kg	A120655D	19.50 €	4015613409108

Component parts

Intermediate bar, 325 mm

- Size: W 330 x D 20 x H 35 mm
- Weight: 0.1 kg
- GTIN: 4016098101181

A120601

RRP* 8.50 €

Intermediate bar, 530 mm

- Size: W 530 x D 20 x H 35 mm
- Weight: 0.15 kg
- GTIN: 4016098101198

A120602

RRP* 10.- €

Tray GN




- Material
- Norm
- Surface
- Reinforced edge
- Stackable



CNS 18/10
EN 631
Silk matt
Yes
Yes

Gastronorm	Depth container	Size	Weight	Code-No.	RRP*	GTIN
2/1 GN	20 mm	W 650 x D 530 x H 20 mm	2.7 kg	A101181	47.- €	4015613271699
2/1 GN	40 mm	W 650 x D 530 x H 40 mm	2 kg	A101182	59.- €	4015613271705
2/1 GN	65 mm	W 650 x D 530 x H 65 mm	2.5 kg	A101183	65.- €	4015613271712
1/1 GN	20 mm	W 530 x D 325 x H 20 mm	1.5 kg	A101185	27.- €	4015613271729
1/1 GN	40 mm	W 530 x D 325 x H 40 mm	1.5 kg	A101186	32.- €	4015613271736
1/1 GN	65 mm	W 530 x D 325 x H 65 mm	1.7 kg	A101187	37.- €	4015613271743
1/2 GN	20 mm	W 325 x D 265 x H 25 mm	0.7 kg	A101190	16.- €	4015613271750
1/2 GN	40 mm	W 325 x D 265 x H 40 mm	0.75 kg	A101191	20.- €	4015613271767
1/2 GN	65 mm	W 325 x D 265 x H 65 mm	0.8 kg	A101192	22.- €	4015613271774
2/3 GN	20 mm	W 354 x D 325 x H 20 mm	1.2 kg	A101195	20.- €	4015613271781
2/3 GN	40 mm	W 355 x D 325 x H 40 mm	1.1 kg	A101196	27.- €	4015613271798
2/3 GN	65 mm	W 354 x D 325 x H 65 mm	0.75 kg	A101197	30.- €	4015613271804

Grid GN



- Material

CNS 18/10

Gastronorm	Size	Weight	Code-No.	RRP*	GTIN
2/1 GN	W 650 x D 530 x H 10 mm	1.9 kg	A101092	58.- €	4016098175267
1/1 GN	W 325 x D 530 x H 10 mm	0.95 kg	A101091	37.- €	4016098175250
1/2 GN	W 330 x D 265 x H 55 mm	0.76 kg	786009	45.- €	4015613815275
2/3 GN	W 355 x D 325 x H 10 mm	0.79 kg	133212	30.- €	4015613332123

Shelf perforated, GN



Gastronorm	Weight	Code-No.	RRP*	GTIN
1/1 GN	0.8 kg	A101161	33.- €	4015613271644
1/2 GN	0.4 kg	A101162	25.- €	4015613271651
1/3 GN	0.3 kg	A101163	18.- €	4015613271682
1/4 GN	0.25 kg	A101164	16.- €	4015613271668



Label holder 610-1AL



- Material
- Material casters

Aluminium
Glass

	Design	Size	Weight	Code-No.	RRP*	GTIN
610-1AL	610 mm wide	W 610 x D 60 x H 20 mm	0.45 kg	A256061V	24.- €	4015613799513
910-1AL	910 mm wide	W 910 x D 60 x H 20 mm	1 kg	A256091V	29.- €	4015613799520

Cutlery tray 1/1GN polypropylene

A500410

RRP* 10.- €

GTIN 4015613584164



- Material
- Gastronorm
- Number of shelves
- Stackable
- Size
- Weight

Polypropylene
1/1 GN
4
Yes
W 530 x D 325 x H 100 mm
0.7 kg

Cutlery holder BK40

500445

RRP* 45.- €

GTIN 4015613803029



- Number of shelves
- Designed for
- Not included in delivery
- Size
- Weight

4
4 cutlery holders, Ø 90 mm, H 140 mm
Cutlery holder
W 267 x D 304 x H 204 mm
2.3 kg

Cutlery holder BK60

500446

RRP* 55.- €

GTIN 4015613803036



- Number of shelves
- Designed for
- Not included in delivery
- Size
- Weight

6
6 cutlery holders, Ø 90 mm, H 140 mm
Cutlery holder
W 388 x D 304 x H 204 mm
2.5 kg

Component parts

Cutlery holder BKCNS

- Material: Chrome-nickel steel
- Diameter: 90 mm
- Size: W 96 x D 96 x H 140 mm
- Weight: 0.19 kg
- GTIN: 4015613812786



500447

RRP* 10.- €

Cutlery holder BKKST

- Material: Plastic
- Colour: White
- Diameter: 90 mm
- Size: W 99 x D 99 x H 141 mm
- Weight: 0.1 kg
- GTIN: 4015613812793



500448

RRP* 2.- €

Wok pan W385F

A105973

RRP* 79.- €

GTIN 4015613668468



- Design base Flat
- Content 5,5 litre(s)
- Diameter surface 145 mm
- Diameter 385 mm
- Height pan without lid 140 mm
- Induction-suitable Yes
- Size W 645 x D 385 x H 140 mm
- Weight 1.7 kg

Frying pan E180-D1



A real all-rounder in every kitchen - whether frying, roasting, or heating food, this stainless steel frying pan and matching lid are ideal for use on any hob.

- Roasting surface design Stainless steel
- Material handle(s) Brushed
- Handle properties Stainless steel
- Induction-suitable Thermally insulated
- Including Yes
- 1 lid




	Inside diameter	Diameter surface	Pan height	Size	Weight	Code-No.	RRP*	GTIN
E180-D1	180 mm	125 mm	65 mm	W 199 x D 199 x H 110 mm	0.81 kg	100454	55.- €	4015613773209
E200-D1	200 mm	145 mm	65 mm	W 221 x D 221 x H 112 mm	0.97 kg	100456	59.- €	4015613773216
E240-D1	240 mm	190 mm	75 mm	W 267 x D 267 x H 130 mm	1.57 kg	100457	69.- €	4015613773223

Frying pan 240A



Frying pan with non-stick coating
For low fat frying on all types of cooking hobs.

- Material Aluminium
- Stainless steel
- Roasting surface design Non stick coating (Quan Tanium)
- Material handle(s) Stainless steel
- Handle properties Thermally insulated
- Induction-suitable Yes
- Pan height 55 mm



	Inside diameter	Diameter surface	Size	Weight	Code-No.	RRP*	GTIN
240A	240 mm	175 mm	W 490 x D 250 x H 140 mm	0.9 kg	A150324	65.- €	4015613677958
280A	280 mm	205 mm	W 530 x D 290 x H 140 mm	1.2 kg	A150328	79.- €	4015613677965
300A	300 mm	230 mm	W 550 x D 310 x H 140 mm	1.4 kg	A150330	89.- €	4015613677972

Cooking pot E3L-SG1



This stainless steel cooking pot is an all-rounder on all types of stove. With its fixed, long handle, it guarantees optimum handling in the kitchen.



- With pouring rim
- Induction-suitable
- Handle properties
- Including

Yes
Yes
Thermally insulated
1 lid



	Content	Diameter surface	Size	Weight	Code-No.	RRP*	GTIN
E3L-SG1	3 litre(s)	158 mm	W 199 x D 199 x H 152 mm	1.1 kg	100450	59.- €	4015613773162
E4L-SG1	4 litre(s)	175 mm	W 223 x D 223 x H 175 mm	1.3 kg	100451	65.- €	4015613773179
E6.7L-SG1	6,7 litre(s)	215 mm	W 266 x D 266 x H 206 mm	1.9 kg	100452	85.- €	4015613773186
E10.4L-SG1	10,4 litre(s)	250 mm	W 308 x D 308 x H 227 mm	3 kg	100453	105.- €	4015613773193

Cooking pot E6,1L-1



This stainless steel cooking pot is an all-rounder on all types of stove. The heat-insulated handles enable safe handling during work in the kitchen.



- With pouring rim
- Induction-suitable
- Handle properties
- Including

Yes
Yes
Thermally insulated
1 lid



	Material	Content	Diameter surface	Size	Weight	Code-No.	RRP*	GTIN
E6,1L-1	Stainless steel	6,1 litre(s)	175 mm	W 305 mm D 305 mm H 247 mm	1.7 kg	100446	69.- €	4015613773124
E10,4L-1	Stainless steel	10,4 litre(s)	262 mm	W 423 mm D 423 mm H 207 mm	3.2 kg	100449	98.- €	4015613773155
E11L-1	Stainless steel	11 litre(s)	215 mm	W 337 mm D 337 mm H 292 mm	2.4 kg	100447	89.- €	4015613773131
E16L-1	Stainless steel	16 litre(s)	290 mm	W 445 mm D 445 mm H 264 mm	3.9 kg	100448	119.- €	4015613773148
25L-D290	CNS 18/10	25 litre(s)	290 mm	W 320 mm D 320 mm H 326 mm	4.5 kg	100441	145.- €	4015613699660
25 L, w. lid	Stainless steel	25 litre(s)	330 mm	W 430 mm D 430 mm H 275 mm	6.1 kg	100440	159.- €	4015613647746
30 L, w. lid	Stainless steel	30 litre(s)	330 mm	W 430 mm D 430 mm H 325 mm	6.4 kg	100445	175.- €	4015613647753
70L-D380	CNS 18/10	70 litre(s)	380 mm	W 450 mm D 450 mm H 450 mm	12 kg	100442	298.- €	4015613714851

Cookware set T4P1

A130442

RRP* 145.- €

GTIN 4015613417158



• Set comprises

- Induction-suitable
- Handle properties
- Size
- Weight

4 pots with a lid and 1 pan
 Pot 1: contents 2 litres, Ø surface 16 cm, height 10 cm
 Pot 2: contents 2.7 litres, Ø surface 18 cm, height 11 cm
 Pot 3: contents 5.1 litres, Ø surface 24 cm, height 11.5 cm
 Pot 4: contents 6.1 litres, Ø surface 20 cm, height 20 cm
 Pan: contents 2.8 litres, Ø surface 24 cm, height 6.5 cm
 Yes
 Cold handle(s)
 W 585 x D 340 x H 245 mm
 6 kg

Cookware set T4

A130441

RRP* 219.- €

GTIN 4015613403977



• Set comprises

- Induction-suitable
- Handle properties
- Size
- Weight

4 pots with a lid
 Pot 1: contents 8 litres, Ø surface 24 cm, height 20 cm
 Pot 2: contents 9 litres, Ø surface 26 cm, height 20.5 cm
 Pot 3: contents 13 litres, Ø surface 28 cm, height 22.5 cm
 Pot 4: contents 15 litres, Ø surface 30 cm, height 25 cm
 Yes
 Cold handle(s)
 W 360 x D 315 x H 425 mm
 9 kg

Oven gloves 300



The pair of cotton oven gloves is highly heat resistant thanks to the integrated flame protection. The practical loop ensures a clean and tidy work area.

- Material: Cotton 100 % (exterior)
- Colour: Black
- Heat resistant to: 250 °C
- Properties: With flame protection, With hanger, Fabric density: 640 g/m²
- Important information: Do not wash to maintain flame protection



	Length	Size	Weight	Code-No.	RRP*	GTIN
Oven gloves 300	300 mm	W 200 x D 300 x H 35 mm	0.23 kg	A500510	16.- €	4015613735467
Oven gloves 370	370 mm	W 220 x D 370 x H 35 mm	0.28 kg	A500511	18.- €	4015613735474
Oven gloves 420	420 mm	W 235 x D 420 x H 35 mm	0.36 kg	A500512	19.- €	4015613735481
Oven gloves 600	600 mm	W 230 x D 600 x H 35 mm	0.51 kg	A500513	26.- €	4015613735498

Salt shaker 300



- Material Aluminium
- Design With screw-on lid
- Designed for Salt
Spices
Sugar
Flour
- Order quantity unit 1 box (6 salt shaker)

	Content	Size	Weight	Code-No.	RRP*	GTIN
Salt shaker 300	300 ml	W 70 x D 70 x H 115 mm	0.06 kg	680654	30.- €	4015613762036
Salt shaker 650	650 ml	W 85 x D 85 x H 190 mm	0.11 kg	680655	64.- €	4015613762050

Bread cutting board KSE475

C120100

RRP* 60.- €

GTIN 4015613412795



- Material Wood
- Properties Stainless steel
- Including Integrated knife tray
Crumb tray, stainless steel
1 bread knife, stainless steel with a plastic handle
- Size W 475 x D 260 x H 40 mm
- Weight 1.9 kg

Cutting board 40x30 W



For fish, meat, vegetables or fruit – food-safe, anti-slip cutting board in a light and handy design.



- Material Polyethylene
- Colour White
- Board thickness 15 mm



	Cutting surface	Size	Weight	Code-No.	RRP*	GTIN
40x30 W	400 x 300 mm	W 400 x D 300 x H 20 mm	1.6 kg	A120587	20.- €	4015613690339
60x40 W	600 x 400 mm	W 600 x D 400 x H 20 mm	3.4 kg	A120592	40.- €	4015613690346

Cutting board 48x37 W-RK



The cutting board is equipped with two stopper edges, which on the one hand ensure a secure hold on the work surface and on the other hand prevent food from slipping off.



- Material Plastic
- Colour White
- Board thickness 10 mm
- Juice groove All-round
- Stopper edge Yes

	Cutting surface	Size	Weight	Code-No.	RRP*	GTIN
Cutting board 48x37 W-RK	415 x 300 mm	W 480 mm D 375 mm H 45 mm	1.7 kg	A120593	26.50 €	4015613716084
Cutting board PE, stop-edge, white	520 x 300 mm	W 580 mm D 375 mm H 45 mm	2.1 kg	A120588	28.- €	4015613405025

Cutting board PRO 53x32 W-R



Hygiene in focus with the PRO cutting board series – different coloured cutting boards for various food groups. The HACCP compliant white cutting board is designed for cutting pastries or milk products such as cheese.

- Material High-density polyethylene (HDPE)
- Cutting surface 490 x 285 mm
- Board thickness 20 mm
- Juice groove yes
- Size W 530 x D 325 x H 24 mm
- Weight 3.2 kg



▶ Different coloured cutting boards for various food groups



▶ Board thickness: 20 mm
▶ Dishwasher-suitable

	Colour	Code-No.	RRP*	GTIN
Cutting board PRO 53x32 W-R	White	A120511	33.- €	4015613710273
Cutting board PRO 53x32 GR-R	Green	A120512	33.- €	4015613712055
Cutting board PRO 53x32 R-R	Red	A120513	33.- €	4015613712062
Cutting board PRO 53x32 B-R	Blue	A120514	33.- €	4015613712079
Cutting board PRO 53x32 GE-R	Yellow	A120515	33.- €	4015613712086

Cutting board stands 60

- Material: Stainless steel
- Capacity: 6 cutting boards
- Dishwasher-suitable: Yes
- Size: W 265 x D 280 x H 305 mm
- Weight: 1.2 kg
- GTIN: 4015613733722



A120516

RRP* 33.- €

Blow torch 1300GK

A150646

RRP* 25.- €

GTIN 4015613783451



- Gas type Butane
- Ignition type Piezo ignition
- Temperature range to 1300 °C
- Flame can be regulated Yes
- Can be refilled No
- Not included in delivery Gas cartridge
- Important information A Bartscher gas cartridge is required for operation
- Size W 190 x D 35 x H 60 mm
- Weight 0.16 kg

Blow torch 1300FG

A555302

RRP* 31.- €

GTIN 4015613409498



- Gas type Lighter gas
- Ignition type Piezo ignition
- Temperature range to 1300 °C
- Flame can be regulated Yes
- Can be refilled Yes
- Not included in delivery Filling
- Size W 95 x D 70 x H 165 mm
- Weight 0.15 kg

Doner kebab knife 1000-E06

370158

RRP* 159.- €

GTIN 4015613615561



- Design knife

Stainless steel
Smooth



- Diameter knife
- Cutting thickness

100 mm
0 - 6 mm



- Rpm max.
- Blade guard
- Connection cable model
- Including

2560 r. / min.
Yes
Cable length: 2,8 m
1 spare blade

- Power load
- Size
- Weight

1 sharpening stone
0,08 kW | 230 V | 50 Hz
W 130 x D 190 x H 256 mm
1.4 kg

Knife steriliser 9-330

110438

RRP* 375.- €

GTIN 4015613754888



- Capacity
- Max. blade length
- Max. handle length
- Min. sterilisation time

9 knives
330 mm
145 mm
30 minute(s)



- Sterilisation method
- Door hinge side

UV light
Right



- Model
- Power load
- Size
- Weight

Wall-mounting
0,016 kW | 230 V | 50/60 Hz
W 420 x D 175 x H 610 mm
8.9 kg

Magnetic strip 615AL

A256024

RRP* 20.- €

GTIN 4015613724492



- Material
- Designed for

Aluminium
Knife
Scissors
Kitchen utensils

- Number of magnetic strips
- Magnetic strip length
- Including
- Size
- Weight

2
610 mm
Attachment material
W 620 x D 45 x H 20 mm
0.52 kg

Knife sharpener MS310

120558

RRP* 92.- €

GTIN 4015613675824



- Gentle to materials and efficient. Can be used for smooth or curved blades and knives with serrated edges – the knife sharpener makes no compromises when sharpening or removing burrs is concerned.



- Material
- Material of grinder

Plastic
Diamond (micrometer in size, mono-crystalline)

- Designed for

Ceramic stone
Smooth blades
Curved blades
Serrated blades

- Power load
- Size
- Weight

0,031 kW | 230 V | 50/60 Hz
W 190 x D 131 x H 109 mm
1.4 kg

Thermometer D1500 KTP

- Application area: Canteens, Refrigerated rooms, Refrigeration cell
- Designed for: Core temperature measurements, Temperature monitoring during transport and storage
- Material temperature sensor: Stainless steel
- Puncture depth: 67 mm
- Temperature range: -50 °C to 150 °C
- Battery: Button cell LR44/AG13
- Including: Protection cap, 1 battery
- Important information: Do not use in oven
- Size: W 151 x D 15 x H 20 mm
- Weight: 0.03 kg
- GTIN: 4015613664231



292042

RRP* 14.- €

Thermometer A1020 KTP

- Application area: Canteens, Refrigeration cell, Freezer cell, Refrigerated rooms
- Designed for: Core temperature measurements, Temperature monitoring during transport and storage
- Material temperature sensor: Stainless steel
- Puncture depth: 120 mm
- Temperature range: -20 °C to 102 °C
- Including: Protection cap
- Important information: Do not use in oven
- Size: W 27 x D 27 x H 140 mm
- Weight: 0.01 kg
- GTIN: 4015613664293



292044

RRP* 7.50 €

Thermometer D3000 KTP

- Application area: Canteens, Refrigeration cell, Freezer cell, Refrigerated rooms
- Designed for: Core temperature measurements, Temperature monitoring during transport and storage
- Material temperature sensor: Stainless steel
- Puncture depth: 120 mm
- Temperature range: -50 °C to 300 °C
- Battery: Button cell LR754/AG5
- Including: Protection cap, 1 battery
- Important information: Do not use in oven
- Size: W 34 x D 34 x H 160 mm
- Weight: 0.02 kg
- GTIN: 4015613664255



293043

RRP* 16.- €

Thermometer D3000 KTP-KL

- Application area: Steaming, Cooling
- Designed for: Core temperature measurements
- Material temperature sensor: Stainless steel
- Puncture depth: 110 mm
- Temperature range: -40 °C to 300 °C
- Battery: Button cell CR2032
- Including: 2 batteries
- Important information: Do not use in oven
- Size: W 155 x D 45 x H 23 mm
- Weight: 0.09 kg
- GTIN: 4015613720432



292481

RRP* 55.- €

Thermometer A500

- Application area: Canteens, Refrigeration cell, Freezer cell, Refrigerated rooms
- Designed for: Room temperature measurements, Refrigerators / upright freezers, Temperature monitoring during transport and storage
- Temperature range: -30 °C to 50 °C
- Size: W 51 x D 13 x H 66 mm
- Weight: 0.01 kg
- GTIN: 4015613664286



292049

RRP* 6.50 €

Thermometer A300

- Application area: Canteens, Refrigeration cell, Freezer cell, Refrigeration cell
- Designed for: Room temperature measurements, Refrigerators / upright freezers, Temperature monitoring during transport and storage
- Temperature range: -30 °C to 30 °C
- Size: W 62 x D 35 x H 71 mm
- Weight: 0.04 kg
- GTIN: 4015613664262



292048

RRP* 8.50 €

Thermometer A250

- Application area: Refrigerated rooms, Refrigeration cell
- Designed for: Refrigerators / upright freezers, Temperature monitoring during transport and storage
- Temperature range: -40 °C to 25 °C
- Size: W 134 x D 20 x H 30 mm
- Weight: 0.04 kg
- GTIN: 4015613664279



292043

RRP* 8.- €

Thermometer A3000 TP

- Application area: Frying, Steaming
- Designed for: Deep fat fryers
- Material temperature sensor: Stainless steel
- Puncture depth: 300 mm
- Temperature range: 10 °C to 300 °C
- Including: 1 adjustable holding clip
- Size: W 50 x D 50 x H 320 mm
- Weight: 0.2 kg
- GTIN: 4015613633152



292046

RRP* 8.50 €

Can opener KB565

A120355

RRP* 149.- €

GTIN 4015613731247



The table-top can opener in height-adjustable design allows the opening of even very large cans up to a height of 56.5cm. The crank drive with spring mechanism allows easy and user-friendly operation.

- Material of knife
- Size utility space
- Height-adjustable
- Can height max.
- Model

Stainless steel
W 131 x D 294 mm
Yes
565 mm
Clip attachment (prepared for screw attachment)
Crank drive with spring mechanism
Tabletop gauge max.: 60 mm
W 125 x D 290 x H 780 mm
2.1 kg

- Size
- Weight

Blade KB565

- Material: Stainless steel
- Size: W 66 x D 36 x H 76 mm
- Weight: 0.1 kg
- GTIN: 4015613736112



A120356

RRP* 29.- €

Transport wheel KB565

- Material: Steel, Chrome-plated
- Size: W 39 x D 39 x H 10 mm
- Weight: 0.08 kg
- GTIN: 4015613736129



A120357

RRP* 28.- €

Rubbish bin "Swing"

860003

RRP* 189.- €

GTIN 4015613521213



- Content
- Diameter inner container
- Lid properties
- Properties

50 litre(s)
330 mm
Swing lid
Inner container: Galvanised steel plate, removable
With handle on the inner container
W 350 x D 350 x H 750 mm
6.3 kg

- Size
- Weight

Rubbish bin 56L

860006

RRP* 232.- €

GTIN 4015613630670



- Content
- Size inner container
- Lid properties

56 litre(s)
Ø 370 mm | Height: 520 mm
Detachable, with handle
Can be attached to the side of the bucket
4 swivel casters
With handles on the side
W 460 x D 400 x H 620 mm
6.6 kg

- Swivel casters
- Properties
- Size
- Weight



Sanitary areas are representative of hotels and restaurant. To ensure that everything is right here, and in terms of your other equipment, you will find a comprehensive choice of articles in this section – all for an outstanding appearance!

HOTEL EQUIPMENT | HYGIENE & CO

Power cleaner F1L

- Designed for: Manual cleaning of heavily soiled surfaces, Grill, oven and combi steamer cleaning (without cleaning system), Cookers, extractor hoods, tilting frying pans etc.
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Size: W 110 x D 100 x H 300 mm
- Weight: 1.1 kg
- Order quantity unit: 1 box (6 bottles)
- GTIN: 4015613773346



173278

RRP* 85.- €

Intensive power cleaner F1L

- Designed for: Use in kitchens and food processing areas, Grill, oven and combi steamer cleaning (without cleaning system), Cookers, extractor hoods, tilting frying pans etc., Deep-fat fryer cleaning, Fast, reliable intensive cleaning of heavily or extremely soiled surfaces
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Size: W 105 x D 100 x H 300 mm
- Weight: 1.2 kg
- Order quantity unit: 1 box (6 bottles)
- GTIN: 4015613773353



173280

RRP* 94.- €

Oil and grease remover F1L

- Designed for: Wipe-off work surfaces, stainless steel surfaces, Tiled walls and floors, Highly effective against deposits in coffee cans, Machines, appliances
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Size: W 90 x D 63 x H 251 mm
- Weight: 1 kg
- Order quantity unit: 1 box (6 bottles)
- GTIN: 4015613773339



173276

RRP* 55.- €

Dishwasher cleaner P5kg

- Designed for: Commercial dishwashers, Household dishwashers
- Order quantity unit: 1 bucket
- Content: 5 kg
- Model: Powder
- HACCP compliant: Yes
- Chlorine-free: No
- Phosphate-free: No
- Important information: Exclusively available in Germany and Austria
- Size: W 236 x D 248 x H 210 mm
- Weight: 5 kg
- GTIN: 4015613731872



173074

RRP* 49.- €

Dishwasher cleaner F10L

- Designed for: Commercial dishwashers
- Order quantity unit: 1 canister
- Content: 10 litres
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Size: W 220 x D 190 x H 310 mm
- Weight: 10.4 kg
- GTIN: 4015613773315



173270

RRP* 85.- €

Dishwasher cleaner F10LXTRA

- Designed for: Commercial dishwashers
- Order quantity unit: 1 canister
- Content: 10 litres
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: No
- Phosphate-free: Yes
- Size: W 230 x D 190 x H 310 mm
- Weight: 10.9 kg
- GTIN: 4015613767895



173271

RRP* 89.- €

Combi steamer cleaner F10L

- Designed for: Combi steamers with an automatic dosing system
- Order quantity unit: 1 canister
- Content: 10 litres
- HACCP compliant: Yes
- Properties: Ready to use, no need to pour from another container, Easy to rinse and residue-free, Automatically dissolves fat, protein and burned-on food
- Size: W 230 x D 200 x H 315 mm
- Weight: 11.5 kg
- GTIN: 4015613767925



173279

RRP* 115.- €

Rinsing agent F10L

- Designed for: Commercial dishwashers, Household dishwashers, Combi steamer with rinsing program
- Order quantity unit: 1 canister
- Content: 10 litres
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Size: W 220 x D 190 x H 310 mm
- Weight: 10.7 kg
- GTIN: 4015613767901



173272

RRP* 92.- €

Descaler F1L

- Designed for: Small appliances such as kettles and coffee machines etc.
- Content: 6 x 1 litre
- Model: Liquid, High concentrate
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: No
- Size: W 90 x D 63 x H 251 mm
- Weight: 1 kg
- Order quantity unit: 1 box (6 bottles)
- GTIN: 4015613773322



173277

RRP* 52.- €

Disinfection station D1 1170

825024

RRP* 189.- €

GTIN 4015613758510



The disinfection station is the ideal mobile solution for hand hygiene, particularly in entrance areas. It does not need to be mounted to a wall or to the floor. With the optional disinfectant dispenser and drip tray, the disinfection station enables top hygiene standards for pubs, restaurants, hotels, and petrol stations etc.

- Designed for
 - Bartscher Disinfectant dispenser PS 0.9L-W
 - Bartscher Drip tray PS 0,9L-W
- Delivery state
 - Building kit
- Set comprises
 - 1 plinth
 - 1 column
- Including
 - Attachment material
- Not included in delivery
 - Disinfectant dispenser
 - Drip tray
- Size
 - W 300 x D 400 x H 1,170 mm
- Weight
 - 7.4 kg

Hygiene station DH1 1460

850021

RRP* 219.- €

GTIN 4015613758466



The hygiene station is the ideal mobile solution for hand hygiene, particularly in entrance areas. It does not need to be mounted to a wall or to the floor. With the optional disinfectant dispenser, drip tray, and glove dispenser, the hygiene station enables top hygiene standards for pubs, restaurants, hotels, and petrol stations etc.


- Designed for
 - Bartscher Disinfectant dispenser PS 0.9L-W
 - Bartscher Drip tray PS 0,9L-W
 - Bartscher Glove dispenser K10
- Delivery state
 - Building kit
- Set comprises
 - 1 column
 - 1 plinth
- Including
 - Attachment material
- Not included in delivery
 - Disinfectant dispenser
 - Drip tray
 - Glove dispenser
- Size
 - W 400 x D 400 x H 1,462 mm
- Weight
 - 10.2 kg

Glove dispenser K10



For pubs and restaurants, hotels, petrol stations, care homes, and hospitals. The glove dispenser can be easily mounted to the wall in entrances or at work stations. The integrated spring ensures a secure hold and enables the use of even small boxes.

- Designed for
 - Disposable gloves in standard box
- Max. box dimensions
 - W 250 x D 130 x H 78 mm



	Storage capacity	Size	Weight	Code-No.	RRP*	GTIN
Glove dispenser K10	1 box	W 130 x D 80 x H 251 mm	0.77 kg	850023	45.- €	4015613758442
Glove dispenser K20	2 boxes	W 260 x D 96 x H 259 mm	1.2 kg	850024	49.- €	4015613758688
Glove dispenser K30	3 boxes	W 260 x D 95 x H 390 mm	1.7 kg	850025	59.- €	4015613758695

Disinfection station XS1 480

850029

RRP* 185.- €

GTIN 4015613771182



Whether on a table or counter or mounted to the wall – thanks to the slim design, this disinfection station with drip tray can be set up anywhere. The optional disinfectant dispenser finishes off the hygiene set.

- Designed for Bartscher Disinfectant dispenser PS 1L-W
- Disinfectant dispenser device Yes
- Integrated drip tray Yes
- Properties Predrilled holes for wall mounting
- Including Removeable drip tray
Attachment material
- Not included in delivery Disinfectant dispenser
- Size W 195 x D 235 x H 470 mm
- Weight 2.7 kg

Disinfection station XS2 520

850036

RRP* 179.- €

GTIN 4015613771199



Whether on a table or counter or mounted to the wall – thanks to the slim design, this disinfection station with drip tray can be set up anywhere. The optional disinfectant dispenser finishes off the hygiene set with its elegant design.

- Designed for Bartscher Disinfectant dispenser IRS 1L-W
- Material Steel
Powder coated
- Disinfectant dispenser device Yes
- Integrated drip tray Yes
- Properties Predrilled holes for wall mounting
- Including Removeable drip tray
Attachment material
- Not included in delivery Disinfectant dispenser
- Size W 195 x D 185 x H 520 mm
- Weight 2.9 kg

Disinfection station D2 1400

850038

RRP* 298.- €

GTIN 4015613771229



Hand hygiene is always important. With the mobile disinfection station, the optionally available disinfection dispenser can be positioned really flexibly in any entrance area.

- Designed for Bartscher Disinfectant dispenser IRS 1L-W
- Delivery state Building kit
- Set comprises 1 plinth
1 column
- Material Steel
Powder coated
- Disinfectant dispenser device Yes
- Integrated drip tray Yes
- Properties 4 predrilled holes on base
Removeable drip tray
Attachment material
- Including Disinfectant dispenser
- Not included in delivery
- Size W 220 x D 225 x H 1,400 mm
- Weight 9.4 kg

Disinfectant dispenser PS 0.9L-W



0,9 L Quick and uncomplicated hand disinfection for maximum protection. Be it in kitchens, laboratories or public buildings – the cartridge-free pump system with the elbow-operated dispenser ensures optimum hygiene conditions.

- Suitable for Euro bottles 1000 ml
- Filling level check Transparent plastic container
- Operation One-hand operation
Elbow operation
Manual
Filling
- Not included in delivery



PS 1L-W
▶ Lockable

	Material	Content	Size	Weight	Code-No.	RRP*	GTIN
Disinfectant dispenser PS 0.9L-W	Aluminium	0,9 litres	W 95 x D 225 x H 310 mm	0.67 kg	850019	46.- €	4015613704746
Disinfectant dispenser PS 1L-W	Aluminium Polypropylene	1 litre	W 93 x D 200 x H 330 mm	0.83 kg	850048	79.- €	4015613761909

Disinfectant dispenser IRS 1L-W

850027

RRP* 98.- €

GTIN 4015613759012



1 L With the infrared sensor, the disinfectant dispenser enables contact-free hand disinfection that's particularly user-friendly and hygienic. The dosing system can be preset and enables the efficient use of all liquid hand disinfectants.

- Material Plastic
- Content 1 litre
- Operation Contact-free (infrared sensor)
- Filling level check Window
- Lockable Yes
- Including 1 key
Attachment material
- Not included in delivery Batteries
Filling
- Size W 123 x D 114 x H 262 mm
- Weight 0.73 kg

Component parts

SKINTASTIC LEOCID® SEPT P7

- Designed for: Disinfectant dispenser
- Content: 12 x 1 litre
- Format: Euro bottle (1,000 ml)
- Model: Liquid
- Ph level: 7
- Properties: Partially viricidal, Bactericidal, yeasticidal, tuberculocidal, Perfume-free
- Important information: Exclusively available in Germany and Austria
- Size: W 70 x D 90 x H 210 mm
- Weight: 0.9 kg
- Order quantity unit: 1 box (12 bottles)
- GTIN: 4029888031315



173084

RRP* 179.- €

Drip tray PS 0,9L-W

- Designed for: Disinfectant dispenser PS 0,9L-W
Soap dispenser PS 0,9L-W
- Material: Stainless steel, Polypropylene
- Size: W 147 x D 285 x H 377 mm
- Weight: 0.46 kg
- GTIN: 4015613699431



850018

RRP* 22.- €

Soap dispenser, wall-mounting,SS,1L

850007

RRP* 37.- €

GTIN 4015613536965



CNS

1 L

- Content
- Filling level check
- Operation
- Including
- Not included in delivery
- Size
- Weight

1 litre(s)
Window
Manual
Attachment material
Filling
W 123 x D 110 x H 204 mm
0.5 kg

Soap dispenser, infrared sensor S1

850009

RRP* 98.- €

GTIN 4015613610672

CNS
18/10

1 L

Hygienic, user-friendly, and cost-effective: The integrated infrared sensor enables the contact-free, optimally dosed dispensing of liquid soap.

- Content
 - Filling level check
 - Operation
 - Operated via
 - Including
 - Not included in delivery
 - Size
 - Weight
- 1 litre(s)
Window
Non-contact (Infrared sensor)
Batteries (4 x 1.5 V AA LR6)
2 keys (battery compartment and soap tank)
Attachment material
Batteries
Filling
W 138 x D 100 x H 210 mm
0.92 kg

Soap dispenser PS 0,9L-W



0,9 L

For the hygienic dispensing of commercial liquid soaps with a hand-operated or elbow-operated dispenser

- Suitable for Euro bottles
 - Filling level check
 - Operation
 - Not included in delivery
- 1000 ml
Transparent plastic container
One-hand operation
Elbow operation
Manual
Filling



PS 1L-W

► Lockable

	Material	Content	Size	Weight	Code-No.	RRP*	GTIN
Soap dispenser PS 0,9L-W	Aluminium	0,9 litre(s)	W 95 x D 222 x H 330 mm	0.65 kg	850008	45.- €	4015613588599
Soap dispenser PS 1L-W	Aluminium Polypropylene	1 litre(s)	W 93 x D 200 x H 330 mm	0.84 kg	850049	79.- €	4015613762302

Paper towel dispenser, SS brushed

850006

RRP* 69.- €

GTIN 4015613536958



CNS

- Paper folding
 - Filling level check
 - Lockable
 - Properties
 - Including
 - Not included in delivery
 - Size
 - Weight
- Suitable for standard folding paper
Interfold folding
Layer folding
Zig-zag folding
Viewing slot
Yes
Loaded via the front flap
Attachment material (four-point attachment)
Filling
W 285 x D 100 x H 370 mm
1.9 kg

Hand dryer, 2,1kW, plastic

850000

RRP* 98.- €

GTIN 4015613459592



- Material
- Air temperature

Plastic
Approx. 60 °C



- Air output
- Start/Stop automatic via infrared sensor
- Including

53 litres / sec.
Yes
1 plastic strip for wall attachment
Attachment material

- Power load
- Size
- Weight

2,1 kW | 230 V | 50 Hz
W 244 x D 264 x H 200 mm
2.6 kg

Hand dryer, 2,3kW, SS

850001

RRP* 275.- €

GTIN 4015613482019



- Air temperature
- Air output

Approx. 60 °C
58 litres / sec.



- Start/Stop automatic via infrared sensor
- Drying time max.

Yes
Approx. 60 seconds



- Including
- Power load
- Size
- Weight

Attachment material
2,3 kW | 230 V | 50 Hz
W 260 x D 235 x H 210 mm
4.8 kg

Hand dryer IS 31LS-W

850011

RRP* 219.- €

GTIN 4015613710259



Small but powerful – this compact hand dryer with infrared sensor and automatic start/stop function has a really powerful air nozzle that enables fast and thorough hand-drying.



- Material
- Air temperature
- Air output
- Start/Stop automatic via infrared sensor
- Drying time max.
- Including
- Power load
- Size
- Weight

Plastic
Approx. 80 °C
31,67 litres / sec.
Yes
Approx. 60 seconds
Attachment material
1,35 kW | 230 V | 50-60 Hz
W 250 x D 170 x H 240 mm
3.6 kg



Hand Dryer Jet 1800

850002

RRP* 779.- €

GTIN 4015613610665



Powerful nozzles enable fast and thorough hand-drying. This efficient hand-drying method is both hygienic and cost-effective.



- Material
- Air temperature
- Air output
- Drying time max.
- Start/Stop automatic via infrared sensor
- Including
- Power load
- Size
- Weight

Plastic
Painted
Same ambient temperature
47 litres / sec.
Approx. 30 seconds
Yes
Attachment material
1,8 kW | 230 V | 50 Hz
W 295 x D 240 x H 650 mm
10.2 kg



With a maximum air output of 400 m³/h, the W4000 cleans the air of viruses, allergens, and odours. The different colours of the LED ring provide information about the current air quality as well as creating an attractive coloured lighting effect in the room.

- Designed for Rooms up to 40 m²
- Material Plastic
- Number of filters 1
- Maximum air performance 400 m³/h
- Controllable air quantity 3 levels
- Filter class HEPA H13
- Air purification With UV light
- Air quality display Digital display
- LED light ring, different colours
- 2, 4, or 8 hours
- Connection cable model Cable length: 1.5 m
- Power load 0,05 kW | 230 V | 50/60 Hz
- Size W 300 x D 270 x H 565 mm
- Weight 5 kg

HEPA filter W4000

- Material: Plastic (PP, PET)
- Filter class: HEPA H13
- Service life: 2,200 operating hours
- Size: W 215 x D 215 x H 260 mm
- Weight: 0.7 kg
- GTIN: 4015613770536



- ▶ Double air quality display
- ▶ Digital display
- ▶ Ring of LED lights in different colours

850210

RRP* 47.- €

Hygiene screen 1000PGLD



At cash points, receptions, kiosks, snack bars, and for talking with customers in the services field – this hygiene screen can be assembled in a flash and, thanks to the service hatch, is really versatile.

- Material Plexiglas
- Model With hatch
- Transparent
- Rounded corners
- With 2 feet (Plexiglas), attachable in 2 positions
- Prepared for ceiling mounting (holes)
- Designed for Bar counters (standing)
- Tables (seated)
- Ceiling mounted
- Delivery state Building kit (simple assembly)



- ▶ With practical hatch
- ▶ Dimensions: W 250 x H 120 mm



- ▶ Hygiene screen material
- ▶ Plexiglas



- ▶ With 2 feet
- ▶ Plexiglas
- ▶ 2 plugging positions


	Hatch dimensions	Size	Weight	Code-No.	RRP*	GTIN
1000PGLD	W 250 x H 120 mm	W 1,000 x D 300 x H 900 mm	4.6 kg	850033	169.- €	4015613759715
1500PGLD	W 400 x H 200 mm	W 1,500 x D 300 x H 900 mm	6.6 kg	850035	245.- €	4015613761336

Barrier stand 1800

603101

RRP* 49,- €

GTIN 4015613757865



Handy barrier post system for extra safety and order – the 1.8 metre tape, 3 integrated tape fasteners and attached safety lock ensure safe, flexible and needs-based use anywhere.

- Model: Upright unit
- Tape material: Nylon
- Tape length: 1,8 m
- Automatic tape winding: Yes
- Number of tape fasteners: 3
- Safety lock: Yes
- Properties: Pull-out tape
- Important information: Size of base: Ø 360 mm
Only for use in combination: Barrier stand 1800, barrier wall tape 2000 or barrier wall tape 3000
- Size: W 360 x D 360 x H 915 mm
- Weight: 6.4 kg



▶ Barrier strap (post version)



▶ Pull-out nylon strap
▶ Length: 1.8 m
▶ Colour: Black



▶ 3 integrated strap fasteners



▶ With safety lock

Barrier wall tape 2000



For use as a passenger guidance system in airports or at events and as a barrier to cordon off individual areas in supermarkets, petrol stations and restaurants. The 2 metre tape, 2 integrated tape fasteners and attached safety lock ensure safe operation.

- Model: Wall-mounting
- Tape material: Nylon
- Automatic tape winding: Yes
- Number of tape fasteners: 2
- Safety lock: Yes
- Not included in delivery: Attachment material
- Important information: Only for use in combination: Barrier stand 1800, barrier wall tape 2000 or barrier wall tape 3000



▶ Barrier strap for wall-mounting



▶ Pull-out nylon strap
▶ Length: 2 m
▶ Colour: Black



▶ 2 integrated strap fasteners



▶ With safety lock

	Tape length	Size	Weight	Code-No.	RRP*	GTIN
2000	2 m	W 90 x D 115 x H 126 mm	0.45 kg	603102	25,- €	4015613757889
3000	3 m	W 91 x D 115 x H 132 mm	0.47 kg	603103	27,- €	4015613757896

Insect killer IV-22



Without chemicals, insects are killed using electricity and drop into an easily removable drawer.



- Material
- Grid voltage
- Design

Plastic
2,000 - 2,200 V
Ceiling unit
Upright unit
1 chain



	Effective radius	Light output	Power load	Size	Weight	Code-No.	RRP*	GTIN
IV-22	6-8 m	2 x 6 W, UV-A lamps	0,024 kW 230 V 50/60 Hz	W 265 mm D 95 mm H 265 mm	2.1 kg	300306	49.- €	4015613534138
IV-36	10 m	2 x 10 W, UV-A lamps	0,033 kW 230 V 50/60 Hz	W 390 mm D 95 mm H 305 mm	2.8 kg	300314	79.- €	4015613534152
IV-65	12 m	2 x 20 W, UV-A lamps	0,045 kW 230 V 50/60 Hz	W 645 mm D 100 mm H 365 mm	3.7 kg	300317	105.- €	4015613534169

Component parts

UV-A 6 W neon tube

- Light output: 6 W / UV-A
- Size: W 225 x D 15 x H 15 mm
- Weight: 0.02 kg
- GTIN: 4015613658001

300336

RRP* 5.- €

UV-A 10 W neon tube

- Light output: 10 W / UV-A
- Size: W 340 x D 25 x H 25 mm
- Weight: 0.05 kg
- GTIN: 4015613658018

300334

RRP* 6.- €

UV-A 20 W neon tube

- Light output: 20 W / UV-A
- Size: W 25 x D 25 x H 588 mm
- Weight: 0.08 kg
- GTIN: 4015613658025

300337

RRP* 8.- €

Insect killer IV-48

300351

RRP* 85.- €

GTIN 4015613762371



This chemical-free insect killer for inside use has a large effective range along with enduring, energy-saving LED technology.



- Material
- Effective radius
- Grid voltage
- Light output
- Design
- Important information
- Power load
- Size
- Weight

Plastic
Approx. 15 m
4,000 V
13 W, UV-A-LED
Ceiling unit
Upright unit
Mount prepared for ceiling attachment;
chain not included
0,01 kW | 230 V | 50-60 Hz
W 475 x D 100 x H 265 mm
2 kg



Insect trap IF-92

300323

RRP* 69.- €

GTIN 4015613655413



- Material
- Effective radius
- Light output
- Including

- Design
- Power load
- Size
- Weight

Steel
Painted
9 m
1 x 20 W, UV-A lamps
1 adhesive film
Attachment material
Wall-mounting
0,02 kW | 230 V | 50/60 Hz
W 450 x D 175 x H 160 mm
1.4 kg

Adhesive sheet IF-92

- Order quantity unit: 1 box (5 adhesive films)
- Size: W 320 x D 180 x H 1 mm
- Weight: 0.03 kg
- GTIN: 4015613659183

300326


RRP* 19.- €

UV-A 20 W illuminant

- Light output: 20 W / UV-A
- Size: W 150 x D 70 x H 40 mm
- Weight: 0.1 kg
- GTIN: 4015613659206

300328

RRP* 13.- €



Insect trap IF-150

300350

RRP* 79.- €

GTIN 4015613762357



- Material
- Effective radius
- Light output
- Including

- Design
- Power load
- Size
- Weight

Plastic
Approx. 15 m
1 x 36 W, UV-A lamps
1 adhesive film
Wall-mounting
0,036 kW | 230 V | 50-60 Hz
W 480 x D 80 x H 281 mm
1.8 kg

Adhesive film IF-150

- Order quantity unit: 1 box (5 adhesive films)
- Size: W 270 x D 390 x H 1 mm
- Weight: 0.18 kg
- GTIN: 4015613801971

300352


RRP* 29.- €

Fluorescent tube UV-A 36 W

- Light output: 36 W / UV-A
- Size: W 24 x D 416 x H 43 mm
- Weight: 0.09 kg
- GTIN: 4015613811857

300353

RRP* 11.- €



Insect trap IF-100

300321

RRP* 142.- €

GTIN 4015613638195



- Material
- Effective radius
- Light output
- Including

- Design
- Power load
- Size
- Weight

Aluminium
Plastic
10 m
2 x 15 W, UV-A lamps
2 adhesive films
Attachment material
Upright unit
Wall-mounting
0,038 kW | 230 V | 50/60 Hz
W 620 x D 90 x H 355 mm
2.4 kg

Adhesive films IF-100

- Order quantity unit: 1 box (5 adhesive films)
- Size: W 390 x D 313 x H 2 mm
- Weight: 0.3 kg
- GTIN: 4015613638201

300322

RRP* 27.50 €

UV-A 15 W neon tube

- Light output: 15 W / UV-A
- Size: W 25 x D 445 x H 25 mm
- Weight: 0.06 kg
- GTIN: 4015613657981

300325

RRP* 7.50 €



Hotel hairdryer 1600S



Whether in a hotel room, guest house, youth hostel, or ship's cabin – with its elegant black design, this hotel hairdryer enhances any interior. The long spiral cable offers a high level of flexibility for the wall mounting position.

- Material Plastic
- Model Wall-mounting
- Air flow regulation 3-level
- Temperature control Can be regulated via air flow
- Cold air Yes
- Type of cable Spiral cable
- Length cable 1 - 2.5 m
- Protection class 2
- On/off pushbutton yes
- On handle On handle
- yes On wall holder
- Master switch yes
- On wall holder
- Including Attachment material
- Wall holder
- Power load 1,6 kW | 230 V | 50/60 Hz



	Shaver socket	Size	Weight	Code-No.	RRP*	GTIN
Hotel hairdryer 1600S	No	W 245 x D 185 x H 110 mm	0.8 kg	850041	42.- €	4015613761572
Hotel hairdryer 1600SR	yes	W 265 x D 205 x H 105 mm	1.2 kg	850042	45.- €	4015613761589

Shoe polisher

120109

RRP* 129.- €

GTIN 4015613544328



Shiny shoes with no effort - foot operation at the press of a button

- Material Steel
- Powder coated
- Equipped with 3 quiet rotation brushes
- 1 cleaning brush for coarse dirt
- 2 polishing brushes made of terylene (polyester) for light and dark shoes
- Shoe cream dispenser with ball valve for 100 ml fluid shoes cream (unfilled)
- Yes
- Carrying handle
- Power load 0,12 kW | 230 V | 50 Hz
- Size W 400 x D 240 x H 260 mm
- Weight 6.4 kg

Shoe-cream, colourless, 1L

- Content: 1 litre(s)
- Colour: Colourless
- Size: W 95 x D 95 x H 210 mm
- Weight: 1 kg
- GTIN: 4016098160539

A120101

RRP* 69.- €



ARTICLE NUMBER INDEX

Code-No.	Page										
0		100447	334	101923	303	104904	116	105890	125	107306	55
099985	229	100448	334	101929	137	104906	116	105893	122	107307	55
099989	225	100449	334	101932	89	104907	116	105922	121	107308	55
099996	225	100450	334	101933	304	104913	116	105926	118	107309	55
1		100451	334	101937	89	104922	127	105927	117	107310	55
100047	145	100452	334	101954	304	104923	127	105929	124	109251	230
100048	145	100453	334	101955	304	1051403	49	105936S	118	109325	224
100054	144	100454	333	101956	304	1051503	49	1059503	115	109326	224
100058	144	100456	333	101957	304	1051603	49	105978	123	109327	224
100060	283	100457	333	101971	95	1052103	50	105981	17	109329	224
100061	145	100524	86	101972	95	1052303	50	105984	121	109342	228
100062	144	100528	86	101973	95	1053103	50	105985	121	109343	228
100067	144	100532	86	101974	95	105321	116	105986	123	109344	228
100080	292	100533	110	101975	95	105325	48	105991	118	109349	229
100082	210	100534	87	101978	95	105343	48	105991S	118	109470	237
100083	210	100611	14	101979	95	1054503	49	105993	122	109472	237
100085	292	100925	90	101980	95	1054513	48	105994	122	109474	237
100090	283	100927	92	101983	95	105452	48	105995	122	109518	225
100100	283	100928	92	101984	95	105453	48	105996	164	109547	225
100103	283	101094	224	101985	95	1054603	49	105997	124	109559	230
100197	132	101402	104	101986	95	105731	125	105999	115	109562	225
100211	133	101404	104	101988	95	105732	123	1061633	112	109640	220
100273	133	1014113	104	101989	95	105737	122	1061933	112	109641	220
100282	132	101412	104	103048	167	1057503	115	106202	113	109688	224
100292	132	101413	104	103063	166	105780	63	106204	113	109740	231
100321	129	101419	104	103064	166	105804	16	106206	113	109741	231
100322	129	101530	103	103065	166	105820	117	106210	113	109742	231
100323	129	101533	103	103067	167	105821	119	106211	113	109743	231
100324	129	101535	103	103069	166	105829	120	106217	112	109745	232
100373	132	101546	84	103076	167	105837	120	106219	112	109746	232
100374	132	101547	85	103079	167	105840	124	1062203	113	109747	232
100404	62	101548	84	103122	166	105843	119	1062303	113	109749	232
100405	62	101552	84	104049	211	105843S	119	1062503	113	109847	253
100406	62	101554	85	104050	211	105848	117	106576	72	109848	253
100407	62	101560	103	104304	211	1058503	115	107273	57	109849	253
100408	62	101563	103	104306	211	105854	120	107274	57	109857	252
100412	72	101565	103	1043613	134	105858	120	107276	57	109864	253
100413	72	101566	103	1043623	134	105859	119	107277	57	109865	249
100416	72	101607	104	104457	134	105862	121	107278	57	109877	238
100417	72	101863	305	104458	134	105864	164	107279	57	109878	238
100425	72	101864	305	104500	134	105865	163	107289	57	109879	252
100426	72	101865	305	104501	134	105866	165	107290	56	109881	252
100427	72	101866	305	104523	212	105867	163	107291	57	109884	237
100428	72	101867	305	104538	212	105868	165	107300	56	109885	237
100440	334	101868	305	104548	212	105871	125	107301	54	109886	238
100441	334	101869	305	104583	212	105872	125	107302	55	109887	238
100442	334	101915	303	104593	212	105873	125	107303	55	109888	238
100445	334	101916	304	104609	209	105874	125	107304	55	109889	237
100446	334	101917	304	104636	209	105876	124	107305	55	109898	252

Code-No.	Page										
109940	231	110668	223	114263	160	115138	21	117900	77	120337	315
109952	237	110677	226	114267	159	115141	18	117901	77	120338	315
109960	231	110690	227	114270	158	115155	18	117902	77	120339	315
110036	22	110691	227	114271	158	115157	18	117905	79	120341	315
110135G	183	110692	227	114272	160	1151580	18	117906	79	120342	315
110159	195	110693	227	114273	158	1151583	18	117907	79	120344	314
110256	171	110694	227	114274	158	1151593	18	117910	75	120345	315
110257	171	110851	172	114275	158	115204	20	117911	75	120346	315
110270	181	110851MA	172	114277	158	115205	20	117912	75	120347	315
110271	181	110852	172	114278	158	1152103	20	117913	75	120348	314
110272	181	110852MA	172	114279	158	1152113	20	117920	80	120349	314
110273	181	110853	172	114282	159	1152263	19	117921	80	120350	314
110274	181	110853MA	172	114356	162	1152273	19	117922	77	120351	314
110275	182	110854	173	114357	162	1152293	19	117923	79	120352	314
110276	182	110854MA	173	114360	162	115245	17	117925	82	120353	314
110278	182	110855	173	114361	162	115805	16	117926	82	120358	315
110279	182	110855MA	173	114362	162	116005	68	117927	82	120558	338
110311	224	110856	174	114366	163	116009	68	117928	82	120578	129
110312	224	110856MA	174	114367	164	116011	68	117930	81	120579	128
110317	224	110857	174	114371	162	116012	69	117931	81	120582	129
110318	224	110857MA	174	115005	17	116016	69	117932	81	120599	129
110350	215	110858	174	115007	17	116019	69	117933	81	120709	326
110360	216	110858MA	174	115058	16	116111	71	117934	81	120710	326
110361	216	110864	173	115059	16	116299V	68	117935	80	120751	58
110362	216	110864MA	173	115069	69	116550	64	117936	80	120752	59
110400	215	110903	175	115071	69	116622	65	117937	80	120753	59
110410	182	110904	175	115075	69	116726	65	117938	80	120757	59
110414	182	111678	220	115076	71	116728	65	117939	81	120758	59
110420	183	111680	220	115079	69	116731	65	117940	81	120770	59
110422	183	112020	22	115083	62	117002	71	117941	81	120773	59
110431	236	112021	22	115084	62	117051	68	117945	74	120775	59
110432	236	112022	22	115085	63	117052	68	117946	74	120789	60
110434	236	112023	22	115086	62	117053	68	117947	80	120792	71
110435	236	112025	22	115090	17	117100	71	117948	74	120831	316
110436	236	112026	22	115095	17	117262	70	120109	352	120879	61
110437	236	112030	22	115099	17	117263	70	120198	319	121782	64
110438	338	112031	22	1151023	16	117264	70	120302	313	125502	156
110461	218	112035	22	1151033	16	117265	70	120307	313	125503	156
110462	218	112081	161	115107	19	117623	66	120308	313	125504	156
110463	218	112101	161	115108	19	117650	66	120309	313	125525	180
110500	215	112121	22	115109	19	117672	67	120310	313	125526	180
110530	216	112122	161	115111	21	117723	67	120311	313	125527	180
110531	216	112141	161	115112	21	117725	66	120312	313	125540	178
110532	216	112161	161	115113	21	117727	66	120313	313	125540V1	178
110540	218	112181	161	115114	21	117730	66	120314	313	125540V2	178
110541	218	112201	161	1151143	15	117731	67	120315	313	125543	179
110542	218	114000	161	115115	20	117741	67	120316	313	125543V1	179
110625	233	114001	161	115116	21	117761	66	120325	312	125543V2	179
110626	233	114002	161	1151163	15	117762	66	120327	314	125544	179
110630	233	114003	161	115120	19	117763	66	120328	312	125544V1	179
110644	222	114004	161	115129	142	117764	67	120331	314	125544V2	179
110645	222	114005	161	115131	83	117765	67	120332	314	125614	156
110665	226	114006	161	115133	83	117766	67	120333	315	125624	156
110666	223	114258	159	115137	18	117781	67	120334	315	125628	156

Code-No.	Page	Code-No.	Page	Code-No.	Page	Code-No.	Page	Code-No.	Page	Code-No.	Page
125631	154	131944	14	150981	260	173271	225	190129	241	2002020	92
125631V1	154	131946	14	150983	260	173272	225	190133	244	2002028	93
125631V2	154	131954	14	150990	260	173276	175	190139	261	200207	142
125633	155	132060	14	150992	245	173277	241	190153	245	2002088	93
125633V1	155	132115	13	150993	245	173278	342	190154	245	2002094	93
125633V2	155	132125	13	150996	260	173279	68	190174	251	2002095	93
125634	155	132255	13	150997	260	173280	342	190175	251	2002101	93
125634V1	155	132257	13	151510	87	173282	249	190179	251	2002102	91
125634V2	155	132260	94	151512	87	173283	249	190184	240	2002121	93
130115	301	132261	94	1519811	46	173283V	249	190187	240	2002150	94
130116	301	132262	94	155660	45	173284	59	190193	240	2002165	94
130117	301	132265	94	1582011	47	173285	59	190208	244	2002170	94
130118	301	132266	94	1582051	47	174019	321	190211	241	2002203	90
130130	302	132648	10	1582101	47	174022	321	190215	245	200230	142
130131	302	132870	10	1582201	47	174023	321	190216	245	200232	142
130132	302	133212	331	158610	20	174027	321	190218	244	200233	142
130133	302	133264	72	158612	21	174033	321	190223	245	200240	142
130134	302	135002	213	158614	104	174050	321	190225	251	200254	157
130135	302	135012	267	158615	104	174051	321	190230	250	200255	157
130136	302	135014	213	158616	20	174052	321	190231	250	200261	157
130137	302	135023	267	158617	22	174053	321	190232	250	200262	157
130138	302	135026	267	158618	22	174054	321	190233	251	200274	177
130140	302	135100	266	158619	22	174055	321	190234	251	200282	171
130206	301	135102	266	158620	22	174056	321	190235	251	200316	93
1311413	13	135105	266	162500	100	174057	321	190236	251	200317	93
1311813	13	1500508	307	162550	104	174058	321	191001	255	200318	93
131306	12	150121	126	162551	104	174059	321	191004	255	200319	92
131308	12	150145	262	162552	104	174196	320	191005	255	200356	176
131413	12	150146	261	162650	101	174221	320	1930311	51	200357	177
131415	12	150148	266	162651	101	174251	320	193036	51	200358	177
131418	12	150151	264	162653	101	174276	320	1930511	51	200359	171
131419	12	150159	264	162826	99	174301	320	193062	51	200570	176
131425	12	150175	265	162827	99	174302	322			200575	177
1315113	12	150176	264	162900	101	174303	322	200049	259	2006301	111
131514	12	150182	265	162906	101	174304	322	200054	257	2006601	111
131515	12	150184	262	162910	101	174520	140	200057	259	203500	91
1315213	12	150186	263	162912	101	174600	62	200058	259	203510	91
1315563	9	150187	261	165103	97	181134	289	200059	259	203515	89
1317003	14	150188	261	165118	100	181137	289	200061	256	203530	91
131723	10	150193	265	165119	100	190014	241	200063	257	203535	91
131734	10	150197	263	165122	101	190015250	241	200065	258	206203	10
1317433	10	150310	116	165521	97	190031	248	200069	256	206204	64
1317463	10	150320	116	165522	99	190052	247	200073	257	215035	111
131760	11	150340	126	165523	99	190060	249	200085	256	215036	111
131764	9	150528	130	165524	101	190065	241	200086	257	215037	111
131770	11	150529	131	165525	101	190068	249	200095	254	215078	111
131800	11	150533	130	165527	99	190079	249	200096	254	215081	111
131850	11	150538	130	165528	97	190080	246	200108	254	215093	111
131905	11	1505393	131	165530	99	190083	249	200111	254	215094	111
131915	11	150606	45	173031	175	190085	249	200119	258	215095	111
131924	14	150678	106	173060	72	190108	244	200120	254	215096	111
131925	14	150687	72	173074	224	190114	244	200121	254	220110	285
131926	14	150958	45	173084	345	190116	244	2002010	92	257100	285
131940	14	150959	45	173270	225	190117	244	2002018	93	257120	285

Code-No.	Page										
257130	285	285080	34	286921	30	296318	37	300313	326	306340	282
257140	285	285083	34	286922	30	296319	37	300314	350	306350	282
257150	285	285085	34	286924	30	296325	37	300317	350	306360	282
257160	285	285086	34	286925	30	296411	36	300321	351	306380	281
257170	285	285088	34	286992	31	296421	36	300322	351	306552	282
257180	285	2851051	23	286994	30	296426	38	300323	351	306600	281
257200	285	2851121	23	286995	31	296431	36	300325	351	306610	281
258100	284	2851161	23	286998	31	296471	42	300326	351	306620	281
258120	284	2851241	24	287410	25	296472	42	300328	351	306630	281
258140	284	2851251	24	287420	25	296473	42	300334	350	306640	282
258160	284	2851261	24	287431	25	296474	42	300336	350	306650	282
258180	284	2851271	24	289716	51	296507	39	300337	350	306660	282
258200	284	2851361	24	292042	339	296510	39	300350	351	307106	274
264130	285	2851371	24	292043	339	296511	39	300351	350	307107	275
264140	285	2853051	32	292044	339	296607	42	300352	351	307116	274
264150	285	2853101	32	292046	339	296630	40	300353	351	307117	275
264160	285	2855051	28	292048	339	296633	40	300411	324	307126	274
264170	285	2855061	28	292049	339	296634	40	300412	324	307127	275
264180	285	2855071	28	292481	339	296677	42	300413	324	307136	274
264200	285	2855081	28	293043	339	296910	43	300414	324	307137	275
264220	285	2856031	33	295088	43	296911	43	300418	323	307146	274
265100	284	2856211	29	2951121	35	296970	40	300419	323	307147	275
265120	284	2856311	29	2951131	35	296999	53	300422	323	307156	274
265140	284	2856811	33	2952171	35	3		300424	324	307157	275
265160	284	2859171	31	2952271	35	300064	294	300435	324	307166	274
265170	284	2859251	31	2952291	36	300065	293	300744	325	307167	275
265180	284	2859271	31	2952481	36	300083	296	300746	324	307186	274
265200	284	286099	29	2952720	31	300084	297	300747	326	307187	275
265220	284	286100	39	2953031	41	300089	295	300748	323	307206	274
272335	102	286102	25	2954521	42	300093	294	300800	291	307207	275
2800021	53	286104	25	2954631	42	300098	294	300801	291	308106	274
2800031	53	286106	25	2955041	39	300107	294	300802	291	308107	275
2800071	53	286225	26	2955061	39	300122	295	300803	291	308116	274
2800081	53	286234W	26	2955081	39	300123	295	300804	291	308117	275
280015	52	286247	26	295928	30	300133	292	300805	291	308126	274
280016	52	286301	27	2959521	40	300134	292	300806	291	308127	275
280021	52	286302	27	295953	30	300135	292	300807	291	308136	274
280022	52	286305	32	2959961	40	300142	297	305053	153	308137	275
280023	52	286310	32	296014	43	300143	225	305054	153	308146	274
2819991	46	286326	26	296015	43	300144	225	305055	153	308147	275
284007	27	286347	26	296051	43	300147	225	305058	151	308156	274
284113	32	286411	26	296056	43	300149	296	305059	151	308157	275
284114	41	286421	26	296072	39	300156	225	305062	152	308166	274
284116	32	286426	45	296078	39	300181	294	305063	152	308167	275
284117	41	286506	28	296086	43	300182	295	305064	152	308186	274
284123	32	286507	28	296105	38	300183	295	305065	187	308187	275
284124	41	286508	28	296106	38	300184	295	306053	153	308206	274
284401	34	286509	28	296215	37	300185	294	306054	153	308207	275
284804	27	286613	33	296217	37	300187	296	306055	153	308242	278
285050	34	286628	31	296303	38	300301	325	306057	152	308243	273
285052	30	286681	33	296304	38	300305	323	306300	281	310107	273
285064	40	286710	27	296307	38	300306	350	306310	281	310127	273
285071	29	286811	33	296308	38	300311	326	306320	281	310147	273
285076	29	286917	30	296311	41	300312	326	306330	281	310167	273

Code-No.	Page										
310187	273	338207	278	370247	318	500663	149	601197	288	700134	195
311107	273	338307	276	370248	318	500830	147	601710	272	700135	194
311127	273	346107	279	370249	318	500831	147	601712	272	700137	194
311147	273	346127	279	370270	136	500833	149	603001	269	700142	195
311167	273	346147	279	370271	136	500835	147	603002	269	700182G	193
311187	273	346167	279	370273	136	500840	147	603003	269	700201G	186
312107	273	346187	279	370274	136	500846	150	603004	269	700202G	186
312127	273	346207	279	370275	136	500847	150	603005	269	700203G	186
312147	273	347107	279	370276	136	525782	72	603006	269	700207G	190
312167	273	347127	279	370278	137	529712	13	603007	269	700208G	186
312187	273	347147	279	370301	317	529723	13	603008	269	700211G	184
313105	276	347167	279	370302	317	5301	234	603012	269	700213G	190
313125	276	347187	279	386080	277	5302	234	603101	349	700219G	184
313145	276	347207	279	387100	277	5303	234	603102	349	700221	187
313165	276	348107	279	389080	270	5305	234	603103	349	700228	213
313185	276	348127	279	389100	270	5316	234	603150	299	700231	191
313205	276	348147	279	389120	270	5318	234	603151	299	700246G	184
314125	276	348167	279	389140	270	5319	234	603152	299	700258G	188
314145	276	348187	279	398120	277	5320	234	603158	299	700273	196
314165	276	348207	279	398140	277	5321	234	603159	299	700274	197
314185	276	362080	270	398160	277	5322	234	603175	298	700276	197
315080	271	362100	270	399140	277	5325	234	605035	143	700277G	188
315100	271	362120	270	399160	277	5327	234	605065	143	700298G	188
315105	274	362140	270	4		5328	234	606035	143	700314	190
315107	275	363080	270	400123	235	5329	234	606065	143	700321	196
315120	271	363100	270	400126	235	5330	234	607035	143	700336	189
315140	271	363120	270	400136	235	533051	68	608035	143	700341	206
315160	271	363140	270	400137	235	5331	234	609035	143	700342	206
315180	271	370035	108	401618	280	5336	234	609065	143	700355	168
315200	271	370036	109	401621	280	5338	234	609135	143	700356	169
315305	274	370037	110	405057	185	5339	234	609165	143	700357	169
315306	274	370100	108	406055	185	5340	234	610181	139	700358G	188
315307	275	370101	108	406056	185	5341	234	610182	139	700398G	188
316347	277	370158	338	465156	270	5342	234	610195	140	700478G	189
317347	277	370164	137	5		5349	234	610196	140	700487	202
325080	271	370165	137	500060	149	5351	234	610836	138	700488	202
325100	271	370174	135	500180	49	5352	234	610839	140	700505	207
325120	271	370175	135	500308	97	5353	234	610847	139	700506	207
325140	271	370191	135	500377	169	5354	234	610856	138	700515	202
325160	271	370193	135	500378	169	5355	234	680654	336	700516	202
325180	271	370195	135	500379	169	6		680655	336	700562	191
325200	271	370196	135	500393	315	600061	269	7		700578G	188
337107	278	370197	135	500445	332	600601	269	700078	206	700592	204
337127	278	370198	135	500446	332	601151	298	700087	193	700593	204
337147	278	370205	110	500447	332	601153	272	700089	192	700595	204
337167	278	370213	317	500448	332	601161	298	700118	192	700597	204
337187	278	370224	316	500458	148	601168	289	700119	192	700601	200
337207	278	370235	317	500459	149	601169	289	700121	193	700605	208
337307	276	370236	317	500464	149	601177	289	700122	193	700678G	189
338107	278	370238	318	500481	148	601179	288	700123	193	700690	204
338127	278	370239	318	500482	148	601180	288	700130	194	700699	204
338147	278	370242	318	500486	148	601182	298	700131	194	700778G	188
338167	278	370243	318	500494	148	601192	298	700132	194	700803	207
338187	278	370246	318	500507	150	601196	288	700133	194	700804	203

Code-No.	Page										
700806	196	716065	328	860000	289	A120020	329	A120655D	330	A150003	311
700807	197	716100	328	860001	289	A120040	329	A120656	330	A150004	311
700809	196	716150	328	860002	289	A120065	329	A120701	60	A150006	310
700811	199	719065	328	860003	340	A120101	352	A120702	60	A150013	308
700812	198	719100	328	860006	232	A120103	329	A120786	61	A150014	307
700816	203	723020	328	9		A120153	329	A120788	61	A150016	307
700817	203	723040	328	900004	259	A120181	319	A120792	63	A150017	308
700825	202	723065	328	900005	146	A120186	319	A120796	61	A150018	308
700826	201	723100	328	900007	168	A120255	313	A120799	62	A150019	310
700830	203	723150	328	900011	259	A120355	340	A120814	166	A150020	307
700833	199	723200	328	A1		A120356	340	A120880	60	A150021	308
700834	198	780002	63	A100155	146	A120357	340	A120888	83	A150024	310
700835	208	786008	62	A100205	133	A120401	127	A120893	83	A150025	310
700840	205	786009	60	A100265	146	A120406	128	A121025	329	A150029	311
700841	205	786010	62	A100266	146	A120407	128	A121040	329	A150033	309
700878G	188	8		A101065	330	A120408	128	A121065	329	A150034	309
700898	200	825024	343	A101091	46	A120409	128	A121100	329	A150035	310
700899	201	825131	287	A101092	47	A120430	128	A121200	329	A150036	310
700932	213	825152	49	A101100	330	A120465	127	A122020	329	A150037	311
700963	209	825207	287	A101150	330	A120466	127	A122040	329	A150038	307
700965	209	825214	286	A101161	331	A120467	127	A122065	329	A150039	309
700966	209	825215	286	A101162	331	A120511	337	A122100	329	A150042	307
701053	296	825217	286	A101163	331	A120512	337	A122200	329	A150043	309
701054	296	825218	286	A101164	331	A120513	337	A123020	329	A150044	307
711020	328	825219	286	A101181	47	A120514	337	A123040	329	A150046V	307
711040	328	825222	286	A101182	331	A120515	337	A123065	329	A150047	309
711065	328	825223	287	A101183	331	A120516	337	A123100	329	A1500471	309
711100	328	825226	287	A101185	46	A120587	336	A123150	329	A150048	309
711150	328	850000	347	A101186	331	A120588	336	A123200	329	A1500507	308
711200	328	850001	347	A101187	331	A120592	336	A124020	329	A1500510	309
711311	328	850002	347	A101190	60	A120593	336	A124065	329	A150062	311
711312	328	850006	346	A101191	331	A120601	27	A124100	329	A150063	306
711313	328	850007	346	A101192	331	A120602	27	A124200	329	A150064	311
711314	328	850008	346	A101195	331	A120610	329	A125020	329	A150067	306
711316	328	850009	346	A101196	331	A120615	330	A125040	329	A150068	310
711319	328	850011	347	A101197	331	A120615D	330	A125065	329	A150114G	126
711323	328	850018	345	A101901	102	A120616	330	A125100	329	A150118G	126
712020	328	850019	345	A101999	102	A120620	329	A125150	329	A150155	126
712040	328	850021	343	A102065	330	A120625	330	A125200	329	A150307	100
712065	328	850023	343	A102100	330	A120625D	330	A126065	329	A150324	333
712100	328	850024	343	A102150	330	A120626	330	A126100	329	A150328	333
712150	328	850025	343	A103065	330	A120634	330	A126200	329	A150330	333
712200	328	850027	345	A103100	330	A120634D	330	A128020	329	A150407	100
713020	328	850029	344	A103150	330	A120635	330	A128040	329	A150460V	102
713040	328	850033	348	A105942	121	A120635D	330	A128065	329	A150510	145
713065	328	850035	348	A105960	17	A120636	330	A128100	329	A150512	131
713100	328	850036	344	A105971	17	A120637	330	A128150	329	A150513	130
713150	328	850038	344	A105973	333	A120640	329	A129065	329	A150623	115
713200	328	850041	352	A114001	159	A120645	330	A129100	329	A150625	115
714020	328	850042	352	A114002	102	A120645D	330	A130441	335	A150646	337
714040	328	850048	345	A114003	102	A120646	330	A130442	335	A150668	105
714065	328	850049	346	A114245	160	A120649	330	A135034	264	A150669	105
714100	328	850200	348	A114250	160	A120650	329	A150000	310	A150670	105
714150	328	850210	348	A114365	162	A120655	330	A150002	310	A150671	105

Code-No.	Page	Code-No.	Page	Code-No.	Page	Code-No.	Page
A150672	105	A153265	114	A190167	242	A370032	109
A150673	105	A153270	114	A190169	243	A3700331	109
A150674	106	A153280	114	A190189	243	A3700341	109
A150676	106	A153440	114	A190198	242	A370037	108
A150679	106	A153460	114	A190199	242	A370039	109
A150684	107	A162410E	98	A2		A370131	110
A150774	106	A162412E	98	A200050	258	A370139	109
A150776	106	A162810E	98	A200052	259	A370201	317
A150779	106	A162812E	98	A201113	90	A370202	317
A150974	107	A162820E	98	A203195	151	A370204	317
A150976	107	A162821E	98	A256024	338	A370207	317
A150979	107	A162823E	98	A256061V	332	A370254	316
A151300	133	A162824E	98	A256091V	332	A5	
A151301	133	A162828	99	A3		A500403	168
A1515002	86	A162829	99	A300047	293	A500404	168
A151600	133	A165110	97	A300049	293	A500405	168
A153143	114	A165112	97	A300056	293	A500410	332
A153144	114	A190009	243	A300062	293	A500510	335
A153145	114	A190009250	243	A300068	319	A500511	335
A153234	114	A190011	243	A300073	293	A500512	335
A153238	114	A190011250	243	A300111	293	A500513	335
A153242	114	A190056	240	A300117	319	A555302	337
A153246	114	A190105	244	A300118	319	C	
A153255	114	A190148	242	A300151	319	C120100	336
A153260	114	A190149	242	A370031	108		

PICTOGRAM AND THEIR MEANING



CNS 18/10



CNS



Stainless Steel



Power Connection



Gas Connection



Electric Cooking Range



Glas Ceramic Cooking Range



Induction Cooking Range



Content



Power in KW



Power in WATT



Max. Temperature



TOTAL CARRYING CAPACITY



BPA-FREE



STACKABLE



SUITABLE FOR OVENS



NOT SUITABLE FOR OVENS



SUITABLE FOR DISHWASHING MACHINES



NOT SUITABLE FOR DISHWASHING MACHINES



SUITABLE FOR MICROWAVE OVENS



NOT SUITABLE FOR MICROWAVE OVENS



FOOD SAFE



EASY ASSEMBLY



ONLY TO BE USED INSIDE



ONLY TO BE USED OUTSIDE



TO BE USED INSDE AND OUTSIDE



FIXED CONNECTION TO WATER SUPPLY

A	
Ashtrays	289
B	
Bain Maries	11, 21, 27, 38, 142
Baking spray	72
Baking trays	62, 72
Bar mixer	264 - 266
Bar refrigerators	193
Barrier systems	349
Basket transport dishwashers	233
Blast chillers	208
Blow torches	337
Boiling kettles	33, 43, 52 - 53
Bottle coolers	193, 196
Buffet displays	168, 169
Buffet trolleys, cold	178 - 180
Buffet trolleys, hot	154 - 156
C	
Cake displays show-cases	190
Can opener	340
Cereal dispensers	169
Chafing dishes	147 - 150
Chafing fuels	149
Chest freezers	209
Chicken grills	111
Chip cutters	97
Chocolate dispenser	259
Chocolate fountain	186
Chocolate warmer	146
Citrus press	261
Cleaning agents	342
Clearing trolleys	294 - 297
Coffee grinders	251
Coffee jugs	244
Coffee machines	240 - 251
Coffee stations	245
Cold rooms	204
Combi steamers	65 - 72
Combined fridge/freezers	200 - 201
Contact grills	105 - 107
Convection ovens	60 - 64
Conveyor pizza oven	90
Cooking paper	72
Cooking pots	334 - 335
Cooking station	56 - 57
Cooling tops	181 - 183
Countertop electric hobs	116
Cover hood	225, 295
Cover machines	228 - 232
Crêpe makers	134
Cup warmers	167
Cupboards	277 - 278
Cutlery holders	332
Cutlery polishers	236
Cutlery trolleys	293
Cutter	316
Cutting boards	336 - 337
D	
Deep fat fryers	12, 20, 30 - 31, 40, 97 - 102
Deep freezers	206 - 208
Dehydrators	83
Dishwasher baskets	224, 234
Disinfectant dispensers	345
Doner kebab knives	338
Dough kneading machines	304 - 305
Drawer chiller	195
Drinks dispensers	260
Dry ageing cabinet	205
E	
Egg boiler	142
Electric ranges	10 - 11, 16 - 17, 25 - 26, 36 - 37, 45
Exhaust hoods	283 - 285
F	
Fat disposal container	102
Fermenting cupboard	64
Fitted covers	288, 289
Fittings	235
Food service carts	157
Food warmers	159 - 161
Foodwarmers	146
French-fries warmers	20, 31, 102
Frying fat filter	102
Frying pans	333
Fully automatic coffee machines	246 - 249
G	
Gas cookers	49, 115
Gas ranges	9 - 10, 15 - 16, 23 - 24, 35 - 36, 46 - 47
Gastronorm-containers	328 - 331
Glas-doored refrigerators	198 - 200
Glass polishers	237
Glasswashers	215 - 219, 222
Glove dispensers	343
Griddle plates	13, 19, 28, 39, 108 - 109, 110
H	
Hand dryers	347
Hand wash basins	280
Heat lamp	158
Heated cupboards	166, 279
High-speed oven	58 - 59
Hot displays	151 - 153
Hot water dispensers	256 - 257
Hot-dog machines	127, 128
Hot-pot station	147
Hotel hairdryers	352
Hotpots	143
Hygiene screen	348
Hygiene stations	343 - 344
I	
Ice Cream cabinets	213
Ice crushers	267
Ice cube makers	210 - 212
Ice flake makers	209
Ice-cream makers	213
Impulse cooler	196
Induction cooker	117 - 123
Induction deep fat fryers	100
Induction ranges	17, 26, 45
Induction woks	17, 123 - 125
Infrared heaters	286 - 287
Insect killers	350 - 351
In-store ovens	74 - 82
Insulated dispensers	260
J	
Juice extractors	262 - 263
K	
Kettles	254
Kitchen machines / Dough mixers	303 - 311

Kitchen scales	319
KitchenAid Mixer	306 - 311
Knife sharpener	338
Knife steriliser	338

L

Label holders	332
Lava rock grills	14, 18, 29, 42, 111
Low-temperature cookers	71

M

Magnetic strip	338
Mandoline slicer	315
Meat grinders	316 - 318
Meat tenderisers	316
Menu board	289
Microwave ovens	138 - 140
Milk frothers	241
Mini bars	192
Mini coolers	188 - 189
Mini-refrigerated counters	171
Mixers / Blender	264 - 266
Mulled wine dispensers	258
Mulled wine pots	258 - 259
Multi pans	126
Multi-frying pans	22, 27, 38, 51, 110
Multideck refrigerated displays	191

O

Ovengloves	335
------------	-----

P

Paella	114
Paella pans	114
Paper towel dispensers	346
Pasta cookers	21, 32, 41, 94
Pasta machines	95
Pastries deep fat fryers	103 - 104
Pastry roll machines	89
Patio heaters	286 - 287
Pavement signs	289
Pizza cutter	92
Pizza ovens	89 - 94
Pizza saladettes	177
Pizza shovel	92
Plate dispenser	166
Plate shelves	270
Plate warmers	166
Portafilter coffee machines	250 - 251
Pot washers	226 - 227
Potato peeling machines	319
Preparation table	171
Pump sauce dispensers	129

Q

Quartz tube toasters	133
----------------------	-----

R

Refrigerated counters	172 - 175
Refrigerated displays	184 - 187, 191
Refrigerators	192 - 203
Rice cookers	130 - 131
Rice warmer	131
Roast fryers	18
Room air cleaners	348
Rubbish bin cupboard	277
Rubbish bins	232, 340

S

Salad spinners	326
Saladettes	176 - 177
Salamanders	84 - 87
Salamander griddle	110
Salt shakers	336
Samovar	255
Sausage roller grills	127
Sausage slicers	128, 129
Sausage warmers	127
Sealing machines	291
Series 600	9 - 14
Series 650	15 - 22
Series 700	23 - 34
Series 900	35 - 43
Serving trolleys	293
Shelves	298 - 299
Shoe polishers	352
Sinks	21
Sinks / Sink centres	281 - 282
Slicers	320 - 322
Snackpoint	54 - 55
Soap dispensers	346
Soup kettles	144 - 145
Sous-Vide cookers	83
Spice shelves	270
Stainless steel polishing spray	175, 278
Stainless steel units	269 - 279
Stick mixers	301 - 302
Stock-pot stoves	48 - 49
Stoves	45 - 47
Sushi Bar	183

T

Table-top grills	112 - 113
Tables / Benches	288 - 289
Tea stations	254
Thermo jugs	244, 245
Thermometers	339
Tilting frying pans	33, 42, 51
Toasters	132 - 133
Top shelves	270, 271
Transport containers	292
Trolleys	293, 294, 296 - 297

U

Universal dishwashers	215 - 225
-----------------------	-----------

V

Vacuum bags	324, 326
Vacuum packaging machines	323 - 326
Vegetable cutters	312 - 315

W

Waffle makers	135 - 137
Wall cabinets	276
Wall shelves	269
Wall-mounting shelves	62, 140
Warming trays	162 - 165
Water Conditioning Units	237 - 238
Water filter system	252 - 253
Water grills	110
Wine cooler	194, 195
Wok cookers	50
Woks pans	125, 333
Work tables	272 - 275

I. Application of the International Conditions of Sale

- These International Conditions of Sale apply to all contracts made with the customers of Bartscher GmbH – hereinafter referred to as Bartscher – on or after 1 December 2019 whose predominant object is the supply of goods to the customer. Additional obligations assumed by Bartscher do not affect the application of these International Conditions of Sale.
- Terms of business of the customer conflicting with or differing from these International Conditions of Sale or the provisions applicable according to section X.-2. or X.-3. do not bind Bartscher, even if Bartscher does not object to them or even if Bartscher unconditionally renders performance or receives the customer's performance.
- These International Conditions of Sale do not apply, if the customer buys the goods for personal, family or household use and if Bartscher knew or should have known that at the time of the formation of the contract.

II. Formation of the Contract

- The customer is under an obligation to give written notice to Bartscher prior to the formation of a contract if
 - the goods to be delivered are to be fit not only for normal use or the customer orders on the assumption of a particular purpose or his expectations are based on public statements, advertising messages or other circumstances outside the formation of the concrete contract,
 - the goods to be delivered will be used in circumstances which are unusual or which present a particular risk to health, safety or the environment, or which require a more demanding use,
 - there is a risk of atypical damages or unusual amounts of loss, in particular exceeding the limits set up in section VII.-1.-d), of which the customer is or ought to be aware or
 - the goods to be delivered will be used in Germany or will be delivered to customer's clients resident in Germany.
- Orders of the customer are to be put in writing. If the customer's order deviates from the proposal or the tender submitted by Bartscher, the customer will emphasize the differences as such. Illustrations and drawings just like the measures and weight indications featuring in Bartscher's proposals or offers only constitute guidelines.
- All orders, in particular also those received by employees of Bartscher, will take effect exclusively if followed by a written acknowledgement of the order by Bartscher. The actual delivery of the goods ordered, any other conduct of Bartscher or silence on the part of Bartscher does not allow the customer to assume the formation of the contract. Bartscher can dispatch such written acknowledgement of the order up to and including fourteen (14) calendar days after the customer's order has been received by Bartscher. Until this time, the customer's order is irrevocable.
- The written acknowledgement of the order by Bartscher shall be received in time, if it is received by the customer within fourteen (14) calendar days after its date of issue. The customer will inform Bartscher without delay in writing, if the written acknowledgement of the order is received with delay.
- The written acknowledgement of the order by Bartscher sets out all the terms of the contract and brings the contract into effect even if - except for the description, the price for the goods and the quantity to be delivered - the written acknowledgement is not consistent with the declarations of the customer in every respect, especially with reference to the exclusive application of these International Conditions of Sale. The contract will only fail to come into existence if the customer objects in writing that the acknowledgement of the order by Bartscher is not completely consistent with the declarations of the customer, the customer specifies the deviations in writing and if the objection is received by Bartscher within a short time, at the latest seven (7) calendar days, after receipt of the written acknowledgement of the order by the customer.
- Particular wishes of the customer, namely particular expectations of the customer regarding the usage or the condition of the goods, guarantees or warranties with reference to the goods or the performance of the contract, as well as performance declarations, instruction manuals or security-related information requested by the customer in electronic or print form, require express written confirmation by Bartscher in every case.
- Confirmations of the contract produced by the customer are of no effect without any objection by Bartscher being necessary. In particular, neither the actual delivery of the goods, any other conduct of Bartscher or silence on the part of Bartscher shall give rise to any belief by the customer in the relevance of his confirmation.
- Bartscher's employees, commercial agents or other sales intermediaries are not authorized to dispense with the requirement of a written acknowledgement of the order by Bartscher or to make promises which differ from its content or guarantees. If and to what extent such persons are authorized to make or receive declarations with effect for or against Bartscher, is to be determined according to German law.
- Amendments to the concluded contract always require written confirmation by Bartscher.

III. Obligations of Bartscher

- Subject to a failure of delivery on part of his suppliers despite a congruent covering transaction or to an exemption according to section VII.-1. b) Bartscher must deliver the goods specified in the written acknowledgement of the order and transfer the property in the goods. Bartscher is not obliged to perform obligations not stated in the written acknowledgement of the order by Bartscher or in these International Conditions of Sale, in particular Bartscher is under no obligation if not explicitly agreed upon in writing to render planning-services, to give information regarding the goods, to furnish documents or certificates regarding the goods, to deliver accessories, to install additional safety devices, to carry out assemblies or to advise the customer.
- Bartscher's obligations under the contract made with the customer are owed only to the customer. Third parties not involved in the formation of the contract, in particular the customer's clients, are not entitled to request delivery to be made to them or to assert any other claim arising from the customer's contract with Bartscher. The customer's entitlement to take delivery continues to exist even if he assigns rights to third parties.
- Taking account of the tolerances customary in trade, Bartscher undertakes to deliver to the customer goods of the agreed kind and quantity which meet the common standards applicable in Germany and ensures that at the time of delivery the goods are free from rights or claims of private third parties which could prevent its use within the European Union. If the goods cannot be delivered in the condition offered at the time of the formation of the contract because technical improvements to goods of series production were made, Bartscher is entitled to deliver the goods with the technical improvements. Bartscher is entitled to make part deliveries and to invoice them separately.
- If further specification is required in relation to the goods to be delivered, Bartscher will carry this out having regard to his own interests and to the identifiable and legitimate interests of the customer. A request to the customer to specify the goods, or to participate in the specification, is not required. Bartscher does not undertake to inform the customer of the specification he has made or to give the customer the option of a differing specification.
- Bartscher undertakes to place the goods packaged, marked and labelled according to German standard at disposal for collection by the customer FCA (Incoterms 2020) at the place of delivery indicated in the written acknowledgement of the order or - if a place of delivery is not indicated - at the premises in 33154 Salzkotten/Germany at the agreed time of delivery. Previous separation or marking of the goods or notification to the customer of the goods being placed at disposal is not required. Under no circumstances, not even when other clauses of the Incoterms are agreed, is Bartscher obliged to inform the customer of the delivery or a failure to take the goods by the person nominated according to section IV.-6., to examine the goods with respect to their conformity with the contract on the occasion of delivery, to check the operational safety of the means of transport and the transportation safe loading or to furnish proof of the delivery being effected. The agreement of other clauses of the Incoterms or of clauses such as „delivery free.....“ or similar ones merely involve a variation of the provisions as to the transportation and the transportation costs; besides that, the provisions laid down in these International Conditions of Sale remain applicable.
- The organization of the transport and the insurance of the goods beyond the place of delivery decide according to section III.-5. is none of Bartscher's obligations, but is incumbent upon the customer. If the customer does not give a counter instruction in writing in time, Bartscher is entitled - even without the customer asking for it or without such a commercial practice existing - to contract on terms usual in Germany in the customer's name and at the customer's expense for carriage of the goods at the customer's risk and for insurance of the transport to the destination indicated by the customer and - if such a destination is not indicated - to the place of business of the customer.
- Compliance with agreed delivery time periods or delivery dates is subject to the customer's procuring any required documents, releases, permits, approvals, licences or any other authorizations or consents in sufficient time, opening letters of credit and/or making down-payments as agreed and performing all other obligations incumbent upon him properly and in good time and subject to no delay caused by preshipment inspections mandated by non-German authorities. Moreover, agreed delivery time-periods begin on the date of the written acknowledgement of the order by Bartscher. After informing the customer, Bartscher is entitled to deliver earlier than at the agreed delivery time or to select the date of delivery within the agreed period for delivery.
- Without prejudice to his continuing legal rights, Bartscher is entitled to fulfil his obligations after the delivery time periods or de-

livery dates agreed upon, if the customer is informed that Bartscher will exceed the delivery time limit and of the time period for late performance. Subject to aforesaid conditions, Bartscher is entitled to make repeated attempts at late performance. The customer can object to late performance within reasonable time, if the late performance is unreasonable. An objection is only effective, if it is received by Bartscher before commencing late performance. Bartscher will reimburse necessary additional expenditure, proven and incurred by the customer as a result of exceeding the delivery time to the extent that Bartscher is liable for this under the provisions laid down in section VII.

- Risks as to price and performance even in relation to goods which are not clearly identifiable to the contract and without it being necessary for Bartscher to give notice to the customer about the goods being placed at disposal, pass to the customer with delivery pursuant to section III.-5., albeit irrespective thereof with readiness for delivery by Bartscher according to the originally agreed delivery time periods or delivery dates, if these are postponed on customer's request, or as soon as the title to the goods has passed to the customer. The loading of the goods is part of the customer's obligations. The agreement of other clauses of the Incoterms or of clauses such as „delivery free.....“ or similar ones merely involve a variation of the provisions as to the transportation and the transportation costs; besides that, the provisions laid down in these International Conditions of Sale remain applicable.
- Bartscher is neither obliged to clear the goods for export nor to take care of customs advance declarations. However, Bartscher will apply for necessary export licences and operate customs formalities necessary for the export if the customer has requested Bartscher to do so and has furnished Bartscher with the data essential for the export in a written notice dealing with this purpose exclusively. If the goods are not cleared for export without any intentional or grossly negligent fault on the part of Bartscher, Bartscher is entitled to avoid the contract in whole or in part without compensation. The agreement of other clauses of the Incoterms or of clauses such as „delivery free.....“ or similar ones merely involve a variation of the provisions as to the transportation and the transportation costs; besides that, the provisions laid down in these International Conditions of Sale remain applicable.
- Unless expressly agreed in written form something different, Bartscher is not obliged to obtain proves of delivery, documents, certificates, licences or other authorizations necessary for the export, transit or import, or to achieve security clearance of the goods required for the carriage or otherwise or to render assistance to the customer in obtaining them. The agreement of other clauses of the Incoterms or of clauses such as „delivery free.....“ or similar ones merely involve a variation of the provisions as to the transportation and the transportation costs; besides that, the provisions laid down in these International Conditions of Sale remain applicable.
- Bartscher is in no case liable to perform duties associated with the making available of the goods on the market outside Germany, to bear levies, duties and charges accruing outside Germany, to comply with weight and measuring systems, packaging, labelling or marking requirements or registration or certification obligations applicable outside Germany or to comply with any other legal provisions applicable to the goods outside Germany. The customer will arrange for translations in any language other than German of instructions, safety information, performance declarations or other written materials about the goods required by law or called for otherwise at his risk and expense.
- Without prejudice to his continuing legal rights and without a previous notice to the customer being necessary, Bartscher is entitled to suspend the performance of his obligations as long as, in the opinion of Bartscher, there are grounds for concern that the customer will wholly or partly fail to fulfil his obligations in accordance with the contract. In particular, the right to suspend arises if the customer insufficiently performs his obligations to enable payment to Bartscher or a third party or pays late or if the limit set by a credit insurer has been exceeded or will be exceeded with the forthcoming delivery. Instead of suspending performance Bartscher is entitled at his own discretion to make future deliveries, even if confirmed, conditional on payment in advance or on opening of a letter of credit confirmed by a major German commercial bank. Bartscher is not required to continue with performance of his obligations, if an assurance given by the customer to avoid the suspension does not provide adequate security or could be challenged pursuant to an applicable law.
- Except as provided in section III.-8., Bartscher is only obliged to inform the customer of possible disruption in performance, once the commencement of the disruption is definitely certain for Bartscher.

IV. Obligations of the Customer

- Irrespective of continuing obligations of the customer to guarantee or to enable payment, the customer undertakes to pay the agreed price for the goods in the currency specified in the written acknowledgement of the order transferring it without deduction and free of expenses and costs to one of the financial institutions designated by Bartscher. To the extent that a price for the goods has not been agreed, the price which is at the time of delivery Bartscher's usual selling price for the goods will apply. Bartscher's employees, commercial agents or other sales intermediaries are not authorized to accept payments.
- The payment to be made by the customer is in any event due for payment at the time specified in the written acknowledgement of the order or - if a time for payment is not indicated - on receipt of the invoice. The due time for payment arises without any further pre-condition and, in particular, does not depend on whether the customer has already taken delivery of the goods or the documents or has had an opportunity to examine the goods. The periods granted for payment will cease to apply and outstanding accounts will be due for immediate payment, if insolvency proceedings relating to the assets of the customer are applied for, if the customer without providing a justifiable reason does not meet fundamental obligations due towards Bartscher or towards third parties, if the customer has provided inaccurate information regarding his creditworthiness or to the extent that the cover given by a credit insurer for the customer is reduced on grounds for which Bartscher is not responsible.
- The customer warrants to have the goods transported abroad, not to transfer the right of disposal to third parties as long as the goods are in Germany, and to fulfil all legal requirements and documentations for the handling regarding customs laws and value added tax of the delivery or any service according to the applicable provisions in Germany. To the extent that Bartscher has to pay German or foreign customs duties or German or foreign value added tax, the customer will indemnify Bartscher in all and every respect without prejudice to any continuing claim by Bartscher. The indemnity is granted by the customer waiving any further requirements or other defences, in particular waiving the defence of limitation or prescription and also includes the reimbursement of the expenses incurred by Bartscher.
- Regardless of the currency and of the jurisdiction of any arbitral tribunal or court, Bartscher is entitled at his own discretion to set off incoming payments against claims existing against the customer by virtue of his own or assigned rights at the time of payment.
- Any statutory rights of the customer to set off against claims of Bartscher, to withhold payment or taking delivery of the goods, to suspend the performance of his obligations or to raise defences or counterclaims are excluded, except where the corresponding claim of the customer against Bartscher is in the same currency, is founded in the customer's own right and is either due and undisputed or has been finally adjudicated or where despite written warning by the customer Bartscher has committed a fundamental breach of his obligations due and arising out of the same contractual relationship, and has not offered any adequate assurance.
- The customer undertakes to furnish Bartscher with the data to apply for the customs formalities according to section III.-10. in reasonable time ahead and in writing, to take delivery of the goods either by himself or by a person nominated in writing by him to Bartscher at the delivery time without taking any additional period of time and at the place of delivery resulting from section III.-5. and shall fulfil all the duties imposed by the contract, by these International Conditions of Sale, by the rules of the ICC for the use of the agreed clause of the Incoterms® 2020 and by statutory provisions. The customer is only entitled to refuse to take delivery of the goods if he avoids the contract in accordance with the rules in section VI.-1.
- The customer will not promise or perform any act with regard to the goods purchased from Bartscher, if such act is forbidden under the applicable provisions in particular of foreign trade law including the U.S. export control regulations. To the extent that the customer is unsure whether such prohibitions exist, the customer shall seek consultation with Bartscher in writing.
- The customer will monitor the goods purchased from Bartscher in the market and will inform Bartscher without delay in writing of any concern that the goods might pose a risk for third parties. Moreover, the customer will, without any demand being necessary, inform Bartscher in writing if Bartscher has to observe any particular duties of reporting or registration or providing information or prior notification or other requirements for access to market or has to comply with obligations to retain documents, under the provisions in force in the customer's country or in the country where the goods are to be used.
- Irrespective of any statutory provisions, the customer shall at his own cost take care of or in any other way ensure renewed utilization, material recycling or otherwise prescribed wastedisposal of the goods delivered by Bartscher to the customer and of the packaging material.

V. Delivery of non-conforming Goods or Goods with Defective Title

- Without prejudice to any exclusion or reduction of liability of the seller provided by law, goods do not conform with the contract if the customer proves that, taking into account the terms in section III., at the time the risk passes the packaging, quantity, quality or the description of the goods is significantly different to the specifications laid down in the written acknowledgement of the order, or in the absence of agreed specifications, the goods are not fit for the purpose which is usual in Germany. Changes in design, construction or material which reflect technical improvements do not constitute a lack of conformity with the contract. Regardless of the stipulation established in sentence 1, the goods shall be deemed to conform with the contract to the extent that the legal regulations applicable at the place of business of the customer do not prevent the usual use of the goods.
- To the extent that the written acknowledgement of the order by Bartscher does not contain an explicit statement to the contrary, Bartscher is in particular not liable for the goods being fit for a purpose which is not usual in Germany or for complying with further reaching expectations of the customer or for possessing the qualities of a sample or a model or for their compliance with the legal regulations existing outside Germany, for instance in the customer's country. Bartscher shall also not be liable for any non-conformity with the contract that did not exist at the time the risk has passed. To the extent that the customer, either himself or through third parties, initiates the removal of non-conformities without the prior consent of Bartscher in writing, Bartscher will be released from his liability.
- The customer is obliged vis-à-vis Bartscher to examine or to have examined every single delivery comprehensively for any discoverable or typical lack of conformity with the contract and moreover as required by law.
- Without prejudice to any exclusion or reduction of liability of the seller provided by law, goods have a deficiency in title if the customer proves that the goods are not free from enforceable rights or claims of private third parties at the time risk passes. Without prejudice to further legal requirements, third parties' rights or claims founded on industrial or other intellectual property constitute a deficiency in title only to the extent that the rights are registered, made public and in legal force in the European Union and prevent the usual use of the goods in the European Union. Regardless of the stipulation established in sentence 1, title to the goods shall be deemed not to be defective to the extent that the legal regulations applicable at the place of business of the customer do not prevent the usual use of the goods.
- The customer loses the right to rely on a lack of conformity of the goods if he does not give notice to Bartscher within a reasonable time after taking delivery in accordance with section IV.-6. Such notice has to be made in writing and directly to Bartscher and to be formulated in such a precise manner as to enable Bartscher to effect remedy measures without need for further inquiries from the customer and to secure claims against Bartscher's suppliers and moreover as required by law. Bartscher's employees, commercial agents or other sales intermediaries are not authorised to accept notices outside Bartscher's premises or to make any statements concerning lack of conformity with the contract or of title and its consequences.
- Following due notice according to section V.-5., the customer can rely on the remedies provided by these International Conditions of Sale. The customer has no other rights or claims whatsoever and no claims of a non-contractual nature due to delivery of non-conforming goods or goods with defective title. In the event of notice not having been properly given, the customer may only rely on remedies if Bartscher has intentionally concealed the lack of conformity with the contract or the deficiency in title. Statements by Bartscher as to the lack of conformity with the contract or as to the deficiency in title are for the purpose of explaining the factual position only, but do not entail any waiver by Bartscher of the requirement of proper notice.
- The customer is not entitled to remedies for delivery of non-conforming goods or goods with a deficiency in title, insofar as the customer is liable vis-à-vis third parties for conditions of the goods or their fitness for a use which are not subject of the agreement with Bartscher, or if the customer's claim is based on foreign law.
- To the extent that the customer in accordance with the terms of these International Conditions of Sale is entitled to remedies because of delivery of non-conforming goods or goods with defective title, he is entitled to demand in accordance with the terms of the UN Sales Convention delivery of substitute goods or repair of Bartscher or to reduce the price for the goods. The delivery of substitute goods or repair does not lead to a recommencement of the limitation period. The reduction of the price for the goods is limited to the damages suffered by the customer. Further claims for performance are not available to the customer. Respective of the customer's remedies, Bartscher is always entitled in accordance with the provision in section III.-8. to repair goods which do not conform with the contract or to supply substitute goods or to avert the customer's remedies by giving him a credit note of an appropriate amount.
- In case of unjustified assertion of remedies for delivery of non-conforming goods or goods with a deficiency in title, although the customer is or ought to have been aware that a non-conformity or a deficiency in title does not exist or that the cause for such non-conformity or deficiency in title claimed are not to be attributed to Bartscher, the customer is obliged to reimburse Bartscher for expenses incurred due to the unjustified assertion of claims.

VI. Avoidance of the Contract

- The customer is entitled to declare the contract avoided, if the respective applicable legal requirements are complied with, after he has threatened Bartscher in reasonable time after the facts justifying the avoidance of the contract had occurred with avoidance of the contract in writing and an additional period of time of reasonable length for performance fixed in writing has expired to no avail. If the customer claims delivery of substitute goods, repair or other performance, he is bound for a reasonable period of time to the chosen remedy, without being able to exercise the right of declaring the contract avoided. In any event, the customer must give notice of avoidance of the contract within reasonable time after the additional period of time has expired in writing and to Bartscher directly.
- Without prejudice to his continuing legal rights, Bartscher is entitled to avoid the contract in whole or in part if the customer objects to the application of these International Conditions of Sale, if the implementation or performance of the contract is prohibited by the law in whole or in part, if on grounds for which Bartscher is not responsible the written acknowledgement of the order by Bartscher is received by the customer more than fourteen (14) calendar days after its date of issue, if insolvency proceedings relating to the assets of the customer are applied for, or if for other reasons Bartscher cannot be expected to fulfill his obligations by means which - taking into consideration his own interests and that of the customer as far as ascertainable and legitimate at the time of formation of the contract - are unreasonable, in particular in relation to the agreed counter-performance.
- Without prejudice to his continuing legal rights, Bartscher is entitled to avoid the contract in whole or in part after prior warning if the customer does not place call off orders as agreed, if he does not furnish Bartscher with the data necessary to apply for customs formalities in due time, if without providing a justifiable reason he does not meet fundamental obligations due towards Bartscher or towards third parties, if he has provided inaccurate information regarding his creditworthiness or to the extent that the cover given by a credit insurer is reduced on grounds for which Bartscher is not responsible.

VII. Damages

- Without waiving the legal requirements, Bartscher is only obliged to pay damages due to the breach of obligations resulting from the contract with the customer, the contractual negotiations carried on with the customer or the business relation with the customer in accordance with the following provisions. These provisions apply equally for all of Bartscher's obligations to reimburse expenses.
 - The customer is required in the first instance to rely on other remedies and can only claim damages in the event of a continuing deficiency. The customer cannot claim damages as an alternative to other remedies.
 - Bartscher is not liable for the conduct of suppliers, subcontractors, carriers or freight-forwarders, for damages to which the customer has contributed or for the consequences of customer interference with the security and/or safety technology of the delivered goods. Bartscher is not liable if the contract cannot be performed as agreed at the time of its formation due to subsequent statutory or sovereign measures. Neither is Bartscher liable for impediments which occur, as a consequence of natural or political events, acts of state, industrial disputes, sabotage, accidents, terrorism, biological, physical or chemical processes or comparable circumstances and which cannot be controlled by Bartscher with reasonable means. Moreover, Bartscher is only liable to the extent that the customer proves that the executive bodies or members of staff of Bartscher have deliberately or negligently breached contractual obligations owed to the customer.
 - In the event of liability, Bartscher will compensate within the limits of lit. d) the losses of the customer to the extent that the customer proves that he has suffered an unavoidable loss caused by the breach of obligations owed to the customer by Bartscher and foreseeable to Bartscher, at the time of the formation of the contract in respect of the occurrence of the loss and its amount. Moreover, the customer is required to mitigate his loss as soon as a breach of contract is or ought to be known.
 - Bartscher is not liable for loss of profit or damage to reputation. Moreover, the amount of damages for late or non-existent delivery is limited to 0.5 per cent for each full week of delay, up to a maximum of 5 per cent of the net purchase price of the goods delivered late or not at all, and in case of remedies because of delivery of non-conforming goods and/or goods with a deficiency in title is limited to an amount of 200 per cent of the net purchase price of goods affected. However, this subparagraph does not apply to injury of life, body or health, to intentional concealment of the non-conformity or deficiency in title of the goods and to breaches of contractual obligations due to intentional harm or gross negligence.
 - For breach of contractual, pre-contractual or obligations resulting from the business relation owed to the customer, Bartscher

is obliged to pay damages exclusively in accordance with the provisions of these International Conditions of Sale. Any recourse to concurrent bases of claim, in particular of a non-contractual nature, is excluded. Equally excluded is any recourse against Bartscher's company organs, employees, servants, members of staff, representatives and/or those employed by Bartscher in the performance of his obligations on grounds of breach of contractual obligations owed by Bartscher.

- Insofar as the limitation period may not already have barred the claim, claims for damages brought by the customer are excluded after six (6) months beginning with the rejection of the claim for damages by Bartscher.
- Irrespective of continuing statutory or contractual claims, the customer is obliged to pay damages to Bartscher as follows:
 - In the event of delay in payment, the customer will pay a lump sum of EUR 50.00, the costs of arbitral, judicial and extra-judicial means and proceedings, usual and accruing within the country and abroad, as well as (without evidence being necessary) interest at the rate applicable in 33154 Salzkotten/Germany for unsecured short-term loans in the agreed currency, at least however interest at 9 per cent points over the base rate of the German Federal Bank (Deutsche Bundesbank).
 - In the case of a late taking delivery of the goods by the customer by more than two (2) weeks, Bartscher is entitled to claim damages without evidence being necessary of 5 per cent of the value of the goods to be delivered. In the case of a late taking delivery of the goods by the customer by more than six (6) weeks or an entire failure to take delivery as well as in the event of non-delivery due to a breach of contract by the customer, Bartscher is entitled to claim damages without evidence being necessary of 20 per cent of the value of the goods to be delivered.
 - If the contract has been avoided by the customer without justification, Bartscher is entitled, insofar as he consents to the avoidance, to claim damages without evidence being necessary in the amount of 20 per cent of the value of the goods to be delivered.
- Within the bounds of what is legally possible as well as within what is usual in the trade, the customer is in his commercial relationships with his clients obliged to limit his liability both in principle and in amount.

VIII. Limitation Period

The customer's claims in respect of the delivery of new non-conforming goods and new goods with a defect in title become time-barred two (2) years after delivery of the goods. The customer's claims in respect of the delivery of non-conforming second-hand goods and second-hand goods with a defect in title become time-barred one (1) year after delivery of the goods, unless Bartscher has breached contractual obligations intentionally or grossly negligently. The delivery of substitute goods or the repair of delivered goods does not lead to a restart or suspension of the limitation period.

IX. Other Provisions

- Title of the goods that have been delivered remains with Bartscher until settlement of all claims existing against the customer. The allocation of risk as to price and performance in section III.-9. is not affected by the reservation of title.
- Irrespective of continuing statutory or contractual claims, the customer will indemnify Bartscher without limit against all claims of third parties which are brought against Bartscher on the grounds of product liability or similar provisions, to the extent that the liability is based on circumstances which - such as, for example, the presentation of the product - were caused by the customer or other third parties without express written consent of Bartscher. In particular, the indemnity also includes the reimbursement for expenses incurred by Bartscher and is granted by the customer waiving further conditions or other objections, in particular without requiring compliance with control and recall obligations, and waiving any defence of limitation.
- In relation to pictures, drawings, calculations and other documents and computer-software, which have been made available by Bartscher in a material or electronic form, the latter reserves all proprietary rights, copyrights, other industrial property rights as well as know-how rights.
- Subject to written objection by the customer, personal data, which Bartscher receives from the customer in the execution of activities covered by these International Conditions of Sale, are processed by Bartscher and also by service providers located in Germany or abroad.
- The transmission of electronic documents (EDI) requires special agreements.
- All communications, declarations, notices etc. are to be drawn up exclusively in German or English. Communications by means of fax or e-mail fulfil the requirement of being in writing.

X. General Basis of Contracts

- The place of delivery results from section III.-5. of these International Conditions of Sale and applies likewise to the delivery of substitute goods or the repair of delivered goods. The place of payment and performance for all remaining obligations arising from the legal relationship between Bartscher and the customer is 33154 Salzkotten/Germany. These provisions also apply if Bartscher assumes the costs of money remittance, renders performance for the customer somewhere else or payment is to be made in exchange of documents or goods or in the case of restitution of performances already rendered. The agreement of other clauses of the Incoterms or of clauses such as „delivery free.....“ or similar ones merely involve a variation of the provisions as to the transportation and the transportation costs; besides that, the provisions laid down in these International Conditions of Sale remain applicable.
- The United Nations Convention of 11 April 1980 on Contracts for the International Sale of Goods (UN Sales Convention / CISG) in the English version governs the legal relationship with the customer. The UN Sales Convention applies, above and beyond its own area of application, and regardless of reservations adopted by other states, to all contracts to which these International Conditions of Sale are to be applied according to the provisions of section I.
- The formation of contract, including agreements as to the jurisdiction of courts and arbitrators, its amendments or alterations, and the contractual rights and obligations of the parties, also including the liability for death or personal injury caused by the goods to any person and breach of pre-contractual and collateral obligations, as well as the interpretation are exclusively governed by the UN Sales Convention together with these International Conditions of Sale. Where standard terms of business are used, in case of doubt the Incoterms 2020 of the International Chamber of Commerce apply taking into account the provisions stipulated in these International Conditions of Sale. Subject to differing provisions in these International Conditions of Sale, the rest of the legal relationship between the parties is governed by the Swiss Code of Obligations.
- All contractual and extra-contractual disputes as well as disputes under insolvency law, arising out of or in connection with contracts to which these International Conditions of Sale apply, including their validity, invalidity, breach or cancellation as well as other disputes arising out of the business relationship with the customer shall be finally resolved, without recourse to the ordinary courts of law, by arbitration according to the Swiss Rules of International Arbitration of the Swiss Chambers' Arbitration Institution in force on the date when the Notice of Arbitration is received in accordance with these Rules. The tribunal shall consist of three (3) arbitrators, one (1) of them shall be nominated by the claimant, one (1) of them by the respondent and the chairman of the tribunal shall be designated by the two arbitrators so nominated, or if the amount in dispute is inferior to € 250,000, there shall be one (1) arbitrator appointed according to the Swiss Rules of International Arbitration. The place of the arbitration shall be Zurich/Switzerland, the languages used in the arbitral proceedings shall be German and/or English. The competence of the Arbitral Tribunal excludes especially every statutory competence of state courts, which is provided by reason of a personal or substantive relation. If this arbitration clause is ineffective or ceases to be effective, the non-exclusive jurisdiction of the courts which have jurisdiction for 33154 Salzkotten/Germany is agreed for all disputes instead. If the relevant place of business of the customer is within the European Economic Area (EWR) or Switzerland, irrespective of any ineffectiveness of the arbitration clause and instead of bringing an action before the arbitral tribunal, Bartscher is also entitled to bring an action before the State Court which has jurisdiction for 33154 Salzkotten/Germany or the State Court of the customer's place of business.
- If provisions of these International Conditions of Sale should be or become partly or wholly ineffective, the remaining arrangements will continue to apply. The parties are bound to replace the ineffective provision with a legally valid provision, as close as possible to the commercial meaning and purpose of the ineffective provision.



Bartscher GmbH
Franz-Kleine-Straße 28
33154 Salzkotten
Germany

